
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



B49 - 41



BRIDGEMAN⁹S HIGH GRADE SEEDS 37 EAST 19TH STREET NEW YORK CITY

Useful Tables for Gardener and Farmer

Seed for a Given Number of Plants

Cabbage 3,000 plants	Marrow Squash 1 oz. to 30 hills
Cauliflower	Asparagus
Celery	Beet
Eggplant 1 " 2,00 "	Carrot
Endive	0kra 1 " 40 "
Lettuce	Onion
Pepper	Onion Sets, Small 1 qt. to 50 "
Tomato	Parsley 10z to 150 "
Pole Beans	Parsnip 1 " 200 "
Corn	Radish 1 " 100 "
Cucumber 1 oz to 50 "	Salsify
Watermelon	Spinach
Muskmelon	Turnip 1 " 150 "
Pumpkin 1 " 40 "	Peas
Early Squash	Dwarf Beans

Seed Usually Sown Upon One Acre

4 41 1 1 7 7
Artichoke, Jerusalem 4 bus.
Barley, broadcast 2 to 3 bus.
Barley, broadcast 2 to 3 bus. Beans, Dwarf, in drills 1½ bus.
Rooms Polo in hills
Beans, Pole, in hills 8 to 10 qts.
Beet, in drills 4 to 5 lbs.
Broom Corn, in hills 4 to 6 qts.
Buckwheat, broadcast 34 to 1 bus.
Cabbage, to transplant
Carrot, in drills 2 to 3 lbs.
Corn, in hills 8 qts.
Corn, for soiling 3 bus.
Clover, Alsike 5 lbs.
Clover, Red, alone 20 lbs.
Clover Red with Timothy and Pedton 10 lbs
Clover, White, alone 8 to 10 lbs.
Clover, White, with other seeds 4 lbs.
Clover, white, with other seeds 4 ibs.
Clover, Lucerne, alone
Clover (together) Clover 10 lbs.
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
Padtan Dadtan Thus
Cone acre) Redtop I bus.
Cucumber, in hills 1 to 2 lbs.
Flax, broadcast 1 to 2 bus.
Grass, Hungarian
,

Grass, Lawn 4 bus.
Grass, Orchard 2 to 3 bus.
Grass Rue
Grass, Rye
Grass, Timothy ½ bus.
Millet
Mustard, broadcast 12 to 16 qts.
Oats, broadcast 2 to 3 bus.
Onion, in drills 4 to 6 lbs.
Parsnip, in drills 4 to 5 lbs.
Peas, Early, in drills 1½ bus.
Peas, Marrowfat, in drills
Peas, broadcast 3 bus.
Potatoes, cut tubers, in drills 10 bus.
Radish, in drills 6 to 8 lbs.
Rye, broadcast 1½ to 2 bus.
Salsify, in drills 6 to 8 lbs.
Chinach in duite
Spinach, in drills 8 to 1) lbs.
Turnip, in drills
Turnip, in drills
Vetches, broadcast 2 to 3 bus.
Wheat, broadcast 1½ to 2 bus.
Wheat, in drills bus.
material dillip

Plants or Trees for One Acre

Distance apart Number	Distance apart Number
6 inches by 6 inches	5 ft. by 5 ft 1,742
I ft. by I ft	6 ft. by 6 ft 1,210
1½ ft. by 1½ ft	8 ft. by 8 ft 680
2 ft by 1 ft	9 ft. by 9 ft 537
2 ft by 2 ft 10,890	10 ft. by 10 ft
2½ ft. by 2½ ft 6,970	12 ft. by 12 ft 302
3 ft by 1 ft	16 ft. by 16 ft 170
3 ft. by 2 ft	20 ft by 20 ft
3 ft. by 3 ft 4,840	25 ft. by 25 ft
4 ft. by 4 ft 2,722	



ESTABLISHED 1824 1904

BRIDGEMAN'S

HIGH GRADE SEEDS

EDWARD A. PETH, Proprietor

37 East 19th Street

NEW YORK CITY



HE BRIDGEMAN SEED BUSINESS, in entering upon its eightieth year, feels assured that its experience and its reputation both commend it to the discriminating buyer.

After a lifetime spent in horticultural pursuits, the founder of the business, Alfred Bridgeman, passed into rest in May, 1903. The experience acquired in connection with his great abilities during the time of his active connection with the business serves the present proprietor—who has, indeed, been the manager of the enterprise for more than twenty years—in guaranteeing the same care and discrimination in the selection of varieties and stocks that have built up the business to its enviable position.

Great care is taken to select seeds of only such species and varieties as are really worthy of cultivation, to the exclusion of all sorts too frequently recommended and sold, to the serious loss and disappointment of planters. Supplies of all the leading kinds of seeds are raised annually by the most careful growers, from roots or seeds selected by the proprietor. Such seeds as are not successfully grown in our climate are imported from the most reliable seedsmen in Europe. The purity and germinating qualities of all important seeds are tested each year, under the proprietor's personal supervision. The observance of such a system may be considered a guarantee that no seeds will be offered except such as are known to possess the most essential good qualities for general purposes.

To aid the amateur and others in making selections, some of the leading and most desirable kinds are marked with an asterisk, thus (*).

The proprietor can here enumerate only the leading articles in his collection; and, from a conviction that the seedsman's fair reputation is often unjustly defamed through failure of seeds, he would with brevity state some of the causes:

First—That some cultivators, through ignorance or forgetfulness of the fact that the products of a garden are natives of various soils and climates, and require peculiar management, sow their seeds at an improper season. To aid such, the most tender species, which should not be placed in the open ground until settled warm weather, are

Please note that we employ no agents. All orders will be carefully and promptly executed from our stock of high-grade true-to-name seeds.

marked thus (†). The half-hardy, which are subject to risk if sown when frost prevails, are marked thus (‡). The early and most hardy species and varieties should not be planted until the ground can be brought into good condition, as some species of plants that in an advanced state of growth will stand a hard winter are often cut off by a very slight frost while young, especially if exposed to the heat of the sun after a frosty night. To guard against disappointment, reserve some of the seed for a later sowing.

Second—That some species of seeds, such as Beans, Beets, Cabbage, Lettuce, Radishes, Salsify, Turnips, etc., being, from their nature, apt to vegetate quickly, are often liable to be devoured by insects within forty-eight hours after they are sown, and before a plant is seen above ground, unless a suitable remedy is applied in time to destroy them.

Third—That some species, such as Carrots, Celery, Leeks, Onions, Parsley, Parsnips, Spinach, etc., being naturally of tardy growth—taking (in unfavorable seasons) from two to four weeks to vegetate—are apt to perish through incrustation of the soil, or other circumstances which cannot always be controlled.

Fourth—That failures often occur through seeds being deposited too deep in the ground, or left too near the surface; sometimes, for want of sufficient seed in a given spot, solitary plants perish, lacking strength to open the pores of the earth; and very often injudicious management in manuring and preparing the soil will cause failures. To insure a fair chance, plant your seeds moderately thick, and thin out the surplus plants while young. In planting seeds in drills (which is the most desirable plan), the size of the seed and strength of its germ should be considered; large seeds, producing vigorous roots, require deeper planting than diminutive seeds, producing delicate roots and slender stalks; the smallest seeds should not be covered more than a quarter of an inch. For instructions on these and other subjects of gardening, the reader is referred to Bridgeman's Book on Gardening, and other works by celebrated authors, of which a list will be found in this Catalogue.

Notwithstanding the great care used to supply every article true to name and of good quality, nothing is warranted.

It is requested that explicit directions for marking and forwarding packages accompany each order. All goods will be legibly marked as directed and delivered to vessels in port, and railroad and express offices in the city of New York, free of expense. After shipment, they will be at the risk of the purchaser.

Catalogue of Vegetable, Flower, Grass, Herb and Miscellaneous Seeds, with brief directions for their care and treatment. (This one.) Ready in January.

Market-Gardeners' Priced Catalogue of Vegetable Seeds, etc. Ready in January.

Catalogue of Dutch Bulbous Roots. Ready in September.

Address all orders plainly to

BRIDGEMAN'S SEED WAREHOUSE

37 East 19th Street, near Broadway

Borough of Manhattan

NEW YORK CITY

Specialties in Flower Seeds

CHOICE NEW ASTERS

Hohenzollern Crown Prince. The color of this magnificent novelty is a brilliant carminered of really striking beauty, quite unique, in fact, among Asters. Pkt. 35 cts.

Midsummer Triumph. Dark scarlet. The Midsummer Triumph Aster, which comes absolutely true from seed, will certainly prove a gem for every lover of this favorite flower and be especially welcomed by florists, as

making a delightful, early-blooming potplant. Pkt. 35 cts.

Bridesmaid. A new color of the Comet group. The flowers open white and change to a charming lilac-rose; remarkably free-flowering; excellent as a pot-plant. Pkt. 25c.

Lady Aster, Comet-Flowered Rose and White. A splendid new variety, and quite distinct by its narrow lanceolate leaves and long-petaled chrysanthemum-like flowers. Pkt. 25 cts.

Comet, Snow-White. The flowers of this splendid new class are very large and extremely double, with incurved petals, giving them the appearance of the finest Japanese chrysanthemums. Pkt. 10 cts.

Ball, or **Jewel**. (Benary.) A magnificent rose and white variety. The flowers are very double, petals incurved; blooms in great profusion. Pkt. 10 cts.

Snowball, or **Princess.** (Benary.) Flowers pure white; in form they are semi-spherical and composed of quite short and composed of quite short and composed of an experimental and composed of quite short and q



COMET ASTER.

cal, and composed of quite short and very thickly set imbricated petals. Pkt. 25 cts.

Aquilegia Stuarti

A splendid Columbine, the result of a cross between A. glandulosa and A. Wilmanni. The flowers are 4 inches in diameter, and are of a fine rich blue. Pkt. 25 cts.

Chrysanthemum "Golden Wheel" (Carinatum radiatum aureum)

In this new and pretty group of annual Chrysanthemums the flowers assume a peculiar form, the quill-shaped ray florets standing out all around the disk like the spokes of a wheel. The flowers of this novelty are golden yellow with purple center. Pkt. 25 cts.

Celosia spicata (Argentea linearis)

This lovely Celosia is an annual from the East Indies. The straight and tender pyramidal plants grow to be about 2½ feet high, with 20 to 30 side branches, every branch ending in a somewhat cylinder-shaped flower spike, which is 3 to 4 inches long and is at first light pink, changing later into a silver white color. Useful for bedding out as well as a pot-plant. Pkt. 25 cts.

Cosmos, Dwarf Early=Flowering "Dawn"

The Cosmos is now one of our most popular flowers, but frequently, on account of its coming into bloom so late, the plants are destroyed by frost without having perfected a solitary flower. This new variety comes into full flower in July, and continues a mass of bloom until cut down by severe frost. The flowers are fully as large as in the best selections of the old type; beautiful white, relieved by a delicate tint of rose at the base of the petals. Pkt. 10 cts.

Candytuft, Little Prince

New. Grows 4 to 6 inches high, with spikes of large, pure white flowers. As a potplant this novelty will be of grand service, and will also prove invaluable for borders and for cutting. Pkt. 10 cts.

Gaillardia grandiflora foliis aureo-variegatis

A welcome addition to the small group of variegated-leaved perennials. Foliage golden yellow, which characteristic is displayed as soon as the leaves unfold, and extends mostly even to the buds; produces a pleasing contrast with the magnificent flowers. Pkt. 25 cts.

Mathiola, Empress Elizabeth

A new large-flowering double winter Stock; grows about 18 inches high, with flowers of the brightest carmine-rose; excellent for pots and cutting. Pkt. 25 cts.

Petunia hybrida gigantea fl. pl.

A splendid new class of giant double Petunias of the most beautiful variety of colors. Pkt. 50 cts.

POPPIES

Dwarf Shirley. Charming dwarf varieties of the universally esteemed Shirley Poppy. The seedlings grow into bushy little plants about 18 inches high, with bright green laciniated foliage, and all ablaze with innumerable fine flowers of rose, chamois, scarlet and salmon, some having a distinct light bordering to the petals, all with yellow stamens and all thrown well up above the foliage. Pkt. 15 cts.

Miss Sherwood. Sturdy plants 2½ feet high, with noble foliage, bearing in profusion large, single flowers of a shining satiny white, the upper half of the corolla being a silky chamois-rose. This is a combination of color quite virginal in its delicacy, and we are convinced that this beautiful Poppy, which comes quite true from seed, will be found one of the finest of single-blooming varieties, more especially as a cut-flower, and quickly meet with the appreciation it deserves. Pkt. 10 cts.

Dianthus Heddewigii albus, Queen of Holland

A new Dianthus, bearing splendid, even-edged flowers of a lustrous pure white. Excellent for cutting. Pkt. 25 cts.

Heuchera alba

New. A valuable variety of the well-known H. sanguinea. The long, slender flowerstalks are thickly clothed with pure white, long-lasting flowers, which through their elegant appearance are highly effective in the border, and also very useful for bouquets. Pkt. 25 cts.


Hollyhock, Allegheny

A decided improvement over the old-fashioned variety. Flowers fringed, chrysanthemum-shaped, 5 to 7 inches across; flowers until frost. Finest mixed. Pkt. 10 cts.

Imperial Japanese Morning-Glory

A new class of Morning-Glory from Japan. The flowers are of exquisite beauty in form and coloring, and of enormous size, often 5 to 6 inches in diameter. They are easily cultivated, and grow rapidly to a height of 30 or 40 feet. The

colors are striped, penciled and bordered in infinite variety and diversity. The foliage, also, is often prettily variegated. Pkt. 10 cts.



It will at once be seen that for bedding this new Salvia is fully as suitable as geraniums in respect to height and compactness, while in brilliancy of color it eclipses anything in nature. We have counted over one hundred spikes of bloom on a single plant. The foliage is of a very rich dark green color, beginning right at the ground and rising no more than 10 inches above, while the 8-inch flowers-pikes stand erect and clear above the foliage. For bedding in masses alone, or with plants of equal height, or for borders around beds of taller plants, we know nothing that will be so effective. Pkt. 25 cts.

Nasturtium, Lilliput

An entirely new class of dwarf Nasturtiums; the plant is in every respect smaller than the Tom Thumb. The dainty little flowers, produced in the greatest profusion, and peeping up well above the small

cut and bushy foliage, make it one of the prettiest of annuals. Pkt. 10 cts.

A new variety, bearing flowers of a pure golden yellow, without any spots. Pkt. 25 cts.

Tropaeolum Lobbianum, Golden Queen



JAPANESE MORNING-GLORIES.

Specialties in Vegetable Seeds

Wonder Bush Lima. The most productive of all Bush Limas. The plants grow dwarf, upright and compact, and are completely covered with large pods, many of which contain four beans, which are fully as large as the largest of the Pole Limas. Qt. 50 cts.

Valentine Wax. This is an improved Extra-Early Valentine Bean with round wax pods. It grows about 15 inches high, with a strong stalk and an abundance of foliage remarkably free from rust. Beans planted June 18 produced pods 4 inches long by July 21. The pods are very meaty and almost stringless. Qt. 30 cts., pk. \$1.75.

Stringless Green Pod. This valuable variety is superior to any green-podded Bean grown. It ripens fully a week earlier than the Valentine. The pods are round, long and fleshy, remaining tender longer than any other variety. Qt. 35 cts., pk. \$2.

BEETS

Columbian Turnip. A round, smooth-skinned variety, with deep blood-red flesh. Very early and of the finest quality. Oz. 10 cts., lb. 60 cts.

Extra-Early Eclipse. The tops are very small, root smooth and globe-shaped; flesh deep crimson, very finegrained and remarkably sweet. Oz. 10 cts., lb. 60 cts.

Carrot, Half-Long Red Carentan

A slender-growing variety; very short top, entirely without core; useful for forcing. Oz. 15 cts., lb. \$1.

Cauliflower, Erfurt Extra=Early Dwarf

The best for forcing and general purposes as an early variety; hardy, dwarf and compact, with solid white heads of superior quality. Pkt. 50 cts., oz. \$6.

CELERY, FIN DE SIÈCLE

A green winter Celery deserving special notice. After growing to a great size it lends itself to the blanching process, assuming a rich yellow tinge in the heart, and presenting a very attractive appearance. It has also proved to be the largest, hardiest, solidest, crispest, best keeping and shipping winter Celery known. Oz. 3oc.



COLUMBIAN TURNIP BEET.

CORN, SWEET

Champion. This Corn is without doubt the earliest large Corn ever introduced. Ears nearly as large as the Mammoth, with a medium-sized white cob; kernels plump, pearly white, very sweet, tender and full of milk. Qt. 25 cts., pk. \$1.

Squantum, or Potter's Sugar. Of a rich, delicate flavor, and pronounced by connoisseurs to be the best grown. It is a very promising variety, and likely to displace older sorts that are less worthy. Qt. 25 cts., pk. \$1.

Upland Cress

This hardy perennial thrives on any soil, and has the identical flavor of true water cress. Grows very quickly from seed. Oz. 50 cts.

Cucumber, Tailby's Hybrid

A White-Spined crossed with an English Frame variety. It grows larger than White-Spined, and is one of the most valuable in its class for open-air cultivation. Oz. 15c., lb. \$1.

LETTUCE

Buttercup. A cabbage variety; excellent for forcing or for summer use; remarkable for its beauty of foliage, solid golden head, tenderness and delicacy of flavor. Oz. 20 cts., lb. \$1.50.

Salamander, or Satisfaction. One of the best summer kinds. Of dwarf habit; makes a solid head; quality extra good. Oz. 20 cts., lb. \$1.50.


MUSKMELONS

Paul Rose. One of the best of the salmon-fleshed varieties. Of delicious flavor and a long keeper. New, but already a favorite. Oz. 15 cts., lb. \$1.

Rocky Ford. Size medium, nutmeg-shaped and finely netted. Flesh green, very sweet and delicious. Of extra quality for table use. Oz. 15 cts., lb. \$1.

Mustard, Chinese

An excellent plant for greens, producing an enormous amount of herbage. The leaves



PAUL ROSE MUSKMELON.

have an agreeable flavor when cooked like ordinary spinach. Oz. 10 cts., lb. 75 cts.

PEAS

wrinkled variety; grows about 2½ feet high, and produces large pods well filled with peas of superior quality. The vines are healthy, thrifty, and bear fine crops of well-filled pods. The flavor is sweet and delicious. Qt. 50c., pk. \$2.50

Bridgeman's Extra-Early.
The earliest of the early
White Peas; unsurpassed either for market
or family use; of excellent quality; unusually
productive for so early
a variety. Vines 2½ feet
high. Qt. 3oc., pk. \$1.5o.

Heroine. This is a
medium early, and grows
uniformly from 2 to 2½
feet high. It comes

in between Advancer and Champion of England, and bears a profusion of large, long, slightly curved, pointed pods, containing nine or ten large peas of the finest quality. Qt. 30 cts., pk. \$1.50.

The Queen. A new wrinkled variety; pods very large, produced mostly in pairs. The peas are large and of delicious flavor. Qt. 30 cts., pk. \$1.50.

Radish, Triumph

A white and scarlet striped forcing Radish. Globe-shaped pure white roots, prettily striped horizontally. Although it is suitable for open ground, it is best adapted for forcing, being quite short-leaved and of very rapid growth, and the hotbed cultivation renders its distinctive color more prominent. It is of the best table quality and of very ornamental appearance. Oz. 25 cts., ¼lb. 75 cts.

Salsify, Mammoth Sandwich Island

In size twice as large as the ordinary variety. The roots are smooth; flesh fine-grained and of pleasant flavor. Oz. 20 cts., lb. \$1.50.

SPINACH

Victoria. This new variety is distinguished for its exceedingly dark, black-green color, and also for its very long-standing qualities. Leaves thick; good for spring sowing. Lb. 40c.

Long Standing. Thick dark green leaves of compact growth, standing longer than any other sort before running to seed. Lb. 40 cts.

Tomato, Freedom

Fruit perfectly round, of a bright scarlet, borne in clusters, and exceedingly prolific. One of the earliest. Oz. 25 cts.

COLLECTIONS OF

Select Vegetable Garden Seeds

STANDARD SORTS	No. 1	No. 2	No. 3	No. 4	No. 5
For Family Use, in quantities to suit Small or Large Cardens, as follows:	\$5 Contains	\$9 Contains	\$12 Contains	\$16 Contains	\$20 Contains
BeansEarly Valentine Bush:		ı pt.	ı qt.	ı qt.	2 qts.
" Black Wax Bush	½ pt.	ı pt.	ı qt.	2 qts.	2 qts.
" Refugee Bush	½ pt.	ı pt.	ı qt.	ı qt.	2 qts.
" Large White Lima Pole	ı pt.	ı pt.	ı qt.	3 qts.	2 qts.
Beet Extra-Early Turnip	I OZ.	2 OZ.	4 OZ.	4 oz.	8 oz
" Early Blood Turnip	I OZ.	2 OZ.	4 OZ.	8 oz.	8 oz
Cabbage. Early Oxheart	pkt.	1/2 OZ.	1/2 OZ.	½ OZ.	I OZ
"Early Winnigstadt	pkt.	1/2 OZ.	1/2 OZ.	I OZ.	I oz
"Large Late Drumhead	pkt.	½ OZ.	I OZ.	I OZ.	I OZ
"Drumhead Savoy	pkt.	½ oz.	½ oz.	½ oz.	I OZ
"Red, or Pickling	pkt.	pkt.	pkt.	½ OZ.	I OZ
Cauliflower Extra-Early Paris	pkt.	1/4 OZ.	1/2 OZ.	½ OZ.	I OZ
Carrot Early Orange, or Horn	I OZ.	2 OZ.	2 OZ.	4 oz.	8 oz
"Long Orange	I OZ.	2 OZ.	4 oz.	8 oz.	8 oz.
Cress Curled, or Pepper Grass	I OZ.	2 OZ.	2 OZ.	2 OZ.	4 OZ.
Corn Extra-Early Cory	½ pt.	ı pt.	ı qt.	ı qt.	2 qts
" Mammoth Sugar	½ pt.	ı pt.	ı qt.	2 qts.	2 qts
" Stowell's Evergreen	½ pt.	ı pt.	ı qt.	2 qts.	2 qts
Celery Early White Plume	pkt.	1/2 OZ.	I OZ.	I OZ.	I OZ
ucumber. Early Russian	pkt.	I OZ.	I OZ.	2 OZ.	4 OZ
"Long Green	I OZ.	I OZ.	2 OZ.	2 OZ.	4 oz
ggplant Improved New York Purple	pkt.	1/4 OZ.	¼ oz.	1/2 OZ.	1/2 OZ
Indive Green Curled	pkt.	½ OZ.	½ OZ.	I OZ.	I OZ
Kohlrabi Early White Vienna	pkt.	¼ oz.	1/2 OZ.	I OZ.	I OZ
Kale Green Curled Scotch	pkt.	I OZ.	I OZ.	I OZ.	I OZ
ettuce Early Curled Silesia	pkt.	1/2 OZ.	½ oz.	I OZ.	I OZ
" Early Tennisball	pkt.	½ OZ.	I OZ.	I oz.	I OZ
"Large Butter-Head	pkt.	½ OZ.	I OZ.	I OZ.	2 OZ
eekLarge Flag	pkt.	1/2 OZ.	I OZ.	I OZ.	2 OZ
lelon Orange Christina.	pkt.	½ OZ.	I OZ.	2 OZ.	4 OZ
" Rocky Ford (green flesh)	pkt.	I OZ.	I OZ.	2 OZ.	4 oz
" Mountain Sweet, Water	I OZ.	I OZ.	2 OZ.	4 OZ.	4 oz
nion Extra-Early Red.	½ pt.	I OZ.	2 OZ.	2 OZ.	4 oz
"White Portugal	½ pt.	I OZ.	2 OZ.	2 OZ.	4 oz
eas Carter's "First Crop"	ı pt.	ı qt.	2 qts.	2 qts.	2 qts
"Laxton's Alpha	ı pt.	ı qt.	ı qt.	2 qts.	2 qts
" McLean's Little Gem	ı pt.	ı qt.	ı qt.	ı qt.	2 qts
" McLean's Advancer	ı pt.	ı qt.	ı qt.	ı qt.	2 qts
" Champion of England	ı pt.	ı qt.	2 qts.	2 qts.	2 qts
arsley Extra Curled	pkt.	i oz.	I OZ.	2 OZ.	2 OZ
epper Sweet Mountain	pkt.	¼ oz.	½ OZ.	I OZ.	I OZ
arsnip Cup, or Guernsey	I OZ.	I OZ.	2 OZ.	4 OZ.	8 oz
adishLong Scarlet.	pkt.	2 OZ.	2 OZ.	4 OZ.	4 OZ
" Red Turnip, or Cherry	pkt.	2 OZ.	4 OZ.	4 OZ.	8 oz
" Chinese Winter	pkt.	I OZ.	2 OZ,	2 OZ.	2 OZ
alsifyLong White	½ OZ.	½ OZ.	I OZ.	2 OZ.	4 OZ
quashEarly Bush	I OZ.	I OZ.	2 OZ.	2 07.	4 OZ
" Hubbard Winter	I OZ.	I OZ.	2 OZ.	4 OZ.	4 OZ
pinachRound-Leaved	4 OZ.	6 oz.	8 oz.	8 oz.	I lb.
Comato Early Red Smooth	pkt.	1/2 OZ.	½ OZ.	I OZ.	I OZ.
"The Trophy	pkt.	½ OZ.	½ OZ.	I OZ.	I OZ.
Surnip White Dutch	I OZ.	2 OZ.	4 oz.	8 oz.	8 oz.
"Yellow Stone	I OZ.	2 OZ.	4 oz.	8 oz.	8 oz.

Vegetable Seeds

EXPLANATION OF TERMS

A * denotes leading and most desirable kinds.


A † denotes tender species, which should not be placed in the open ground until settled warm weather.

A ‡ denotes half-hardy sorts, which are subject to risk when frost prevails.

The names printed in smaller Roman type are identically the same, or similar varieties to those immediately preceding, printed in heavy-faced type.

For price-list by the pound, bushel or barrel, see pages 26 to 28.

For New Vegetable Seeds, etc., see pages 5 and 6.



PALMETTO ASPARAGUS.

‡Artichoke

Artichaut, Fr. Artifchoete, Ger. Alcachofa, Sp. Sow early in spring, in deep, rich soil, and when large enough transplant into rows 4 feet apart and 2 feet between the rows. Should be protected in winter by a covering of litter.

Per oz. 9
French, or Green Globe...... \$0 40

Jerusalempk. \$1.50.. \$0 30

Asparagus

Asperge, Fr. Spargel, Ger. Esparrago, Sp. Seeds should be sown in the spring, or roots planted in the spring or autumn.

ASPARAGUS ROOTS

A saving of one to two years is effected by planting roots. Those offered below are

strong, 2-year-old roots. For private use, the beds should be formed 5 feet wide, with three rows planted in each, one in the middle and one on each side a foot from the edge; distance between the plants in the rows, 9 inches.

Beans

Haricot, Fr. Bohnen, Ger. Frijole nano, Sp.

†DWARF GREEN PODDED

Plant from the middle of April to August for successional crops, in drills 2 inches deep and from 2 to 3 feet apart.

One quart will plant 100 feet of drill.

/	Per qt.	Pk.
Extra-Early Valentine	.\$o 3o	\$1 75
*Long Yellow Six Weeks	30	I 75
*Early Mohawk	30	I 75
Early China Dwarf	25	I 25
*Extra-Early Refugee	30	I 75
*Refugee, or 1,000-to-1	30	I 75



HENDERSON BUSH LIMA BEAN.



STRINGLESS GREEN POD BEANS.

Dwarf Green-Podded Beans, contin			h
Per qt.	_ Pl		ľ
White Kidney, or Royal \$0 30	≸ I	75	,
Stringless Green Pod 35	2	00	
White Marrowfat 25	I	25	0
*Wonder of France 40 Flageolet Improved Green.	2	50	
Canadian Wonder 30	I	75	
V Dwarf Horticultural 30	I	75	
*Burpee's Bush Lima 40	2	00	
Dreer's Bush Lima 40	2	00	
Henderson Bush Lima 40	2	00	
WAX-PODDED VARIETI	ES		
Per qt.			ŀ
**Valentine Wax \$0 30			
*Yosemite Mammoth Wax 30		75	
Crystal White Wax 30		75	
*Black Wax 30	2	00	-
*Golden Wax Improved	1	75	
*Wardwell's Kidney Wax 30		75	
Flageolet Wax		75	1
Refugee Wax		75	1
For prices per bushel, see page		, 0	
ENGLISH DWARF BEA	NS		1
Féve de Marais, Fr. Garten Bohnen Haba Commun, Sp.	i, G	er.	
Plant as early as practicable in a pract	sprii drills	ng, 5 4	

P	er qt.	P	k.
*Sword Long Pod	0 30	\$ 1	50
Long Turkey.			
Long Turkey. *Broad Windsor (Taylor's)	. 30	1	50
Green Mazagan	. 25	1	25
English Horse Bean.			
Green Nonpareil	. 25	1	25

†POLE, or RUNNING BEANS

Haricot à Rames, Fr. Stangen Bohnen, Ger. Frijole Vasfago, Sp.

Pole Beans are more tender, and require rather more care in culture than the Bush Beans. They succeed best in a rich, sandy loam.

loam.

Plant from the middle of May to July, in hills about 4 feet apart each way.

Plant from the middle of May to J	uiy, in
hills about 4 feet apart each way.	
One quart will plant 150 hills.	
Per qt.	Pk.
*Extra-Early Lima\$0 40	\$2 00
*Dreer's Improved Lima 40	2 00
*Large White Lima 40	2 00
*King of the Garden Lima 40	2 00
Challenger Lima 40	2 00
Early Golden Cluster Wax 40	2 00
*Horticultural, or Wren's Egg 30	I 75
White Dutch Case-Knife 30	I 75
*Mont d'Or, or Golden Butter 40	2 00
Old Homestead40	2 00
Indian Chief (yellow pods) 30	I 75
Black German Wax, or Algerian. White Dutch Runner 30	I 75
Scarlet-Flowering Runner 30	1 75
Asparagus, or Yard Long 1 00	



ECLIPSE CRIMSON TURNIP BEET.

Beets

Betterave, Fr. Runelrüben, Ger. Remolacha, Sp.

Sow during April for early, May and June for winter use, in drills about 2 inches deep and 16 inches apart.

Per oz.	4 ozs
*Extra-Early Turnip\$0 10 Early Bassano, or Sugar.	\$ 0 25
*Eclipse Crimson Turnip 10	25
*Extra-Early Electric 10	25
*Egyptian Blood Turnip 10	25
*Early Blood Turnip 10	25
Dewing's Blood Turnip 10	25
*Edmand's Early Blood Turnip 10	25
Columbia Turnip 10	25
Long Dark Red 10	25
#Half-Long Dark, or Pear-Shaped 15	30
Silver Swiss Chard 10	25
Victoria Blood-Red Swiss Chard 15 See Kale Beet, for greens.	30
For prices per lb., see page 26.	

MANGEL=WURZEL AND SUGAR BEETS

Sow in May and June, in rows about 2 feet apart; thin out to 10 inches apart in the rows.

Six to eight pounds to the acre.

	Per 4	ozs.	L	ъ.
Long Red.	\$ o	15	\$ 0	40
Scarcity, or Cattle Beet.				
*Mammoth Long Red		15		40

b metai	Per 4	ozs.	Lb.
Norbiton Giant Red	\$0	15	\$ 0 50
Champion Tellow Globe		15	35
*Golden Tankard		15	40
White Imperial Sugar		15	40
White French Sugar	• • • • •	15	40

‡Broccoli

Chou Brocolis, Fr. Brocoli, Spargel-Rohl, Ger. Broculi, Sp.

Sow in May or June. This should be transplanted in July, in rows about 2 feet apart each way.

Per oz 4 025

apart cacif way.	Pe	r oz.	4 0	ozs.
*Extra=Early White	. \$0	60	\$2	00
*Early Purple Cape		40	1	00
White Cape, or Cauliflower		60	2	00
Early Walcheren (true)		50	I	50
Walcheren Cauliflower.				

‡Brussels Sprouts

Chou de Bruxelles, Fr. Grüner Sprossen, Ger. Breton de Bruselas, Sp.

Sow in May, transplant in July; cultivate same as cabbage. This is a perfectly hardy winter vegetable, and one of the best that can be grown. When properly cooked, the small, tender heads melt in the mouth like fine cauliflower.


1	rei	oz.	4.0	ZS.
*Improved Dwarf	50	25	\$ 0	75
Tree, or Miniature Cabbage.			"	
Roseberry, or French		25		75

Burnet

Pimpernelle petite, Fr. Pimpernell, Ger. Pimpinela, Sp.

Sow in rows early in spring. Useful for salads and soups.

Garden. Oz. 25 cts., 4 ozs. 50 cts.



EGYPTIAN BLOOD TURNIP BEET.



HENDERSON'S SUCCESSION CABBAGE.

‡ Cabbage

Chou pommè ou Cabus, Fr. Ropftohl, Ger. Repello, Sp.

Sow the early varieties in protecting frames in September, or in hotbeds early in the spring; sow late kinds about the middle of May; transplant in July, in fresh, rich ground, in rows about 2½ feet apart, and from 1 to 2 feet apart in the row.

feet apart in the row.		
Per	oz.	4 ozs
Early York, or May	20	\$ 0 .50
French, Heart-Shaped.	20	50
**Early Winnigstadt, or Cone	20	50
Early Flat Dutch Early Summer, or Henderson's.	30	75
*Early Jersey Wakefield Early Nonpareil, Early Becalan.	30	1 00
*Selected All Seasons	25	75
Early Dutch Drumhead	20	50
*Large Late Flat Dutch	25	75
Large Late Drumhead	25	7 5

	r oz.	4 ozs
*Henderson's Succession\$	30	\$ 1 00
*Autumn King	40	1.00
*Dwarf Early Ulm Savoy		75
*Late Drumhead Savoy	25	75
Perfection Curled Savoy	25	75
Large Red Drumhead		75
Red Dutch, or Pickling	25	75
Marblehead Mammoth	20	50
Large Early Schweinfurt	20	50
Pomeranian, or Felderkraut	20	50
For prices per lb., see pa	ge 2 6	· .


Cardoon

Cardon, Fr. Carbon, Ger.

Sow early in spring, and transplant in trenches of well-manured ground. When full-size, bind the plants together and earth up same as celery.

Large Solid. Oz. 30 cts., 4 ozs. 75 cts.

For Specialties in Vegetable and Flower Seeds, see pages 3, 4, 5 and 6, where the best new and choice old strains of seeds are illustrated and fully described.




EARLY DWARF SNOWBALL CAULIFLOWER.

Carrots

Carotte, Fr. Möhren, Ger. Zanahoria, Sp. Sow in April for early, middle of June for winter use, in drills about 15 inches apart.

/	
Per oz.	4 ozs.
*Extra-Early Forcing\$0 15 Orange Turnip-Rooted.	\$0 30
Orange Turnip-Rooted.	
Early Orange Horn (pointed) 15	30
*Half-Long Red (stump-rooted) 15	30
Scarlet Carentan (coreless) 15	30
*Oxheart, or Guerande 15	30
Danvers Orange Intermediate 10	25
*Long Orange 10	25
Long Scarlet, or Surry, Altringham.	
Long White 10	25
V · Large White Belgian.	
For prices per lb., see page 26.	



HALF-LONG RED CARROTS.

‡Cauliflower

Choufleur, Fr. Blumenfohl, Ger. Coliflor, Sp.

As a rule, early Cauliflower is a very uncertain crop. Seed sown about the middle of May and transplanted early in July is more likely to produce good heads. Sow for early and late, same as cabbage.

•	
Per pkt.	Oz.
Erfurt Extra-Early Dwarf \$0 50	\$6 o o
Carrara Rock 50	
Early Dwarf Snowball 25	4 00
Per oz.	4 ozs.
Extra-Early Paris (fine)\$0 75	\$2 25
Half-Early Paris Nonpareil 60	2 00
*Lenormand's Short-Stemmed 75 Carter's Extra Dwarf Mammoth.	2 25
Early London, or Dutch 40	.1 00
Large Late Stadtholder 40	1 00
*Large Algiers (fine late) 75	2 25
Italian, or Autumn Giant 50	I 50

‡Chervil

Cerfeuil, Fr. Rerbel, Ger. Perifollo, Sp.

Sow early in spring, and at short intervals for later use.

Per oz. 4 ozs.

Curled, or Double Chervil \$0 20 \$0 50 L'Tuberous-Rooted 20 75

Collard, or Colewort

Chou, Fr. Blätter-Rohl, Ger.

Sow from May to July for succession, in rows a foot apart, and treat same as cabbage.


Georgia-Grown Collards. Oz. 20 cts., 4 ozs. 50 cts.

Celery


Céleri, Fr. Gellerie, Ger. Apio, Sp.

Sow very early in spring, in moist, rich ground; when the plants are from 4 to 6 inches high transplant into trenches 4 inches deep and 9 inches wide, and 3 feet from trench to trench. Set the plants 6 inches apart in the rows.

trench to trench. Set the plants 6	inches
apart in the rows.	4 ozs.
*Early White Plume\$0 30	\$0 8 ₅
*Early Dwarf White	75
Incomparable Dwarf.	
*Golden Heart, Half-Dwarf 25	75
Golden Self-Blanching 40	I 25
*Perfection Heartwell 25	75
*Boston Market Dwarf White 25	75
*Giant Pascal 25	75
*Fin de Siecle 30	85
Pink Plume 30	85
*Early Dwarf Red	75
London Large Red 30	75
Turnip-Rooted Celery ` 25 Early Erfurt Celeriac.	. 75
Celery Seed (for flavoring)	
Lb. 60 cts 10	20



GIANT PASCAL CELERY.



VARIETIES OF SWEET CORN.

Sugar Corn

Mais, Fr. Welschforn, Ger. Maiz, Sp.

Plant from the middle of May to July for successional crops, in hills about 3 feet apart.

One quart will plant about 200 hills.

EXTRA EARLY


Per		k.
Extra-Early Minnesota \$0		00
Extra-Early Cory	25 I	00
Perry's Hybrid		00
Dwarf Champion		00
*Metropolitan		00
SECOND EARLY		
*Crosby's Early (fine)	25 I	00
Triumph Early Sugar	25 I	00
Moore's Early Concord	25 I	00
Potter's Excelsior 2	25 I	00
Squantum	25 I	00
*Ne Plus Ultra 2	25 I	00
GENERAL CROP		
*Stowell's Evergreen	25 I	00
*Country Gentleman	25 I	00
*Mammoth Sugar (extra fine) 2 Excelsior, Asylum, or Burr's.	25 I	00
Egyptian, or Washington Market 2	25 I	00
	25 I	00
Roslyn Hybrid 2	25 I	00
Black Mexican Sugar		25
	Per b	
Sweet Fodder (best for soiling)		50
For prices per bushel, see pa	ige 26.	

Corn=Salad, or Fetticus

Mâche, Fr. Acterfalat, Ger. Canonigos, Sp.

Sow in September, in drills ¼ inch deep and 6 inches apart. Manage same as spinach.

									Per	oz.	4 0	zs.	
Small Seeded		,•							\$О	Io	\$ 0	25	
Large Seeded										Io.		25	




STOWELL'S EVERGREEN CORN. (See page 13.)

POP CORN

Pop, or Parching Qt. 25 cts., 8 qts. \$1.

†FIELD CORN

1/	About per	bı	15.
Early Yellow Canada		ŞΊ	50
Long White Flint			
Longfellow (Yellow Flint)		1	50
King Philip (Early, deep yello	w)	I	50
Queen of the Prairie (Dent)		1	50
Golden Beauty (Dent)		I	50
We can furnish, also, other F.	ield varie	tie	s.



SHORT GREEN CUCUMBER.

†Cucumbers

Concombre, Fr. Gurfen, Ger. Pepino, Sp. Sow for early in hotbeds or frames; open ground from the middle of May to August for successional crops.

	Per oz.	4 OZS
Extra Early Russian	.\$o 1 5	\$0 30
*Early White Spined	15	30
Short Green, or Boston Pickling	Io	25
*Green Prolific, or Pickling	15	30
Early Green Cluster	15	30
Improved Long Green		30
*Everbearing	15	30
Japan Climbing	20	60
Long White Spined New Jersey Hybrid.	15	30



IMPROVED LONG GREEN CUCUMBER.

COCOMBERO, Commu	eu.	
Pe	er oz.	4 ozs.
*Tailby's Hybrid\$0	15	\$0 30
√Long Green Turkey	IO	25
W. I. Gherkin, or Burr	20	6 0
Cool and Crisp	15	30
Nichol's Medium Green		25
For prices per lb., see pa	ge 27	7.
		3

CUCUMBERS Continued.

ENGLISH FRAME CUCUMBERS

	Per p	kt.
General Grant	\$ 0	25
Telegraph		25
Duke of Edinburgh		25
Giant of Arnstadt		-
Also several other English long varie	eties	
for forcing; each		25

‡Cress, or Peppergrass

Cresson, Fr. Rreffe, Ger. Mastuerzo, Sp. Sow at short intervals, spring and fall.

Per	oz.	4 0	zs.
*Upland Cress \$0	50	\$ I	50
*Extra Curled			
Australian, or Golden	IO		25
True Water Cress	50	1	50


†Egg=Plant

Aubergine, Fr. Gierpflanze, Ger. Berengena, Sp.

Sow in hotbed or under glass, early in spring; about the end of May transplant to-the open ground.



IMPROVED N. Y. PURPLE EGG-PLANT.



GREEN CURLED SUMMER ENDIVE.

Per	oz.	40	ZS.
\$o	30	\$ 1	00.
ole	50	1	25
			00-
		. \$ 0	IO
			IO,
	\$0	\$0 30 50 ble40	" "

#Endive

Chicorée-Endive, Fr. Endivie, Ger. Endibia, Sp.

Sow from April to July for succession; transplant in rich ground; manage same as lettuce.

Per oz. 4 ozs.


	oz. 4 (
*Green Curled Summer	20 \$5	50
White Curled		50
French, or Moss Curled	20	50
*Broad-Leaved	20	50
Batavian or Escarolle. Brussels Chicory (Witloof)	15	25
Wild (Barbe de Capucin)		30
(Chicory or Succory per lb \$1		

Garlic

Ail, Fr. Anoblauch, Ger. Ajo, Sp.

Plant early in spring, in rows 10 inches apart and 2 inches deep.

Garlic Sets Lb. 40 cts.



GREEN CURLED SCOTCH KALE.

‡Kale, or Borecole

Chou-vert, Fr. Grüner-Rohl, Ger. Breton, Sp. Sow spring sprouts during March and

April. Sow Curled Siberian Kale during September and October; manage same as spinach. Sow all other kinds from April to June. Manage same as cabbage.

Per oz.	
*Green Curled Scotch\$0 15	\$0 30
*Dwarf Green Erfurt	30
Brown, or Purple-Curled 15	30
*Curled Siberian Lb. 60 cts 10 Hardy German Greens, or Winter Sprouts.	25
*Striped Garnishing 25	75
Sea Kale (Crambe maritima) 25	75
Spring Sprouts (for greens)	10

‡Kohl=Rabi

(Turnip=Rooted Cabbage)

Chou-rave, Fr. Rohlrabi, Ger. Col de Nabo, Sp.




DEACON LETTUCE.

‡Lettuce

Laitue, Fr. Lattich, Ger. Lechuga, Sp.


Sow for early in hotbeds; open ground April to June, for succession; transplant in very rich ground. Sow hardy kinds in September, and plant in protecting frames for winter use.

willter use.	Per oz.	4 ozs.
German Early Head	.\$o 25	\$0 75
*Grand Rapids Forcing		50
*Buttercup (fine for forcing)	20	50
*Big Boston (fine for forcing)	20	50
*Simpson's Curled Silesia Early Cut Salad.	20	50
Black-Seeded Simpson	15	40
*Early Tennisball (fine) Early Boston Market.	20	50
*Golden Stone Head (fine) Yellow-Seeded Butter.	25	75



EARLY TENNISBALL LETTUCE.

*Deacon (solid head) 20	50
Mignonette. Russet color 25	75
Black-Seeded Large Butter 20 Turkish Cabbage, or Russian.	50
*Golden Queen. Forcing 25	75
Perpignan, or Summer 20	50
New York Cabbage 20	50
Ice Drumhead (fine)	40
White Summer Cabbage 20 Stone Cabbage, or Winter Butter.	50
American Gathering 15	40
Victoria Cabbage	40
¥Salamander, or Satisfaction 20	50
*All-the-Year-Round 20	50
Hanson's Cabbage 20	50
Shotwell's Brownhead 20	50
Market-Gardeners' Private Stock 20	50
White Paris, or Ice Cos 20	50
Green Paris Cos (Romaine) 20	50
Trianon Self-Closing Cos 20	50
For Prices per lb., see page 27.	



PAUL ROSE MUSKMELON.

Leeks

Poireau, Fr. Laud, Ger. Puerro, Sp.

Sow very early in the spring in drills 6 inches apart and 1 inch deep. Thin out to 1 inch. When about 6 inches high, transplant them in rows 12 inches apart.

1	Per oz.	4 OZS.
Large American Flag	\$o 3o	\$ 0 75
Large Carentan (fine)	20	60

Mustard

Sinapis, Lin. Moutarde, Fr. Senf, Ger.

A small pungent salad used with cress; the seed is also used for flavoring pickles, pepper-sauce, etc. Sow in April in rows I foot apart, and thin out to 3 inches apart when 2 inches high.

White, or Yellow	Per oz. \$0 05	4 ozs. \$0 15
Black, or Brown		
Chinese (for salad)	Io	30


†Muskmelons

Melon, Fr. Melonen, Ger. Melon, Sp.


Sow in frames for early; open ground in May and June, in hills 6 feet apart each way.

Per oz.	4 02S.
*Rocky Ford (green flesh)\$0 15	\$0 30
*Early Christina (orange flesh) 15	30
*Emerald Gem (orange flesh) 15	20

	oz.	4 ozs.
Large Nutmeg (green flesh) \$3	15	\$0 30
Long Island Beauty	15	30
The Banquet (rich salmon)	15	30
*Early Jenny Lind (green flesh)	15	30
Delmonico (large; orange flesh).	15	30
*Improved Hackensack	15	30
Bay View (extra large)	15	30
Surprise (orange flesh)	15	30
Excelsior Nutmeg (green flesh)	15	30
*Golden Perfection (yellow flesh)	15	30
*Paul Rose (rich orange flesh)	15	30
*Golden Netted Gem	15	30
*Montreal Market (green flesh)	15	30
Green Citron (netted) Also, English varieties for culture	15	30
Also, English varieties for culture		
in frames per pkt. 20c		



IMPROVED HACKENSACK MUSKMEL ON.



MAMMOTH IRONCLAD WATERMELON.

†Watermelons

Melon d'Eau, Fr. Wassermelonen, Ger. Sandia, Sp.

Sow in frames for early; open ground May and June, in hills 8 feet apart each way.

	Per oz.	4 0	zs.
Early Mountain Sweet \$	0 10	\$ 0	25
✓ Kolh's Gem	, IO		25
Icing, or Ice Rind (red flesh) White-Seeded Ice Cream Strawberry	. IO		25
*Black Spanish (red flesh)	. 10		25
*Cole's Early	IO		25
Phinney's Early (red flesh)	. IO		25
*Jordan's Gray Monarch	. 15		30
- Florida Favorite	10		2 5
*Hungarian Honey	. 15		30
*Scaly Bark (crimson flesh)	. IO		25
*Vick's Early (red flesh)	. 15		30
The Volga (red flesh)	. IO		25
Orange (scarlet flesh)	. IO		25
Mammoth Ironclad	. IO		25
*Striped Gypsy (fine late) Jackson, or Rattlesnake.	. 10		25
Citron (for preserves)	. 10		25
136 4			

†Martynia

Gemsenhorn, Ger.

Sow in May in open ground, 3 feet apart each way.

Craniolaria (for pickles). Oz. 30 cts., 4 ozs. 75 cts.

Mushrooms

Champignon, Fr. Champignonbrut, Ger. Seta, Sp.

English Spawn. Lb. 15 cts., 8 lbs. \$1. French, in boxes of 3 lbs. each, \$1.25.


Printed pamphlets on Mushroom culture sent with all orders for spawn.

‡Nasturtiums


Capucine grande, Fr. Rressen Indianische, Ger. Maranuela, Sp.

Sow in May and June in drills 1 inch deep.

		1 (1	02.	4 02	,0.
Tall (Indian	Cress)	 \$0	20	\$0 !	50
Dwarf ''	4.4	 	20		50



STRIPED GYPSY WATERMELON.




YELLOW DANVERS ONION.

Onions

Oignon, Fr. Briebeln, Ger. Cebollo, Sp. Sow seed in rich ground early in spring, in drills I foot apart, and thin to 2 inches apart.

,			
Per	oz.	4 OZ	s.
Extra-Early Flat Red\$0		\$0 7	5
Large Red Wethersfield		7	5
*Large Red Globe		7	5
*Southport White Globe		8	5
Yellow Dutch, or Strasburg		5	Q
*Yellow Danvers, or Globe	20	5	0
*White Portugal	30	. 8	5
New England White Silver Skin			



SOUTHPORT WHITE GLOBE ONION.

Per oz.	4 ozs.
Queen (new early white) \$0 30	\$o 85
*Prizetaker (straw-color) 30	85
White Italian Tripoli 25	75
Naples Giant Rocco (late) 20	50
For prices per lb., see page 29	9.
ONION SETS, ETC.	
About, per qt.	PΙν
About, per qu	1 5.0
Red Onion Sets \$0 30	
Red Onion Sets \$0 30	\$1 50
Red Onion Sets \$0.30 *White Onion Sets 30	\$1 50 1 50

Okra

Gombo, Fr. Efsbarer Hibiscus, Ger. Quimbombo, Sp.

Sow after the middle of May, or early in June, in rich ground, in drills about an inch deep and 3 feet apart; thin out to 8 inches.

P	er oz.	4 ozs.
*Dwarf White Velvet	0 10	\$0 25
*Early Dwarf Green	. Io	25
Improved Dwarf Prolific.		
Extra Long Green	. 10	25



EXTRA LONG GREEN OKRA.

Parsnips

Panais, Fr. Pastinaten, Ger. Pastinaca, Sp., Sow from March to June, in deep, rich soil; thin out to 6 inches apart in the rows.

1	Per	oz.	4 0	DZS.
Long White, or Guernsey	\$0	IO	\$0	25
Cup, Hollow-Crowned, or Sugar.				
Sutton's Student		10		25

Parsley

Persil, Fr. Peterfilie, Ger. Pe	rejil, S	p.
Sow from March till June, in dr	ills an	inch
deep and I foot apart. Pe	roz. 4	ozs.
*Champion Moss Curled		30
*Carter's Fern-Leaved		25
Hamburg, or Rooted	10 .	. 25

†Pumpkins


Potiron, Fr. Kürbiffe, Ger. Calabaza, Sp. Sow in May or June, in hills 6 by 8 feet Per oz. Large Cheese, or Pie\$0 10 West India Mammoth 25 75 Mammoth, or Large Tours..... 20 60 Jonathan..... 10 25 Bus. Connecticut Field (grown for stock)......\$0 25 \$4 00

†Peppers


Piment, Fr. Spanischer Pfeffers, Ger. Pimiento, Sp.

Sow in hotbeds in February and March, in open ground in May and June, transplanting to 18 inches apart each way.

Per oz.	4 ozs.
Squash, or Tomato \$0.25	\$0 75
Large Bell, or Bull Nose 25	75
*Sweet Spanish (for salad) 25	75
Sweet Mountain (for mangoes) 25	7.5



MAMMOTH, OR LARGE TOURS PUMPKIN.



RUBY KING PEPPERS.

/ · · · · P	er oz.	4 (ozs.
Celestial	0 30	\$ 1	00
Red Cherry	. 30		00
Small Chili (red; very hot)	. 30	Ι	00
Long Red Cayenne	. 30	I	СО
Ruby King (for mangoes)		1	00
Golden Dawn			75
For prices per lb see p			, ,

or prices per lb., see page 29.

Peas


Pois, Fr. Erbsen, Ger. Guisante, Sp.

Plant for early use as early in spring as practicable, and for succession every two or three weeks until July. Plant in single or double rows 3 to 5 feet apart, according to height, and 4 inches deep.

One quart will plant 100 feet of drill. Those marked thus (*) are the wrinkled varieties.

EXTRA=EARLY SORTS

LAX I ICA-LAXICL	.		. I ~	,	
med 3"	Ft.	Per	r qt.	P	k.
Bridgeman's Extra-Early	.21/	2\$0	30	\$I	50
Sutton's Ringleader, First and	. 2 ½ l Bes	ź st.	30	1	50
Daniel O'Rourke	.21/	2	30	1	50
Philadelphia Extra-Early	.21/	2	30	I	50
*Laxton's Alpha (fine)	3.		30	1	50
*Surprise	2		40	2	00
Alaska	. 2 1/	2	30	1	50
*Nott's Excelsior	. 1 1/2	2	40	2	00
⊮Kentish Invicta (fine)	21/2	2	30	1	50
*Gradus (finest quality)	.3		50	2	50
*Carter's Premium Gem	.11/	2	40	2	00
*Duke of York				1	50
*American Wonder	. I 1/2	2	40	2	00



A ROW OF NOTT'S EXCELSIOR PEAS.


SECOND EARLY PEAS

	Ft.	Per	qt.	Pl	τ.
*Heroine	21/2.	. \$0	30	\$ 1	50
*McLean's Advancer	.21/2.		30	I	50
∕*Shropshire Hero	.3 .		30	I	50
Laxton Fillbasket	.3 .		30	I	50
*Horsford's Market-Garden	.21/2.		30	I	50
*Dwarf Champion	2 .		30	1	50
*Abundance (sow thin)	. I ½		30	1	50
McLean's Little Gem	. I .		40	2	00
McLean's Blue Peter	.ι.		30	1	50
*Admiral	. 3½ .		25	I	50

MAIN	CROP	AND	LA	TE	P	\mathbf{E}^{A}	15
			Ft.	Per	qt.	Pl	ζ,
Champio	n of Engla	nd	-5.	· \$0	30	\$Ι	25
Yorkshi	e Hero.		3		30	1	25
*Ne Plus	Ultra	• • • • • • •	٠5		25	I	25
Juno. L	arge, strai	ght pods	3.2		30	I	50
*Everbea	ring (sow	thin)	21/2		25	I	25
Pride of	the Marke	t	. 2		30	1	50
Carter's						1	50
Culverw						1	50
Carter's						1	50
i *Queen (:						I	50
W Blue Im	perial		. 2 1/2		25	1	25
White M						I	25
Black-E	y ed Marrov an Marrow.	V	• 3		25	I	25

SUGAR PEAS

Ft. Per qt., Pk. Melting Sugar (edible pods)..5..\$0 30 \$1 75 Wrinkled Sugar (edible pods).4.... 40 2 00 Dwarf Sugar (edible pods)...2.... 40 2 00 For prices per bushel, see page 30.



HEROINE PEA.



BEAUTY OF HEBRON POTATO.

Potatoes

Pomme de Terre, Fr. Rartoffeln, Ger.

The soil best suited for the Potato is a rich, sandy loam; being a gross feeder, requires a liberal application of manure. Plant as early in the spring as the ground can be thoroughly worked, in rows 3 feet apart and 1 foot in the rows. Our Potatoes are all specially "northern-grown," for seed purposes.

Prices subject to variation.

2 11005 Subject to Turidition.	
About, per bus.	Bbi.
Early Beauty of Hebron \$2 00	\$4 25
Early Rose, or Vermont 2 00	4 25
Early Bovee 2 00	4 25
Early Northern 2 00	4 25
Early Ohio 2 co	4 25
Early Puritan 2 25	4 50
Uncle Sam (very productive) 2 25	4 50
Clark's No. 1 (early) 2 00	4 25
Carman No. 1 (medium) 2 00	4 25
Carman No. 3 (best late) 2 00	4 25
White Elephant (fine late) 2 00	4 25
Late Beauty of Hebron 2 00	4 25

‡ Radishes

Radis, Rave, Fr. Rettige, Ger. Rabanos, Rabonitas, Sp.

Sow for successional crops at short intervals, from March till September, in drills an inch deep and a foot apart.

1	Per	OZ.	4.0	zs.
Scarlet Globe Turnip	. \$0	15	\$ 0	30
*Triumph (globe-shaped)		25		75
*French Breakfast (fine)		10		25
Red Olive-Shaped White-Tipped	}			

Per oz.	'4 ozs.
Early Scarlet Turnip (fine)\$0 10	
Red Turnip, or Cherry.	
Early Round Dark Red 10	25
White-Tipped Scarlet Turnip 15	.30
№ *Golden Olive-Shaped 15	30
Early White Olive-Shaped 10	25
Farly Scarlet Olive-Shaped 10	25
*Long Scarlet Short-Top 10	25
Beckert's Chartier Long Red 10	-25
*Golden Globe (fine) 10	25
Yellow Summer Turnip 10	25
*White Summer Turnip 10	25
Long White Icicle (for forcing) 25	75
Purple Summer Turnip 10	25
*Long Black Spanish 10	25
*Round Black Spanish 10	25
White Spanish, or Fall	30
*Scarlet Chinese Winter 10	25
Long White Naples 10	25
For prices per lb., see page 30.	

To be crisp and tender, Radishes must grow quickly and have plenty of water.



WHITE SUMMER TURNIP RADISH.



LARGE-LEAVED SORREL.

Rhubarb

Rhubarbe, Fr. Mhabarber, Ger. Ruibarbo, Sp.

Sow seed or plant roots in rich ground during April or May.

	Per	OZ.	4 ozs.
Myatt's Victoria	.\$0	20	\$0 50
Pie Plant, Wine Plant.	Ea	ch.	Per doz.
Roots (large)	.50	15	\$I 50

Sage

Sauge, Fr. Calbei, Ger.

Sow during the spring.

Common (Salvia officinalis). Oz. 25 cts.,
4 ozs., 75 cts.

Salsify, or Oyster Plant

Salsifis, Fr. Bottsbart, Ger. Ostra Vegetal, Sp. Sow from April to June in drills 12 inches apart, and thin out to 6 inches apart in rows.

11	Per	OZ.	4 C	ZS.
Long White	\$0	15	\$0	30
Mammoth Sandwich Island		20		50
Scolymus (Salsify Spinach)				60

Savory

 Bohnenkraut, Ger.
 Per oz. 4 ozs

 *Summer.
 \$0 25 \$0 75

 Winter.
 40 I 00

Scorzonera

Scorsonére, Fr. Storzonere, Ger. Escorconera, Sp.

Sow from April till June. Cultivate the same as salsify.

Black Salsify. Oz. 25 cts., 4 ozs. 75 cts.

Skirret

Chervis, Fr. Zuckerwurzel, Ger. Cherivia, Sp.

Sow in drills ½-inch deep, a foot apart; thin out to 8 inches in the row. Is eaten like scorzonera or salsify.

Sium Sisarum. Oz. 30 cts., 4 ozs. 75 cts.

Sorrel

Oseille, Fr. Sauerampfer, Ger. Acedera, Sp. Sow in spring in drills 18 inches apart. Cooked precisely like spinach.

	Per	OZ.	4.0	ZS.
*Large-LeavedLb. \$1.25	.\$0	15	\$0	40
Garden Patience Dock		30		60

Swiss Chard

Used as greens; the ribs of the leaves are cooked and served as asparagus. Oz. 10 cts., 4 ozs. 25 cts.


Sweet Marjoram

Marjolaine, Fr. Marjoran, Ger. Sow during the spring.


Sweet. Oz. 30 cts., 4 ozs. \$1.

Spinach

*Round-Leaved\$0	15	\$0 40	
Long-Standing	15	40	
Victoria (dark green)	15	40	
Large Viroflay Large Round, Thick-Leaved.	15	40	
Savoy=Leaved	15	40	
Prickly=Leaved	15	40	
New ZealandOz. 15 cts	30	I 00	
Holland, or OrachOz. 20 cts French, or Mountain Spinach.	50	I Co	



NEW ZEALAND SPINACH.



GOLDEN CUSTARD BUSH SQUASH.

†Squashes

Courge, Fr. Rürbiß, Ger. Calabozo, Tontanero, Sp.

Sow in hills from the middle of April till the last of June. Bush kinds about 4 feet apart, other kinds 8 feet apart.

		4 OZS.
Early White Bush\$0	10	\$0 25
Scallop, or Pattypan.		
Long Island White Bush	oI.	25
Silver Custard Bush	IO	25
Early Golden Bush	10	25
*Summer Crookneck Bush	IO	25
Golden Custard Bush	Io	25
Early Orange Marrow	IO	25
Boston Marrow	15	30
Hubbard, or Winter	15	30
Pike's Peak	10	25
Marblehead Marrow	IO	25
*Essex Hybrid	IO	25
*Winter Crookneck	15	30
*Delicata	15	30
Fordhook (Long Keeper)	IO	25
*Perfect Gem (Late-Running)	10	25
Butman (Winter).	IO	25
English Vegetable Marrow	20	50
Mammoth Chili (extra size)	20	50
Patagonia Seven Years' Custard, or Butter.	20	50
Bay State (winter sort)		25
For prices per lb., see page	30.	

Thyme

Thym, Fr. Thymian, Ger.

Sow during the spring.	Per	OZ.	4 czs.
*English			
French (small-leaved)		10	T 25

†Tomatoes

(Love=Apples)

Tomate, Fr. Liebesapfel, Ger. Tomate, Sp.

Sow in hotbeds for early; open ground, April and May; transplant in rows 3 or 4 feet apart.


Per oz. 4 ozs.

	April and may, transplant in	10	W5	3	OI	4
	feet apart.	Per	oz.	- 1	4 0	zs.
	Ponderosa	\$ 0	50	\$	I	25
	*Livingston's Perfection					75
i	*Freedom (bright scarlet)		25			75
	The Lorillard					75
1	Crimson Cushion (extra large)		50		1	25
	Mikado (early, large, red) Turner's Hybrid.		25			75
	The Trophy (selected)		25			75
	Dwarf Champion		25			75
	*Acme (smooth, dark red)		25			75
	Livingston's Beauty		25			75
	Livingston's Favorite		25			75
i	Early Ruby (dwarf, compact).		25			75
	Red Cherry, or Gem		25			75
i	Large Golden Yellow					75
i	Red Pear-Shaped, or Fig					75
	Yellow Plum					75
	*Cardinal (brilliant red)		25			75
	*Stone (very large scarlet)		25	,		75
	*Table Queen (rich crimson)		25			75
	Sutton's Best of All				I	25
	Strawberry, or Winter		30			75
	For prices per lb., see pa	ge	30.			


Tobacco Seed

(Nicotiana tabacum)

N	Per oz.	. 4 ozs.
Connecticut Seed-Leaf	.\$0 30	\$ 1 00
Imported Havana	50	T 50



LIVINGSTON'S BEAUTY TOMATO.



EARLY FLAT DUTCH AND RED TOP STRAP-LEAVED TURNIPS

Turnips

Navet, Fr. Rüben, Ger. Nabo commun, Sp. All varieties 10 cents per ounce.

geason,	Per 4	LOZS.		LD.
√*Extra-Early Milan	\$ o	25	\$0	75
White Strap-Leaved.		20		50
Early White Stone		20		60
Early Snowball, or Six Weeks.				

Per	4 ozs.	Lb.
Early Purple Top Munich\$0	20	\$0.50
Early Yellow Teltow	25	75
Red Top Strap-Leaved	20	50
Red Top White Globe	20	50
White Egg-Shaped (fine late)	20	50
Yellow Stone, or Globe	20	50
Yellow Aberdeen	20	50
Robinson's Golden Ball Orange Jelly.	20	50
White French, or Rock	20	50
Furple Top Rutabaga	20	50
White Rutabaga White Swede. or Russia.	20	50
Long White, or Cow Horn	20	50

Sweet, Pot and Medicinal Herbs

Per packet, 5 to 10 cents.

Sow under glass early in spring; about the end of May transplant to open ground.

Per oz.	Per oz.
Anise (Pimpinella Anisum)\$0 15	Hoarhound (Marrubium)\$0 30
Basil, Sweet (Ocymum bascilicum) 40	Hyssop (Hyssopus officinalis) 30
Borage (Borago officinalis). For bees 20	Lavender (Lavendula spica) 30
Balm (Melissa officinalis) 40	Marjoram, Sweet (Origanum) 30
Bene. For dysenterylb. \$1.25 20	Rue (Ruta graveolens) 20
Coriander (Coriandrum sativum) 15	Rosemary (Rosemarinus officinalis) 50
Castor Oil Plant (Ricinus)lb. 50c 10	Saffron (Carthamus) 15
Caraway (Carum carui)	Sage, Common (Salvia officinalis) 25
Catnip (Nepeta cataria) 40	Savory, Summer (Satureja hortensis) 25
Dandelion (Leontodon taraxacum) 40	Savory, Winter (Satureja montana) 10
Dill (Anethum graveolens)lb. \$1 15	Tansy (Tanacetum vulgaris) 50
Eucalyptus, or Fever Plant 35	Thyme, English (Thymus vulgaris) 50
Fennel, Sweet (Anethum)	Thyme, French 40
Hop Seed (Humulus) 50	Wormwood (Artemisia absinthium) 30

GRASS AND CLOVER SEEDS AND OTHER IMPORTANT REQUISITES

Grass Seeds About,
Timothy. 45 lbs. to bus\$4 00 Phleum pratense.
Creeping Bent Grass . 15 lbs. to bus 4 50 Agrostis stolonifera.
Red Top Grass. 14 lbs. to bus 1 75
" Exrecleaned; 32 lbs 6 oo Agrostis vulgaris.
Rhode Island Bent Grass. 14 lbs. to bus 4 50 Agrostis canina.
Sweet Vernal Grasslb. 75 cts. Anthoxanthum odoratum.
Meadow Fescue. 22 lbs. to bus 3 50 Festuca pratensis.
Meadow Fox-Tail Grass. 7 lbs. to bus 2 75 Alopecurus pratensis.
Tall Meadow Oat Grass. 10 lbs. to bus 2 50 Avena elatior.
Orchard Grass. Choice; 14 lbs. to bus 3 00 Dactylis glomerata.
Sheep's Fescue Grass. 12 lbs. to bus 3 00 Festuca ovina.
Hungarian Grass. 48 lbs. to bus. Market price. Panicum Germanicum.
Red or Creeping Fescue. 14 lbs. to bus. 3 50 Festuca rubra.
Italian Rye Grass. 18 lbs. to bus 2 00 Lolium Italicum.



LUCERNE, OF ALFALFA CLOVER.

REQUISITES
About,
English Rye Grass. 24 lbs. to bus\$2 00 Lolium perenne.
Wood Meadow Grass. 14 lbs. to bus 5 oo Poa nemoralis.
Kentucky Blue. Best excleaned; 14 lbs. 2 oo
Central Park Lawn Grass. 15 lbs. to bus. 3 50
Extra Finest Mixed Lawn Grass. 15 lbs 4 50 Golf Link Mixture. 20 lbs. to bus 3 50
Putting Green Mixture. 24 lb. to bus 5 oo
Permanent Pasture Grass. 14 lbs. to bus. 3 75
Clovers
Per lb. Red Clover. Price variable\$0 20
White Clover. " 40
Crimson Clover. 15 lbs. per acre 15
Trifolium incarnatum. Yellow Clover, or Trefoil
Lucerne, or Alfalfa Clover
Alsike Clover, or Swedish25
Bokhara Clover 30
Bird Seeds, Etc.
Per qt. Bus. \$0 20 \$4 00
Mixed Bird Seed 20 4 00
Hemp Seed 10 2 00
White Millet 30 4 00
Yellow Millet
German Rape (small-seeded) 20 4 00
Sunflower 10 2 50
Bird Gravel (for cages) 10 2 00
Rough Rice 15 3 50
Maw, or Poppylb. 30 cts Bird Lettucelb. 50 cts
Imperial Egg Food lb. 50 cts
Mocking Bird Food bottle 40 cts
Song Restorerbottle 25 cts
Prices variable.
Fruit Seeds
Apple Seed
Cherry Pits, Mahaleb 30
Pear Seed
Quince Seed 1 50 Per oz.
Currant Seed, Mixed\$0 40
Gooseberry Seed, Mixed

Raspherry Seed, Mixed 50 Strawberry Seed, Mixed 50

New publications not listed supplied to order at publisher's prices

Per qt. Bus. Height. Width. Per doz. Flax Seed. \$0 25 \$\$3 50 4 x 6 inches \$1 00 Sunflower 10 2 50 5 x 8 " 1 50 Broom Corn. 25 3 00 5 x 10 " 2 25 Vetches. For pigeons, etc. 20 2 75 5 x 12 " 2 50 Chinese Sugar Cane. \$0 25 Per lb. \$1 00 \$2 50 Dwarf Essex Rape 3 25 Standard Flower Pots Yellow Locust (Robinia) 50 Per 100 1,000 Honey Locust. 50 \$6 50
Sunflower 10 2 50 5 x 8 " 1 50 Broom Corn 25 3 00 5 x 10 " 2 25 Vetches. For pigeons, etc. 20 2 75 5 x 12 " 2 50 Chinese Sugar Cane. \$0 25 Per 1b. 2 50 Dwarf Essex Rape 3 25 Standard Flower Pots Yellow Locust (Robinia) 50 Per 100 1,000 Honey Locust 50 2 ¼-inch Thumb \$0 80 \$6 50
Broom Corn
Vetches. For pigeons, etc. 20 2 75 5 x 12 3 25 Chinese Sugar Cane. \$0 25 \$12 2 50 Dwarf Essex Rape 3 25 Standard Flower Pots Yellow Locust (Robinia) 50 Per 100 1,000 Honey Locust 50 2 ¼-inch Thumb \$0 80 \$6 50
Vetches. For pigeons, etc. 20 2 75 5 x 12 12 250 Chinese Sugar Cane. \$0 25 \$0 25 Standard Flower Pots Dwarf Essex Rape 3 25 Yellow Locust (Robinia) 50 Per 100 1,000 Honey Locust 50 24-inch Thumb \$0 80 \$6 50
Chinese Sugar Cane. \$0 25 Dwarf Essex Rape 3 25 Yellow Locust (Robinia) 50 Honey Locust. 50 24-inch Thumb \$0 80 \$6 50
Dwarf Essex Rape 3 25 Standard Flower Pots Yellow Locust (Robinia) 50 Per 100 1,000 Honey Locust 50 2¼-inch Thumb \$0 80 \$6 50
Yellow Locust (Robinia) 50 Per 100 1,000 Honey Locust 50 2½-inch Thumb \$0 \$6 50
Honey Locust
arono y around it.
Osage Orange (Maclura)
Wheat, Rye, Oats, Barley and Buckwheat; also 4- "Half-pint 1 75 15 00
Tree, Shrub, and Fruit Trees, supplied to 5- "Pint
order. 6- " Quart 4 00 40 00
5 2 darm 11 4 65 45 65
Insecticides /- Inco-pint
o- Han-ganon 9 00
Bordeaux Mixture. For all fungoid diseases, 9- "Gallon
such as mildew and various rots of grapes, 10- "Two-gallon 20 00
etc. 1 qt. 50 cts.
kind, cabbage worms, scale insects on Horticultural Books
, ,
apple, pear, orange and other trees. 1 qt. American Farm (revised). Allen \$2 50
50 cts., gal. \$1.50. American Fruit Culture. Thomas 2 00
"Kose Lear" lobacco Extract. A concen- Asparagus Culture Barnes & Robinson so
trated extract of tobacco, most effective for Dulba and Tuborous rooted. Plants
destroying all insects and scale on plants.
Full directions for applying. Pint can 3oc., qt. 50 cts., gal. \$1.25. House Plants and How to Succeed I 50
Twit Condon Bown
Andi-poisonous powder,
which will destroy or drive away black Gardener's Assistant. Bridgeman 2 oo ants from lawns, trees, plants, houses, or Gardening for Pleasure. Henderson . 1 50
other affected localities. Can 50 cts. Gardening for Profit. Henderson 2 00
Slug-Shot 5 lbs. 30c., 10 lbs. \$0 50 Grape Grower's Guide, Foreign. Charl-
3
The rice on pt. 75 cts., qt. \$1.25, gai. 4 00
Candon Malaines Deiler
Lemon Oil. For all insects and scales. qt. 75 Garden-Making. Bailey
Sulpho-Tobacco Soap8-oz. cake 20 How Crops Grow. Johnson 2 00
Bug Death lb. 15 cts., 3 lbs. 50 Money in the Garden. Quinn 1 50
Flowers of Sulphur. " 10 Mushrooms: How to Grow Them
Pure Paris Green
Hellebore. For all insects 30 Practical Forestry Fuller
Whate-on Soap Dendergon Londorgon To
oishurst's compound. For greenity, inn-
dew, thrip, mealy bug and scale box 60 Rose, Treatise on the. Ellwanger 1 25 Tobacco Stems 100 lbs. 2 00 Success With House Plants 1 00
Tobacco Dust lb. 10 Small Fruit Culturist. Fuller 1 50
70 1 1011 1 011 0
The Forcing-Book. Complete instructions for all forcing operations. Bailey. 1 00
Fertilizers The Nursery Book. A Complete Guide to Multiplication of Plants. Bailey 1 00
Superphosphate of Lime
Ground Bone 35 00 Bailey, Illustrated, 508 pages 1 25
Pure Ground Bone 32 00 Violet Culture. Galloway I 50
Potato Fertilizer
Sheep Manure (pulverized) 30 00 Nitrate of Soda

Nitrate of Soda.....100 lbs. \$3.75...

Vegetable Seeds, Etc.

BY POUND, BUSHEL OR BARREL

Orders for less than Half Bushels and Half Pounds are liable to somewhat higher rates

Bush Beans	Cabbage
Bush Beans Per bus. Per bus. \$7 00 Dreer's Bush Lima	Cabbage Per lb. Early York, or May \$1 50 Large Early Oxheart 1 50 Early Flat Dutch, or Summer 2 50 Early Jersey Wakefield 3 00 All-Seasons 2 50 Henderson's Succession 3 00 Autumn King 3 00 Early Winnigstadt 1 50 Early Dutch, or Drumhead 1 50 Large Late Drumhead 2 50 Premium Late Flat Dutch 2 50 Dwarf Early Ulm Savoy 2 00 Large Late Drumhead Savoy 2 00 Red Dutch, or Pickling 2 50
Yosemite Mammoth Wax 6 50	Carrots
Black Wax	Extra-Early Forcing
Éxtra-Early Lima\$7 00	
Dreer's Improved Lima	Celery Early Dwarf White \$2 50 Early White Plume 3 00 Boston Market Dwarf White 2 50 Perfection Heartwell 2 50 Giant Pascal 2 00 Pink Plume 3 00 Golden Heart Half Dwarf 2 50 Fin de Siècle 3 00 Golden Self-Blanching 4 00 Early Dwarf Red 2 50 Turnip-Rooted Celery (Erfurt) 2 00
Beets Per lb.	01 11
Extra-Early Turnip\$0 60 Eclipse Crimson Turnip60 Early Blood Turnip60 Egyptian Blood Turnip60	Curled, or Double\$1 00
Dewing's Blood Turnip	Sugar Corn Pet bus.
Long Dark Red 75 Half-Long Dark, or Pear-Shaped 75 Columbia Turnip 60 Silver Swiss Chard 75 Victoria Blood-Red Swiss Chard 75	
Cauliflower Per lb.	Country Gentleman 3 50
Extra-Early Paris\$9 00 Half-Early Paris Nonpareil8 00 Large Late Algiers9 00 Lenormand's Short-Stemmed8 00 Early London, or Dutch4 00	Large Sweet, or Sugar


Corn Salad, or Fetticus	Muskmelons
Round-leaved Small-seeded	
Cress, or Pepper Grass	Delmonico (large; orange flesh) 1 00
Extra Curled\$o 60	Green Citron (netted)
Australian, or Golden 6	Bay View (extra large)
Cucumbers Per lb	Montreal Market
Extra-Early Russian	
Early Green Cluster 1 of Early Short Green. 1 of Early	Per lb.
Improved Long Green I of Green Prolific (pickling) I of	Icing, or Ice Rind (white-seeded)
Long White-Spined I of	Striped Giney or Jeckson
Everbearing I of Tailby's Hybrid I of	Black Spanish
Nichol's Medium Green 1 of	Scaly Bark
Eggplants Per lb	
Farly Long Purple \$2 50 Amproved New York Purple 4 50	Per lb.
Early Black Pekin 4 o	Black, or Brown
Endive	Nactuatiums
✓ Green Curled Summer	Per lb.
French, or Moss Curled 1 50	Dwarf (Indian Cress) 1 50
Wild, for flavoring coffee	Okra
	Per lb.
Kale	Early Dwarf Green \$0 75
Per It	Extra Long Green
Green Curled Scotch	*Extra Long Green
Green Curled Scotch	*Extra Long Green
Green Curled Scotch	Prices may vary as the season advances. Extra-Early Flat Red. Psecurity 75 Onions Per lb. S2 50
Green Curled Scotch	Prices may vary as the season advances. Extra-Early Flat Red. Per lb. \$2 50
Green Curled Scotch	#Extra Long Green
Green Curled Scotch \$0 7. Brown, or Purple Curled I of Hardy Curled Siberian (Winter sprouts) 6. Spring Sprouts (English) 2. Kohlrabi Fer It of Part It of Par	Extra Long Green.
Green Curled Scotch	Extra Long Green. 75 Dwarf White Velvet 75 Onions Prices may vary as the season advances. Per lb. Extra-Early Flat Red. \$2 50 Large Red Wethersfield 2 50 Large Red Globe 2 50 White Portugal 3 00 Southport White Globe 3 00 Prize Taker (straw-color) 3 00 Yellow Dutch, or Strasburg 2 00 Vellow Danware or Globe
Green Curled Scotch \$0 7. Brown, or Purple Curled I of Hardy Curled Siberian (Winter sprouts) 66 Spring Sprouts (English) 2 Kohlrabi Per It Early White Vienna \$2 5 Early Purple Vienna \$2 5 Leeks Per It \$2 0 Large American Flag, or Scotch \$2 0 Large Carentan 2 0	Extra Long Green. 75 Dwarf White Velvet 75 Onions Prices may vary as the season advances. Per lb. Extra-Early Flat Red. \$2 50 Large Red Wethersfield 2 50 Large Red Globe 2 50 White Portugal 3 00 Southport White Globe. 3 00 Prize Taker (straw-color) 3 00 Yellow Dutch, or Strasburg 2 00 Yellow Danvers, or Globe 2 00 Parsley
Green Curled Scotch \$0 7. Brown, or Purple Curled I of Hardy Curled Siberian (Winter sprouts) 6. Spring Sprouts (English) 2. Kohlrabi Early White Vienna \$2 5. Early Purple Vienna \$2 5. Leeks Per it Large American Flag, or Scotch \$2 0. Large Carentan 2 0. Lettuce	Extra Long Green. 75 Dwarf White Velvet 75 Onions Prices may vary as the season advances. Per lb. Extra-Early Flat Red. \$2 50 Large Red Wethersfield 2 50 Large Red Globe 2 50 White Portugal 3 00 Southport White Globe 3 00 Prize Taker (straw-color) 3 00 Yellow Dutch, or Strasburg 2 00 Yellow Danvers, or Globe 2 00 Parsley Curled, or Double \$0 75 Per lb.
Green Curled Scotch.	Extra Long Green. 75 Dwarf White Velvet 75 Onions Prices may vary as the season advances. Per lb. Extra-Early Flat Red. \$2 50 Large Red Wethersfield 2 50 Large Red Globe 2 50 White Portugal 3 00 Southport White Globe. 3 00 Prize Taker (straw-color) 3 00 Yellow Dutch, or Strasburg 2 00 Yellow Danvers, or Globe 2 00 Parsley Per lb. Curled, or Double \$0 75 Champion Moss Curled (extra) 75 Carter's Forn leaved 175 Carter's Forn leav
Green Curled Scotch.	Extra Long Green. 75 Dwarf White Velvet 75 Onions Prices may vary as the season advances. Per lb. Extra-Early Flat Red. \$2 50 Large Red Wethersfield 2 50 Large Red Globe 2 50 White Portugal 3 00 Southport White Globe. 3 00 Prize Taker (straw-color) 3 00 Yellow Dutch, or Strasburg 2 00 Yellow Danvers, or Globe 2 00 Parsley Per lb. Curled, or Double \$0 75 Champion Moss Curled (extra) 75 Carter's Fern-leaved 75 Hamburg, or Rooted 75 Hamburg, or Rooted 75 Carter's Fern-leaved 75 Carter's Fer
Green Curled Scotch.	Extra Long Green. 75 Dwarf White Velvet 75 Onions Prices may vary as the season advances. Per lb. Extra-Early Flat Red. \$2 50 Large Red Wethersfield 2 50 Large Red Globe 2 50 White Portugal 3 00 Southport White Globe 3 00 Prize Taker (straw-color) 3 00 Yellow Dutch, or Strasburg 2 00 Yellow Danvers, or Globe 2 00 Parsley Per lb. Curled, or Double \$0 75 Carter's Fern-leaved 75 Hamburg, or Rooted 75 Parsnips Par lb. Parsnips
Green Curled Scotch.	Extra Long Green. 75 Dwarf White Velvet 75 Onions Prices may vary as the season advances. Extra-Early Flat Red. \$2 50 Large Red Wethersfield 2 50 Large Red Globe 2 50 White Portugal 3 00 Southport White Globe. 3 00 Prize Taker (straw-color) 3 00 Yellow Dutch, or Strasburg 2 00 Yellow Danvers, or Globe 2 00 Parsley Curled, or Double \$0 75 Champion Moss Curled (extra) 75 Carter's Fern-leaved 75 Hamburg, or Rooted 75 Parsnips Long White, or Guernsey \$0 60 Per lb. South Portugal 50 Per lb. 50 Per
Green Curled Scotch \$0 7. Brown, or Purple Curled I of Hardy Curled Siberian (Winter sprouts) 6. Kohlrabi Early White Vienna \$2 5. Early Purple Vienna 2 5. Leeks Leeks Per It Large American Flag, or Scotch \$2 0. Large Carentan 2 0. Lettuce Buttercup (fine for forcing) \$1 5. Big Boston (fine for forcing) 1 7. German Early Head 2 0. Grand Rapids Forcing 1 5. Simpson's Curled Silesia 1 2. Ice Drumhead, or Malta 1 0. Early Tennisball, or Boston Market. 1 2. Black-seeded Large Butter 1 2.	Extra Long Green. 75 Dwarf White Velvet 75 Onions Prices may vary as the season advances. Per lb. Extra-Early Flat Red. \$2 50 Large Red Wethersfield 2 50 Large Red Globe 2 50 White Portugal 3 00 Southport White Globe. 3 00 Prize Taker (straw-color) 3 00 Yellow Dutch, or Strasburg 2 00 Yellow Danvers, or Globe 2 00 Parsley Per lb. Curled, or Double 50 75 Champion Moss Curled (extra) 75 Carter's Fern-leaved 75 Hamburg, or Rooted 75 Parsnips Per lb. Long White, or Guernsey \$0 60 Sutton's Student 60
Green Curled Scotch \$0 7. Brown, or Purple Curled I of Hardy Curled Siberian (Winter sprouts) 6. Spring Sprouts (English) 2. Kohlrabi Early White Vienna \$2 5. Early Purple Vienna 2 5. Leeks Per it \$2 5. Large American Flag, or Scotch \$2 0. Large Carentan 2 0. Lettuce Buttercup (fine for forcing) \$1 5. Big Boston (fine for forcing) 1 7. German Early Head 2 0. Golden Stone Head (fine) 1 5. Grand Rapids Forcing 1 5. Simpson's Curled Silesia 1 2. Ice Drumhead, or Malta 1 0. Early Tennisball, or Boston Market 1 2. Black-seeded Large Butter 1 2. Ferpignan Head, or Summer 1 2. Salamander, or Satisfaction 1 5.	Extra Long Green. 75 Dwarf White Velvet 75 Onions Prices may vary as the season advances. Extra-Early Flat Red. \$2 50 Large Red Wethersfield 2 50 Large Red Globe 2 50 White Portugal 3 00 Southport White Globe 3 00 Prize Taker (straw-color) 3 00 Yellow Dutch, or Strasburg 2 00 Yellow Danvers, or Globe 2 00 Parsley Curled, or Double \$0 75 Champion Moss Curled (extra) 75 Carter's Fern-leaved 75 Hamburg, or Rooted 75 Parsnips Per lb. Long White, or Guernsey \$0 60 Sutton's Student 60 Peppers Per lb.
Green Curled Scotch \$0 7. Brown, or Purple Curled I of Hardy Curled Siberian (Winter sprouts) 6. Spring Sprouts (English) 2. Kohlrabi Early White Vienna \$2 5. Early Purple Vienna 2 5. Leeks Per it \$2 0. Large American Flag, or Scotch \$2 0. Large Carentan 2 0. Lettuce Buttercup (fine for forcing) \$1 5. Big Boston (fine for forcing) 1 7. German Early Head 2 0. Golden Stone Head (fine) 1 5. Grand Rapids Forcing 1 5. Simpson's Curled Silesia 1 2. Ice Drumhead, or Malta 1 0. Early Tennisball, or Boston Market 1 2. Black-seeded Large Butter 1 2. Ferpignan Head, or Summer 1 2. Salamander, or Satisfaction 1 5. White Summer Cabbage 1 5. Deacon (solid head) 1 5.	Extra Long Green. 75 Dwarf White Velvet 75 Onions
Green Curled Scotch \$0 7. Brown, or Purple Curled I of Hardy Curled Siberian (Winter sprouts) 6 Kohlrabi Early White Vienna \$2 5. Early Purple Vienna 2 5. Leeks Per It Large American Flag, or Scotch \$2 0. Large Carentan 2 0. Lettuce Buttercup (fine for forcing) \$1 5. Big Boston (fine for forcing) 1 7. German Early Head 2 0. Golden Stone Head (fine) 1 5. Grand Rapids Forcing 1 5. Simpson's Curled Silesia 1 2. Ice Drumhead, or Malta 1 0. Early Tennisball, or Boston Market 1 2. Black-seeded Large Butter 1 2. Ferpignan Head, or Summer 1 2. Salamander, or Satisfaction 1 5. White Summer Cabbage 1 5. Deacon (solid head) 1 5. Golden Queen 1 5. White Paris, or Ice Cos. 1 5. White Paris, or Ice Cos. 1 5.	Extra Long Green. 75 Dwarf White Velvet 75 Onions
Green Curled Scotch \$0 7. Brown, or Purple Curled I of Hardy Curled Siberian (Winter sprouts) 6 Kohlrabi Early White Vienna \$2 5. Early Purple Vienna 2 5. Leeks Per It Large American Flag, or Scotch \$2 0. Large Carentan 2 0. Lettuce Buttercup (fine for forcing) \$1 5. Big Boston (fine for forcing) 1 7. German Early Head 2 0. Golden Stone Head (fine) 1 5. Grand Rapids Forcing 1 5. Simpson's Curled Silesia 1 2. Ice Drumhead, or Malta 1 0. Early Tennisball, or Boston Market 1 2. Black-seeded Large Butter 1 2. Ferpignan Head, or Summer 1 2. Salamander, or Satisfaction 1 5. White Summer Cabbage 1 5. Deacon (solid head) 1 5. Golden Queen 1 5. White Paris, or Ice Cos. 1 5. White Paris, or Ice Cos. 1 5.	Extra Long Green. 75 Dwarf White Velvet 75 Onions

	Peas.		Early Scarlet Turnip\$0 7	b.
	Bridgeman's Extra Farly #6	bus.	Early Round Dark Red	15
	Carter's First Crop	5 00	White-tipped Scarlet	75
	Extra-Early Daniel O'Rourke	5 00	Golden Olive-shaped	75
	Philadelphia Extra-Early 6	5 00	Early White Olive-shaped	/ J
	Bliss' Everbearing 4	50	Early Scarlet Olive-shaped	50
l r	Alaska	00.	Long Scarlet Short Top 7	75
	Carter's Premium Gem 7	00	Beckert's Chartier Long Red	75
	Laxton's Fillbasket 5	50	Golden Globe (fine)	
	Horsford's Market-Garden 5	50	Yellow Summer Turnip 6	
	Dwarf Champion 5	00	White Summer Turnip 7	
	Abundance (sow thin) 5		Purple Summer Turnip	
ľ	Pride of the Market 6	00	Long Black Spanish	
)	Yorkshire Hero 4	50	Round Black Spanish	75
	Kentish Invicta 5		White Spanish, or Fall ϵ	
	McLean's Advancer 5		Scarlet Chinese Winter	75
	Laxton's Alpha 5	50		
	McLean's Little Gem 7	00	Salsify, or Oyster Plant	
	American Wonder 7		Per 1	lb.
	Carter's Telephone 5	50	Long White\$1	00
,	Culverwell's Telegraph 5	50	Mammoth Sandwich Island 1 5	50
	Carter's Stratagem 5	50	Long Black (Scorzonera) 1 5	50
	Heroine			
1	Queen (finest flavor) 5	_	Squashes	
	Nott's Excelsior		Perl	
	Dwarf Blue Imperial 4		Early White Bush\$0	
	Champion of England 5	, 00	Silver Custard Bush	75
			E 1 C 11 D D	-
,	Black-Eyed Marrowfat 4	00	Early Golden Bush	75
,		00	Early Golden Bush Summer Crookneck.	75 75
,	Black-Eyed Marrowfat	00	Early Golden Bush Summer Crookneck Boston Marrow	75 75 75
	Black-Eyed Marrowfat	1 00 1 00 er 1b.	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter	75 75 75 75
	Black-Eyed Marrowfat	1 00 1 00 er 1b.	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter	75 75 75 75 75
:	Black-Eyed Marrowfat	t 00 t 00 er 1b.	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow	75 75 75 75 75 75
:	Black-Eyed Marrowfat	t 00 t 00 er 1b.	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem.	75 75 75 75 75 75 75
:	Black-Eyed Marrowfat	t 00 t 00 er 1b.	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck	75 75 75 75 75 75 75
:	## Black-Eyed Marrowfat	er 1b.	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size).	75 75 75 75 75 75 75 75
:	Black-Eyed Marrowfat	er 1b.	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size).	75 75 75 75 75 75 75
	Black-Eyed Marrowfat	er 1b. 00 60 60 60 60 60 60 60 60 60 60 60 60	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size). I English Vegetable Marrow	75 75 75 75 75 75 75 75
	Black-Eyed Marrowfat	er 1b. 00 60 00 00 bbl.	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size) English Vegetable Marrow	75 75 75 75 75 75 75 75 75 75
	Black-Eyed Marrowfat	er 1b. 00 1 00 1 00 1 00 1 00 1 00 1 00 1	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size). I English Vegetable Marrow Tomatoes Per I	75 75 75 75 75 75 75 75 75 75
	Black-Eyed Marrowfat	bbl. 1 25 1 25 1 25	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size). I English Vegetable Marrow Tomatoes Per I Livingston's Perfection \$2.50	75 75 75 75 75 75 75 75 75 75 75
	Black-Eyed Marrowfat	er lb. 60 coo	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size). English Vegetable Marrow Tomatoes Livingston's Perfection \$2.6 Crimson Cushion	75 75 75 75 75 75 75 75 75 75 75 75
	Pumpkins	bbl. 25 25 25 25 25	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size) English Vegetable Marrow Tomatoes Livingston's Perfection Crimson Cushion Acme (smooth, dark red) Ponderosa 4 Ponderosa	75 75 75 75 75 75 75 75 75 75 75 75 75 90 90 90
	## Pumpkins Pumpkins	bbl. 25 25 25 25 25	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size) English Vegetable Marrow Tomatoes Livingston's Perfection Crimson Cushion Acme (smooth, dark red) Ponderosa 4 Ponderosa	75 75 75 75 75 75 75 75 75 75 75 75 75 90 90 90
	## Pumpkins Pumpkins	bbl. 25 25 25 25 25 25 25 25 25	Early Golden Bush Summer Crookneck. Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size). English Vegetable Marrow Tomatoes Livingston's Perfection Crimson Cushion Acme (smooth, dark red) Ponderosa The Lorillard The Trophy (selected)	75 75 75 75 75 75 75 75 75 75 75 75 75 7
	## Pumpkins Pumpkins	bbl. 25 25 25 25 25 25 25	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size). I English Vegetable Marrow Tomatoes Livingston's Perfection Crimson Cushion 4 Acme (smooth, dark red) 2 Ponderosa 4 The Lorillard 2 The Trophy (selected) 2 Cardinal (brilliant red) 2	75 75 75 75 75 75 75 75 75 75 75 75 75 7
	## Pumpkins Pumpkins	bbl. 25 25 25 25 25 25 25	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size). I English Vegetable Marrow Tomatoes Livingston's Perfection Crimson Cushion Acme (smooth, dark red) 2 Ponderosa 4 The Lorillard 2 The Trophy (selected) 2 Cardinal (brilliant red) 2 Mikado 2	75 75 75 75 75 75 75 75 75 75 75 75 75 7
	Pumpkins	bbl. 25 25 25 25 25 25 25 25	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size). I English Vegetable Marrow Tomatoes Livingston's Perfection Crimson Cushion Acme (smooth, dark red) 2 Ponderosa 4 The Lorillard 2 The Trophy (selected) 2 Cardinal (brilliant red) 2 Mikado 2 Livingston's Beauty 2	75 75 75 75 75 75 75 75 75 75 75 75 75 7
	Pumpkins	bbl. 25 25 25 25 25 25 25 25	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size). English Vegetable Marrow Tomatoes Livingston's Perfection Crimson Cushion Acme (smooth, dark red) Ponderosa The Lorillard Cardinal (brilliant red) Summary Mikado Livingston's Beauty Dwarf Champion	75 75 75 75 75 75 75 75 75 75 75 75 75 7
	## Pumpkins Pumpkins	bbl. 25 25 25 25 25 25 25 25 25 25 25 25 25	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size) English Vegetable Marrow Tomatoes Livingston's Perfection Crimson Cushion Acme (smooth, dark red) Ponderosa The Lorillard The Trophy (selected) Cardinal (brilliant red) Mikado Livingston's Beauty Dwarf Champion Livingston's Favorite	75 75 75 75 75 75 75 75 75 75 75 75 75 7
·	## Pumpkins Pumpkins	bbl. 25 25 25 25 25 25 25 25 25 25 25 25 25	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size) English Vegetable Marrow Tomatoes Livingston's Perfection Crimson Cushion Acme (smooth, dark red) Ponderosa The Lorillard The Trophy (selected) Cardinal (brilliant red) Mikado Livingston's Beauty Dwarf Champion Livingston's Favorite Stone Scarlet	75 75 75 75 75 75 75 75 75 75 75 75 75 7
	## Pumpkins Pumpkins	bbl. 25 25 25 25 25 25 25 25 25 25 25 25 25	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size). I English Vegetable Marrow Tomatoes Livingston's Perfection Crimson Cushion Acme (smooth, dark red) 2 Ponderosa The Lorillard 2 The Trophy (selected) 2 Cardinal (brilliant red) 2 Mikado 2 Livingston's Beauty 2 Mikado 2 Livingston's Favorite 2 Stone Scarlet 2 Large Golden Yellow 2	75 75 75 75 75 75 75 75 75 75 75 75 75 7
	## Pumpkins Pumpkins	bbl. 25 25 25 25 25 25 25 25 25 25 25 25 25	Early Golden Bush Summer Crookneck Boston Marrow Hubbard, or Winter Essex Hybrid, or Winter Marblehead Marrow Perfect Gem. Winter Crookneck Mammoth Chili (extra size). I English Vegetable Marrow Tomatoes Livingston's Perfection Crimson Cushion Acme (smooth, dark red) 2 Ponderosa The Lorillard 2 The Trophy (selected) 2 Cardinal (brilliant red) 2 Mikado 2 Livingston's Beauty 2 Mikado 2 Livingston's Favorite 2 Stone Scarlet 2 Large Golden Yellow 2	75 75 75 75 75 75 75 75 75 75 75 75 75 7

VEGETABLE PLANTS, ETC.

The following plants and roots will be furnished in their season at market rates:

Asparagus Roots, Jerusalem Artichoke Tubers, Cauliflower Plants, Cabbage and Celery Plants, Lettuce Plants, Chives and Shallots, Eggplants, Pepper Plants, Hop Vine Plants, Horse-radish Sets, Mint and Tarragon Roots, Tomato Plants, Rhubarb Roots, Strawberry Plants, Sweet Potato Plants.



Flower Seeds

GENERAL DIRECTIONS FOR THE CULTIVATION OF ANNUAL, BIENNIAL AND PERENNIAL FLOWERS.

Plants are known and described generally as Annuals, Biennials and Perennials.

Annuals are those plants that flower and mature their seed within a year after they are sown, and then perish. This definition is in no way changed by the fact that many annuals may be managed as biennials, or, in other words, be sown in autumn for flowering early the following season.

Tender Annuals are those that require heat, and will not germinate in the open ground until settled warm weather.

Half-hardy Annuals are those which will bear a slight frost, and may be sown in the open ground a little earlier than tender annuals.

Hardy Annuals are usually those which require no artificial heat during any period of their growth. Every stage of their existence, from the time of sowing the seed to maturity, is passed in the open ground.

Biennials are those plants that flower the second and sometimes the third year after the seed is sown, and then perish.

Perennials are those plants which live and perpetuate their species throughout many years successively.

The last two classes are again divided in respect to their endurance of low temperature, as *Tender*, *Half-hardy* and *Hardy*.

Tender Biennials and Perennials are greenhouse or dwelling-house plants, requiring artificial heat to protect them from frost.

Half-hardy Biennials and Perennials are those that require a slight covering of straw or litter during cold weather.

Hardy Biennials and Perennials are those that will stand the coldest winter weather without protection.

Soils Most Suitable.—The soil best adapted to a majority of plants is a light, friable loam, containing a moderate quantity of vegetable matter, and enough sand to render it porous; but as it seldom happens that the amateur has a choice of soil, it is fortunate that most of them will succeed in any but such as is of an extremely dry or gravelly nature, or of a stiff, heavy, retentive quality.

Manures.—The use of strong, crude manures should be carefully avoided. In ordinarily good soil, an annual dressing of decomposed stable manure, dug in to the depth of about 10 inches, and thoroughly incorporated with the soil, will be all that is needed.

Time of Sowing.—With regard to the proper time of sowing flower seeds, much necessarily depends on the character of the season. As a general rule (near New York city) hardy kinds may be sown in the open ground about the middle of April, half-hardy kinds during the first week of May, and tender kinds after the middle of May.

The best method to obtain early flowers is to sow seeds of the most desirable tender and half-hardy species in pots early in March. If kept in a warm greenhouse or window, or plunged into a moderate hotbed, they will be ready to transplant to the open ground early in May. The season of blooming will be made fully three weeks earlier thereby.

Mode of Sowing.—Seeds may be sown in patches among the border plants in rows or groups where they are to remain, or in a nursery bed, and afterwards transplanted. As a

general rule, the surface soil should be rather dry than otherwise at the time of sowing; the operation must not be undertaken when the ground is very wet, especially at an early period of spring.

The depth at which seeds should be sown will vary with their size. Large seeds, such as Lupins, Marvel of Peru, or Sweet Peas, should be sown about half an inch deep; medium size seeds, such as Balsams, Convolvulus or Thunbergia, about a quarter of an inch deep; while such as are very small require to be sown on the actual surface, a slight pressure being then sufficient to imbed them to a proper depth. If sown too deep, they are longer in germinating, and the smaller ones are liable to decay through want of strength to open the pores of the earth. In the absence of rain, water the seeds occasionally from a watering-pot with a very fine rose.

Transplanting.—As soon as the seedlings are an inch high, they may be transplanted to different parts of the garden. Remove the plants carefully with a small garden trowel, retaining as much of the soil to the roots as possible. Place the large-growing kinds in the rear, and the small in front; above all things, avoid crowding them. Transplanting should, if possible, be performed in cloudy weather, or towards evening: and, unless the soil is wet, the seedlings should be slightly watered, to settle the soil about the roots, shading them for a day or two afterwards, if necessary.

The risk and trouble of transplanting may be avoided by adopting the following method of sowing the seeds: Take a package of say twenty varieties, and number the bags from I to 20; then sow a small circle from each bag in the order in which they are numbered, and insert a short stick in the center of each circle as a mark. By this method the twenty varieties are distributed along the border in succession; and as each bag will be sufficient for about three circles, or three assortments of twenty varieties each, they may be sown in three different aspects of the garden, which will not only give the various flowers the best possible chance with regard to exposure, but show the varieties to the best possible advantage. By preserving the bags, the mere novice, by referring to the name and number on each, will become acquainted with the different varieties from the order in which they stand in the garden. This system may be practiced to advantage either on a large or small scale.

Neatness is indispensable in a flower garden, and neither the variety nor beauty of the plants will compensate for its absence. As the plants advance in growth, frequent weeding and hoeing will be necessary, as well for the sake of neatness as to stimulate their growth. Tie the tall-growing kinds to neat rods or sticks, and train the vines or climbers on trellises, strings or poles.

EXPLANATION OF FLOWER SEED CATALOGUE.

The First Column gives the botanical or scientific names.

The dagger (†) indicates Everlasting flowers, which, if cut and dried (before maturity), will retain their color and beauty for several years.

The asterisk (*) denotes climbing plants.

The (") or (—) indicates in all cases a repetition.

The Second Column gives the common names, for Index of which see page 56.

The Third Column shows the color of the flower, abbreviated as follows, viz.:

```
l.—light.
li.—lilac.
                                                                              sul.—sulphur.
tri.—three colored.
                    cr.-crimson.
b.—blue.
                                                           r.—red.
                    div.—diverse.
da.—dark.
blk.-black.
                                                           ro.—rose.
bord.-bordered.
                                                           sal.—salmon.
                                       mar.—marbled.
                                                                              v.—violet.
                    gn.—green.
gol.—golden.
                                       or.—orange.
                                                                              va.-variegated.
br.—brown.
                                                           s.—scarlet.
bu. - buff.
                                       pk.—pink.
                                                           spot.—spotted.
                                                                              w.—white.
                                                                              yel.—yellow.
                                                           stri.—striped.
car.—carmine.
                    gy.—gray.
                                       pur.—purple.
```

The Fourth Column indicates the usual height in feet, under good cultivation; or the word (tra.) denotes trailing or lying on the ground.

The Fifth Column shows the hardiness and duration of each kind, viz.:

```
tA.—tender annual.
hhA.—half-hardy annual.
hA.—hardy annual.
hhB.—half-hardy biennial.
hhB.—half-hardy perennial.
hhP.—half-hardy perennial.
```

The Sixth Column gives the price of each paper or packet.

Many kinds marked annuals are adapted to pot-culture in winter, and several kinds of biennial and perennial plants will flower the first year from seed, if started early in the season.

All the leading species and varieties of flower seeds may be had by weight, if desired; for prices, see list on page 54.

FLOWER SEEDS

The great interest manifested in the cultivation of flowers, and the increasing demand for new varieties, have induced us to give particular attention to this department. In addition to the many kinds grown here, we import annually from England, France and Germany all the standard kinds and novelties as they appear there; and no expense is spared to make the collection as select and varied as any to be found in this country.

For Ornamental Grasses, see page 54; Flower Seeds by Weight, page 56; Index of Common Names, etc., pages 58 and 59.

Flower Seeds forwarded by mail, free of postage, on receipt of prices annexed.

Botanical Names, etc.	Common Names, etc.	Color	Helght in Feet	Duration and Hardi- ness	Price per Paper
Abronia umbellata	Abronia, Umbel-flowered	rose	1/2	hhA	\$0 0 5
—grandiflora	Deep Rose	pink	1/2	hhA	10
Abutilon in varieties	Chinese Bell-flower	div.	div.	tP	25
Darwini	Crimson Bell-flower	crim.	4	tP	25
Acacia in varieties	Acacia, Fine Mixed	div.	div.	tP	10
Aconitum napellus	Monk's-hood	blue	2	hP	5
Acroclinium roseum†	Everlasting flower, Rose	rose	I	hhA	5
—album†	White	white	1	hhA	10
—flore pleno†	Double Rose	rose	I	hhA	10
Adlumia cirrhosa*	Mountain-fringe Vine	pink	10	hP	10
Adonis æstivalis	Pheasant's Eye	scarlet	I	hA	
	Ageratum, Blue	blue		hA	5
Ageratum Mexicanum	Imposiol Decomb		2	hA	5
nanum	Imperial Dwarf	blue	1/2		5
album	Dwarf White	white	1/2	hA	5
Lasseauxi	Rose-flowered	rose	I	hP	5 5
Agrostemma coronaria	Rose Campion	rose	2	hP	
—alba	White Campion	white	1 1/2	hP	5
Alonsoa grandiflora	Alonsoa, Large-flowered	scarlet	$I^{1/2}$	hhA	5
linifolia	Roezl's	1. s.	I	hhA	10
Aloysia citriodora	Lemon-scented Verbena	white	2	hhP	10
Alstroemeria hybrida	Finest Hybrid	div.	2	tP	10
Althaea alba fl. pl	Hollyhock, Double White	white	4	hB	10
coccinea fl. pl	Double Scarlet	scarlet	4	hB	10
rosea fl. pl	Double Rose	rose	4	hB	10
lutea fl. pl	Double Yellow	yellow	4	hB	IO
varius fl. pl	Double Mixed	div.		hB	10
Allegheny	Single Fringed	mixed	4	hB	10
	See page 53.	IIIIXCG	O	пь	10
Alyssum maritimum	Alusaum Suroot	white	I/	hA	
	Alyssum, Sweet		1/2	hA	5
—compacta	Tom Thumb	white	1/2		5
saxatile	Golden	golden	1	hP	5
Amarantus tricolor	Joseph's Coat	tri.	2	tA	5
caudatus†	Love-lies-bleeding	crim.	3	hhA	5
hypochondriacus†	Prince's Feather	crim.	3	hhA	5
Henderi	Amaranthus, Variegated	div.	3	hA	5
melancholicus	Blood-Red	red	3	hhA	5
bicolor ruber	Carmine and Yellow	car.&yl.	2	hhA	5
salicifolius	Fountain Plant	br. & s.	3	hhA	IO
nobilis pyramidalis	Rose-spiked	rose	5	hhA	10
Collection	See page 53.				
Ammobium alatum†	Ammobium, Winged	white	I ½	hA	5
Ampelopsis Veitchii*	Japanese Ivy	green	50	hP	10
Anemone coronaria	Wind-flower	div.	I	hP	5
pulsatilla	Pasque-flower	violet	I	hP	5
Angelonia grandiflora	Angelonia, Sweet-scented	blue	I ½	tP	15
Anoda Dilleniana	Blue Hibiscus	blue	2	hA	5
Antirrhinum nanum album	Snapdragon, Pure White		I ½	hP	5 5
		div.		hP	၁ ၁
hybridum	Fine Mixed		I 1/2	hP	5
Aquilegia Sibirica	Columbine, Double Violet Golden-spurred	violet vellow	1 1/2	hP	IO IO
4'F1F375'1T1FF1'1	L-OMED-SDUTTED	VEHOW	2		














AGERATUM.








AMARANTHUS CAUDATUS.



AQUILEGIA.

Botanical Names, etc.	Common Names, etc.	Color.	Height in Feet	Duration and Hardin ness	Price per Paper
Aquilegia cœrulea	Columbine, Large-flowered	b. & w.	2	hP	\$0 10
Skinneri	Scarlet and Yellow	sc. & yl.	I ½	hP	" 10
Stuarti	Rich Blue		1 1/2	hP	25
varius	Vulgaris and Mixed	div.	2	hP	10
COLLECTION	See page 53.				
Arabis alpina	Arabis, Sweet-scented	white	3/4	hP	IO
Argemone grandiflora	Poppy, White Mexican	white	2	hA	5
speciosa	Yellow	yellow	2 1/2	hA	10
Aristolochia Sipho*	Dutchman's Pipe Vine	yl. & br.	15	hP	10
Arnebia cornuta	Arabian Primrose	yellow	2	hA	25
Asclepias tuberosa	Swallow-wort	orange	2	hP hP	5
Asparagus plumosus nanus*	Ornamental Asparagus Emerald Feather	green	8		10
Sprengeri		white blue	4	tP hA	15
	Asperula, Light Blue Sweet-scented	white	I I	hP	10
odorata (Woodruff) Astar Chinensis	Sweet-scented	winte	1/2	nr	10
Comet Rose	Comet	rose	2	bА	10
—Snow White	White	white	2	hA	10
-Bridesmaid	White passing to Rose	winte	2	hA	25
—Lady.	Rose and White	ro. & w.	2	hA	25 25
Queen of the Market	Rose and White	10. & W.	2	11121	23
—White	White	white	r	hA	10
—Rose	Rose	rose	I	hA	10
—Light Blue	Blue.	blue	Ī	hA	10
Truffaut's White	Pure White	white	I ½	hA	10
—Blood Red	Dark Red	red	1 1/2	hA	10
—Deep Mauve		mauve	I 1/2	hA	10
—cœruleus	Black-blue	blue	1 1/2	hA	10
—Mixed	Pæony-flowered	div.	2	hA	10
Victoria White	Dwarf White	white	I 1/2	hA	10
—Rose	Dwarf Rose	rose	1 1/2	hA	10
—Mixed	Mixed Victoria	div.	2	hA	10
Mignon albiflora	Pure White Mignon	white	I ½	hA	15
—Mixed	Mignon, Mixed	div.	$1\frac{1}{2}$	hA	10
Semple's Branching White	Late Blooming	white	2	hA	10
—Shell-Pink	Late Blooming Pink	pink	2	hA	10
—Lavender-Blue	Late Blooming Blue	blue	2	hA	10
—Crimson	Late Blooming Crimson	cr.	2	hA	10
—Mixed	Late Blooming Mixed	mixed	2	hA	10
Ball, or Jewell	Apple-blossom		2	hA	IO
Snowball, or Princess	Pure White	1	I ½	hA	25
Cocardeau	Crown-flowered	div.	2	hA	,10
Washington	Perfection	div.	2	hA	10
Eugeniechrysanthemiflorus	Imbricated Pompon	div.	2 I	hA hA	10
Ried's Mixed	Dwarf Bouquet German Quilled	div.		hA	10
varius	Mixed China	div.	I ½ 2	hA	5
tenellus	Biennial Aster	blue	I 1/2	hhB	5 10
Collections	See page 52.	bruc	1/2	mib	10
stragalus caryocarpus	Astragalus, Red-fruited	rose	2	hP	10
Athanasia annua	African Daisy	vellow	ī	hA	10
Aubrietia deltoidea	Rock Plant	lilac	1/2	hP	10
Azalea indica	Azalea, Fine Mixed	div.	div.	tP	25
Balsamina impatiens rosea	Lady's Slipper, Double Rose.	rose	1 ½	tP	10
—kermesina	Double Scarlet	scarlet	I 1/2	tA	10
—albiflora	Double White	white	I 1/2	tA	10
—violacea	Double Violet	violet	I 1/2	tA	10
—Victoria	Double Striped	striped	1 1/2	tA	10
—Solferino	Double Spotted	spotted	I ½	tA	10
—camelliæflora	Mixed Double	div.	2	tA	10
—varius	Mixed Paris	div.	1 1/2	tA	5
Collections	See page 52.				
Baptisia australis	(Polvdaria australis)	blue	2	hP	5
Bartonia aurea	Golden Bartonia	yellow	1 1/2	hA	5




CAMPANULA. CENTAUREA.

CANDYTUFT.

Botanical Names, etc.	Common Names, etc.	Color	Height in Feet	Duration and Hardi- ness	Price per Paper
Begonia hybrida	Begonia, S'gle Tuberous-rooted	div.	2	tP	\$0 25
—flore pleno	Double Tuberous-rooted	div.	2	tP	50
Vernon	For borders .	red	I	tP_	25
Bellis perennis	Daisy, Finest Double	div.	1/2	hhP	25
—Longfellow	Double Rose	rose	1/2	hhP	25
—alba	Double White	white	1/2	hhP	25
Bidens atrosanguinea	Dahlia Zimpani	blk. bl.	2	hA	10
Bocconia Japonica	Bocconia, Oak-leaved	white	6	hP	10
Brachycome iberidifolia	Daisy, Blue Swan River	blue	3/4	hhA	IO
In varieties	Mixed	div.	3/4	hhA tA	10
Browallia elata	Amethyst, Blue	blue white	I 1/2	tA tA	IO
alba	White	red	1½ 8	tA tA	10
Bryonopsis erythrocarpa* Cacalia coccinea	Ornamental-fruited Vine Tassel-flower, Scarlet	scarlet		hA	10
aurantiaca.		orange	I.S.	hA	5
Calampelis scaber*	Orange (Eccremocarpus) Vine	orange	IO	tA	5
Calandrinia speciosa	Lindley's Calandrinia	red	10	hA	5
—umbellata.	Umbel-flowered	crim.	1	hA	10
Calceolaria hybrida grandiflora	Calceolaria, Mixed	div.	2	tP	25
—punctata superba	Superb Spotted	div.	1 1/2	tP	25
rugosa	Finest Shrubby	div.	2	tP	50
scabiosæfolia	Golden Slipperwort	yellow	1 1/2	hA	10
Calendula pluvialias	Marigold, Cape	white	1 1/2	hA	5
—officinalis	Double Pot	orange	I	hA	5
—Meteor.	Double Pot	golden	I	hA	5
—Prince of Orange	New Double Pot	golden	I	hA	5 5
Calliopsis tinctoria	Coreopsis, Golden	y. & br.	2	hA	5
—coronata	Crowned	spotted	1 1/2	hA	5
—Golden Wave	Golden Yellow	yellow	I	hA	5
—astrosanguinea	Crimson	crim.	-2	hA	10
lanceolata	Yellow	yellow	3	hP	10
Callirrhoe pedata	Poppy Mallow	red	2	hhA	10
Campanula medium	Canterbury Bell, Blue	blue	2 1/2	hhB	. 5
—alba	White	white	2 1/2	hhB hhB	5
—in varieties	Single Mixed	div. white	2 1/2	hhB	5
—alba fl. pl	Double White	pink	2 1/2	hhB	10
—varius	Double Mixed	div.	2 2	hhB	10
speculum	Venus' Looking-glass	div.	3/4	hA	
carpatica	Carpathian Bell-flower	div.	74 I/2	hP	5 5
pyramidalis	Pyramidal Bell-flower	blue	4	hhP	5
COLLECTION	See page 53.	Dido	7	1	J
Candytuft	See Iberis.				
Canna indica	Indian Shot, Scarlet	scarlet	2	hhP	5
Nepalensis	Yellow	1. & y.	3	hhP	10
Madam Crozy	Scarlet, Yellow Border		3	hhP	10
In varieties	Crozy's Finest	div.	3 1/2	hhA	10
Cannabis gigantea	Giant Hemp		IO	tA.	5
Canterbury Bells	See Campanula.				
Cardiospermum halicaca'm*	Balloon Vine	white	IO	tA	5
Carduus benedictus	Ornamental Thistle	yellow	3	hA	10
Carnation	See Dianthus caryophyllus.				
Castilleja indivisa	Scarlet Castilleja	scarlet	1 1/2	hhA	25
Castor Oil Plant	See Ricinus.			1.0	
Cedronella cana	Sweet-scented Cedronella	purple	2	hP	10
Celosia cristata, in varieties†	Cockscomb, Mixed	div.	3	tA	5
—Japonica†.	Japan, Scarlet	scarlet	2	tA	10
All colour	New Dwarf	scarlet	I 3/	tA tA	15
-All-aglow		purple	3/4	LA	10
-Glasgow Prizet	Purple Coldon			+ A	· T^
—Glasgow Prize† aurea pyramidalis†	Golden	golden	2	tA tP	10
—Glasgow Prizet aurea pyramidalis† Triomphe d'Exposition† .	Golden Crimson-plumed	golden crim.	3	tP	10
—Glasgow Prize† aurea pyramidalis†	Golden	golden	2		







IMPERIAL JAPANESE MORNING-GLORIES.

DIANTHUS BARBATUS.



DELPHINIUM.



COSMOS.

Botanical Names, etc.	Common Names, etc.	Color	Height in Feet	Duration and Hardi- ness	Price per Paper
Centaurea moschata alba	Sweet Sultan, White	white	2	hA	\$0 05
—suaveolens	Yellow	yellow	I 1/2	hA	, 5
—in varieties	Mixed	div.	div.	hA	5
cyanus —flore pleno	Corn-bottle, or Mixed Blue	div.	2 2	hA hA	10
—cœruleus	Blue-bottle	blue	2	hA	10
—rosea.	Rose	rose	2	hA	5
Americana	Centaurea, American	lilac	3	hA	1
Clementei	White Cut-leaved	white	Ĭ	hhP	10
gymnocarpa	Silver Cut-leaved	purple	1 1/2	hhP	10
candidissima	White-leaved	white	I	hhP	1
Centranthus macrosiphon	Long-tubed Centranthus	pink	I	hA	. 5
Chamaepeuce diacantha Cerastium Biebersteinii	Spine-leaved Chamæpeuce Silver-leaved Rock Plant	var.	2 1/2	hP hP	10
Cheiranthus cheiri	Wallflower, Bloody	b. & w.	72 2	hhB	10
—fl. pl	German Double	div.	div.	hhB	. 5 I 0
Annual Mixed.	Single Annual		I 1/2	hA	10
Chelone barbata	Bearded Pentstemon	scarlet	2	hP	10
Chorizema, in varieties	Finest Mixed	div.	div.	tP	25
Chrysanthemum Dunnetti	Chrysanthemum, Golden	yellow	I	hA	5
W. E. Gladstone	Brilliant Crimson	crim.	I	hA	10
Lord Beaconsfield	Crimson-edged	crim.	1	hA	10
The Sultan	Maroon, Gold-Ring	maro'n	I	hA hA	10
venustum	Crimson	crim. div.	div.	hA hA	5
frutescens.	Paris Daisy (Marguerite)	white	I	hA	10
Japonicum	Finest Perennial	div.	3	hP	25
indicum fl. pl	Chinese Artemisia	div.	div.	hhP	10
CHOICE COLLECTION .	See page 53.				
Cineraria hybrida grandiflora 🗀	Cineraria, Hybrid	div.	2	tP	25
—mana in varieties	Dwarf Hybrid	div.	τ	tP	25
flore pleno	New Double	div.	$I \frac{1}{2}$	hhP	50
maritima	Dusty Miller	yellow	2	tP	IC
Clarkia pulchella	Clarkia, Lilac	lilac	I	hA	_5
pulcherrima	Crimson	crim. white	1 ½ 3/4	hA hA	10
varius	Mixed	div.	div.	hA	5
Clematis flammula *	Virgin's Bower	white	IO.	hP	10
varius*	Mixed Perennial Clematis	div.	10	hhP	25
Cleome speciosa	Spiderwort or Spider-flower.	purple	4	hA	IC
Clianthus puniceus*	Glory Vine, Crimson.	crim.	6	tP	IC
Dampieri*	Dampier's.	scarlet	6	tP	10
Clintonia pulchella	Clintonia, Blue and White	bl. & w.	1/2	tA	10
—alba Coboea scandens*	Pure White	white	1/2	tA tP	10
—alba*	White, Climbing	purple white	20 IO	tP	IC
Coccinea indica*	Scarlet-fruited Gourd	red	6	tA	15
Cockscomb	See Celosia.				
Coleus, in varieties.	Fine Mixed Coleus	div.	div.	tP	25
Collinsia bicolor	Collinsia, Two-colored	p. & w.	1	hA	
—alba	White	white	1	hA	5
vera	Sky Blue and White	sk-b&w.	I	hA	
varius	Mixed.	div.	I	hA	
Collomia coccinea	Scarlet Collomia	scarlet white	I	hA hA	
Convolvulus majus albus* —kermesinus*	Morning-glory, White	scarlet	10 10	hA	, ,
—azureus superbus *.	New Golden.	yellow	8	hA	10
-varius*	Mixed	div.	10	hA	10
Imperial Japanese*	Japanese	div.	30	hΑ	10
mauritanicus	Convolvulus, Bright Blue	blue	tra.	hhP	10
unicaulis	Upright	b. & pur.	I	hA	
minor albus	White Dwarf	white	tra.	hA	5
—monstrosus	Large-flowering	tri.	tra.	hA	5
—varius	Mixed Dwarf	div.	tra.	l hA	

Coreopsis See Calliopsis See Candiaurea cyanus Cornoilla in varieties Mixed Coronilla Cosmos bipminata purpurea Cosmos bipminata purpurea Cosmos bipminata purpurea Cosmos bipminata purpurea Cosmos purple Purple And	Botanical Names, etc.	Common Names, etc.	Color	Height in Feet	Duration and Hardi- ness	Price per Paper
Mixed Coronilla Vellow Cosmidium bicolor Cr. & br. 2	Coreopsis					
Cosmidium Burridgeanum Cosmidium birolor)	Cornflower	See Centaurea cyanus.				
Cosmos bipinnata purpurea Alba			yellow	div.	tP	\$0 2 5
—alba			cr. &br.	2	hA'	10
—in varieties Tints of Dawn Tints of Dawn Crucianella stylosa. Derennia Rock Plant. Snake Cucumber. Odoratissimus* Melon Pomegranate. Melon Pomegral. Me			purple	4	hA	IC
Early-flowering				4		IC
Perennial Rock Plant. pink ½ procuramis flexuosus* Snake Cucumber Melon Pomegranate. procumber procumber Melon Pomegranate. procumber procum	—in varieties	Finest Mixed		4		10
Sanke Cucumber	Tints of Dawn.	Early-flowering		4		IC
odoratissimus* Melon Pomegranate yellow 10 tA perennis* Cucumber Vine Gourd, Mock Orange yellow 10 tA massue* Hercules' Club. white 10 tA lagenaria* Cigar Plant tri. 1½ tP Cyclamen Persicum. Cyclamen Persicum. Cyclamen, Mixed W. w. aro. ½ tP Cyclamthera pedata* Cyclamen, Mixed W. w. aro. ½ tP Cyclamen Persicum. Cyclamen, Mixed W. w. aro. ½ tP Cyclamen Persicum. Cyclamen, Mixed W. w. aro. ½ tP Cyclamen Persicum. Cyclamen, Mixed W. w. aro. ½ tP Cynoglossum linifolium W. w. aro. ½ tP Cyclamen Persicum. Cyclamen, Mixed W. w. aro. ½ tP Cyclamera pedata* Climbing Cucumber yellow 6 hA Cynoglossum linifolium W. w. aro. 1½ tP Cyclamera pedata* Climbing Cucumber yellow 6 hA Cynoglossum linifolium Wenus' Navelwort White ½ hP Cynoglossum linifolium Wenus' Navelwort White ½ hP Cyclamera pedata* Wiright's. W. ari. 10 hA Chingis fi.p. Double, Large-flowering Datura cornucopia. Datura, Horn of Plenty. W. apu. 3 hA Dahlia, Single Dwarf. Wiright's. W. ari. 2 hA humilis fi.p. Double Wyellow 2 hhA Wiright's. W. ari. 2 hA Numilis fi.p. Double Wyellow 2 hhA Annual Double. Wellow 2 hA Annual Double Wyellow 2 hA Annual Double Wyellow 2 hA Musk-scented I. blue 2 hA Sicherios Mixed Brunonianum Mixed Mixed Singhur Yellow Yellow Yellow Wiright Wiright White W	rucianella stylosa	Perennial Rock Plant	pink	1/2		10
Determinis* Cucumber Vine Cucumber Vine Apple-shaped yellow In the Apple yellow In th	ucumis flexuosus*	Snake Cucumber.		10		10
Courbita aurantiaca* Gourd, Mock Orange melopepo* Apple-shaped yellow to the tagenaria* Bottle Hercules' Club. white to the tagenaria* Bottle Hercules' Club. white to the tagenaria* Bottle Hercules' Club. white to the tagenaria* Tri, 1½ tp tp tp tp tp tp tp tp		Melon Pomegranate	yellow	10		5
melopepo*	perennis*	Cucumber Vine	,,	15		10
massue* lagenaria* Bottle Tri To				1		5
Lagenaria*	melopepo*	Apple-shaped				10
Cuphea platycentra. Cigar Plant Cyclamen Persicum. Cigar Plant Cyclamen, Mixed tri. 1½ tP Cyclanther Persicum. Cyclamen, Mixed w. &ro. ½ tP <	massue*		white	10		5
Cyclamen Persicum	lagenaria*	Bottle.				5
Large-flowering Climbing Cucumber yellow 6	upnea platycentra	Cigar Plant				10
Climbing Cucumber yellow 6 hA New New Sundlessum linifolium Scotch Broom yellow 3 hA Nathian annus in varieties Datura cornucopia. Dahlia, Single Dwarf div. 4 tP Datura cornucopia. Dahlia, Single Dwarf div. 4 tP Datura cornucopia. Daulia, Single Dwarf div. 4 tP Double, Large-flowering div. 4 tP Double, Large-flowering div. 4 tP Double Large-flowering div. 4 tP Double Large-flowering div. 4 tP Double Double Large-flowering div. 4 tP Double Mixed Branching div. 2 thA Double	yciamen Persicum	Cyclamen, Mixed				25
Venus Navelwort White ½ hP Navelwort White ½ hP Navelwort White ½ hA Navelwort White ½ hA Navelwort Winder Maruera	—giganteum	Large-flowering		1/2		25
Dahlia nanus in varieties Dahlia, Single Dwarf Dahlia nanus in varieties Dahlia, Single Dwarf Dahlia nanus in varieties Dahlia, Single Dwarf Datura cornucopia Datura cornucopia Datura, Horn of Plenty W. & pul W. & phA Dahlia Datura cornucopia Datura, Horn of Plenty W. & pul W. & phA Dahlia Datura		Climbing Cucumber				10
Dahlia nanus in varieties. Dahlia, Single Dwarf. div. 3 hhP Datura cornucopia. Dauble, Large-flowering. div. 4 tP Datura cornucopia. Dauble, Large-flowering. div. 4 tP Delphinium ajacis in varieties. Double Wellow y. & li. 2 hA Lephinium ajacis in varieties. Larkspur, Mixed Rocket. div. 1 hA Consolida in varieties. Larkspur, Mixed Rocket. div. 1 hA Annual Double. Blue. div. 2 hA Stock-flowered. Annual Double. Blue. blue. 2 hA Brunonianum. Annual Double. Iblue. 2 hA Zulil Sulphur Yellow yellow 3 hP Chinensis in varieties. Mixed Chinese. div. 2½ hP —-formosum. Celestial Blue. blue. 2 hP Leckstinum. Pure White. Mixed Bee. div. 34 hA Collections. See page 53. Indian Pink, Double White. Mixed Bee. d						5
Double, Large-flowering Datura cornucopia. Datura cornucopia. Datura cornucopia. Datura, Horn of Plenty. W. & Pu. W. & Pu. W. & Pu. An Indeeloides. humilis fl. pl. Double Wright's. Double Mixed Rocket. div. Annual Double Diue Annual Double Tr. Scart John Annual Double Tr. Annual Double Tr. Scart John Annual Double Tr. Naw Scarlet Double Tr. Scart John Annual Double Tr. Naw Scarlet Double Tr. Scart John Annual Double Tr. Naw Scarlet Double Tr. Scart John Annual Double Tr. Naw Scarlet Double Tr. Scart John Annual Double Tr. Naw Scarlet Double Tr. Scart John Annual Double Wile Tr. Naw Scarlet Double Tr. Naw Scarlet Double Tr. Scart Scart Double Tr. Scart Double Double Tr. Scart		Scotch Broom		3		IO
Datura cornucopia.Datura, Horn of Plenty.w. &pu.3hhAmeteloidesWright's.y. & li.2hAhumilis fl. pl.Doubley. & li.2hADelphinium ajacis in varieties.Mixed Branching.div.1hAconsolida in varieties.Mixed Branching.div.2hAimperialis fl. pl.Annual Doubleblue2hABrunonianumRose-scarlet Doubler. scar.½hAZulilSulphur Yellowyellow3hPChinensis in varieties.Mixed Chinese.div.2½hP—formosumBlue and Whiteb. & w.3hP—ccelestinumCelestial Blueblue2hP—album grandiflorumMixed Chinese.div.2½hPmudicaule.New Scarlet.scarlet1½hPelatumNew Scarlet.scarlet1½hPCOLLECTIONS.See page 53.lindian Pink, Double Whitewhite3hPDouble Redred3¼hA—altor-marginatus fl. pl.Dink, Double Imperial.div.½hA—diadematus fl. pl.Pink, Double Imperial.div.1hA—diadematus fl. pl.Diadem (Splendid)div.1hA—rlore plenoPheasant's-eye.div.1hA—punctatus.Carnation Pink, Mixed.div.1hP—punctatus.Carnation Pink, Mixed.div.1 </td <td></td> <td></td> <td></td> <td>3</td> <td></td> <td>10</td>				3		10
meteloides humilis fl. pl. Delphinium ajacis in varieties consolida in varieties imperialis fl. pl. Stock-flowered Rose-scarlet Double blue 2 hA Brunonianum Musk-scented I. blue 2 hP Sulphur Yellow yellow 3 hP Mixed Chiness in varieties. —formosum Blue and White b. & w. 3 hP Celestial Blue blue 2 hP Pure White white 2 hP Pure White White 2 hP Mixed Bee. Double Red Fine Mixed Mixed Chinese div. 3 hP Mixed Bee. Double Red Fine Mixed Mixe	Large Double	Double, Large-flowering.	1	4		10
Double D	atura cornucopia	Datura, Horn of Plenty		3		IO
Delphinium ajacis in varieties consolida in varieties imperialis fl. pl	meteloides	Wright's.				10
consolida in varieties. imperialis fl. pl	humilis n. pl					10
imperialis fl. pl						5
Stock-flowered Brunonianum. Zulil Chinensis in varieties. —formosum. —album grandiflorum nudicaule. —elatum COLLECTIONS. Dianthus Chinensis alba —atrosanguinea. —varius. —nanus in varieties imperialis fl. pl. —laciniatus. —Queen of Holland. deltoides plumarius —Grenadin fl. pl. —perpetual fl. pl. —perpetual fl. pl. —perpetual si. pl. —perpetual si. pl. —perpetual si. pl. —perpetual fl. pl. —perpetual si. pl. —perpetual si. pl. —perpetual si. pl. —perpetual fl. pl. —perpetual si. pl. —si. ple si. ple si. plu si.		Mixed Branching,		.2		5
Brunonianum						10
Zulil Chinensis in varieties. —formosum. —ccelestinum. —album grandiflorum nudicaule. elatum COLLECTIONS. Dianthus Chinensis alba —atrosanguinea. —varius. —nanus in varieties —fine Mixed Double Red. —imperialis fl. pl. —Heddewigii. —albo-marginatus fl. pl. —diadematus fl. pl. —diadematus fl. pl. —laciniatus. —Queen of Holland. deltoides plumarius. —Grenadin fl. pl. —nanus. —Grenadin fl. pl. —Garnation fl. pl. —perpetual fl. pl. —flore pleno —flore plen						15
Chinensis in varieties. —formosum. —ccelestinum. —album grandiflorum nudicaule. elatum Collections. Dianthus Chinensis alba —atrosanguinea. —varius. —nanus in varieties imperialis fl. pl. —diadematus fl. pl. —laciniatus. —Queen of Holland. deltoides —plumarius. —caryophyllus in varieties. —flore pleno —nanus. —Grenadin fl. pl. —perpetual fl. pl. —punctatus. —flore pleno —flo	FR 444			2		25
		Sulphur Yellow		3		15
-ccelestinumalbum grandiflorum nudicaule elatum		Mixed Chinese		21/2		5
-album grandiflorum nudicaule. elatum Mixed Bee. Collections. Dianthus Chinensis alba — atrosanguinea. —varius. —nanus in varieties imperialis fl. pl. —leddewigii. —albo-marginatus fl. pl. —laciniatus. —Queen of Holland. deltoides plumarius. —flore pleno — nanus. —Grenadin fl. pl. —perpetual fl. pl. —perpetual fl. pl. —perpetual fl. pl. —perpetual fl. pl. —flore pleno — flore	—formosum.	Blue and White				10
nudicaule elatum COLLECTIONS. Dianthus Chinensis alba —atrosanguinea —varius. —nanus in varieties imperialis fl. pl. —Heddewigii —albo-marginatus fl. pl. —diadematus fl. pl. —laciniatus —Queen of Holland deltoides plumarius. —caryophyllus in varieties —flore pleno —nanus. —Grenadin fl. pl. —perpetual fl. pl. —perpetual fl. pl. —perpetual sh. pl. —perpetual sh. pl. —perpetual sh. pl. —perpetual fl. pl. —perpetual sh. pl. —flore pleno —flo	—cœlestinum .	Celestial Blue				10
elatum COLLECTIONS. Dianthus Chinensis alba —atrosanguinea. —nanus in varieties imperialis fl. pl. —albo-marginatus fl. pl. —diadematus fl. pl. —laciniatus. —Queen of Holland. deltoides plumarius caryophyllus in varieties. —flore pleno —nanus. —Grenadin fl. pl. —perpetual fl. pl. —perpetual fl. pl. —perpetual fl. pl. —perpetual sin varieties. barbatus in varieties. —flore pleno —barbatus in varieties. —flore pleno —bouble Mixed. —div. div. div. imperialis fl. pl. Mixed Single Japan div. imperial. div. imperial. idv. imperial. imperial. imperial. imperial. imperial. imped			1			10
Collections. Dianthus Chinensis alba —atrosanguinea. —varius. —nanus in varieties imperialis fl. pl. —Heddewigii. —albo-marginatus fl. pl. —laciniatus. —Queen of Holland. deltoides plumarius. —flore pleno —nanus. —Grenadin fl. pl. —perpetual fl. pl. —pronctatus. barbatus in varieties. —flore pleno —flore pleno —flore pleno —barbatus in varieties. —flore pleno —flore pleno —flore pleno —barbatus in varieties. —flore pleno —flore pleno —flore pleno —barbatus in varieties. —flore pleno —flore pleno —flore pleno —barbatus in varieties. —flore pleno						IO
Dianthus Chinensis albaIndian Pink, Double Whitewhite34hA—atrosanguinea—buble RedFine Mixeddiv.hA—varius—buble RedFine Mixeddiv.hA—nanus in varietiesDouble Dwarfdiv.hAimperialis fl. pl.Pink, Double Imperialdiv.hA—HeddewigiiMixed Single Japandiv.hA—albo-marginatus fl. pl.Diadem (Splendid)div.hA—laciniatusFringed Japandiv.hA—Queen of HollandFringed Japandiv.hAdeltoidesLondon Pride, or MaidenpinkhAplumariusLondon Pride, or MaidenpinkhA—flore plenoMargueritediv.hP—nanusDouble Dwarf Viennadiv.hP—perpetual fl. pl.Tree, or Monthlydiv.1—perpetual fl. pl.Tree, or Monthlydiv.1—prore plenoMixed Picoteediv.2Mixed Picoteediv.2Sweet-William, Mixeddiv.1Double Mixeddiv.1HPCollectionSee page 53			div.	3	hP	5
atrosanguineavariusnanus in varieties imperialis fl. plHeddewigiialbo-marginatus fl. pllaciniatusQueen of Holland deltoides plumarius. caryophyllus in varietiesflore plenonanusGrenadin fl. plgrepetual fl. plperpetual fl. plperpetual fl. plperpetual fl. plperpetual fl. plperpetual fl. plflore plenoperpetual fl. plperpetual fl. plperpetu		See page 53.				
-variusnanus in varieties imperialis fl. plHeddewigiialbo-marginatus fl. pldiadematus fl. pllaciniatusQueen of Holland. deltoides plumariusflore pleno -nanusGrenadin fl. plperpetual fl. plpunctatuspflore pleno -plumcatusflore pleno -perpetual fl. plperpetual fl. plpflore pleno -plore pleno -plore pleno -perpetual fl. plflore pleno -pounctatusflore pleno -flore pleno -flo				3/4		10
-nanus in varieties imperials fl. pl. -Heddewigii. -albo-marginatus fl. pl. -diadematus fl. pl. -laciniatus. -Queen of Holland. deltoides plumarius -flore pleno -nanus -Grenadin fl. pl. -perpetual fl. pl. -perpetual fl. pl. -flore pleno barbatus in varieties. -flore pleno -perpetual fl. pl. -flore pleno barbatus in varieties. -flore pleno -perpetual fl. pl. -flore pleno barbatus in varieties. -flore pleno -perpetual fl. pl. -flore pleno barbatus in varieties. -flore pleno -flore pleno barbatus in varieties. -flore pleno -flore	. 0					IO
imperialis fl. pl. —Heddewigii. —Albo-marginatus fl. pl. —diadematus fl. pl. —Jaciniatus. —Queen of Holland. —Horore pleno —nanus. —Grenadin fl. pl. —perpetual fl. pl. —perpetual fl. pl. —perbetual fl. pl. —pinctatus. —Glore pleno —flore pleno —flore pleno — Double Mixed Picotee. —flore pleno — Double Mixed — Double — Double Mixed — Double Mixed — Double Mixed — Double — Doub						5
-Heddewigiialbo-marginatus fl. pldiadematus fl. pllaciniatusQueen of Holland deltoides plumariusflore pleno -nanusGrenadin fl. plgrepetual fl. plperpetual fl. plflore pleno -plunctatusflore pleno -perpetual fl. plflore pleno -perpetual fl. plflore pleno -flore pleno -perpetual fl. plflore pleno -perpetual fl. plflore pleno -perpetual fl. plflore pleno -punctatusflore pleno -perpetual fl. plflore pleno -flore ple						10
-albo-marginatus fl. pldiadematus fl. pllaciniatusQueen of Holland deltoides plumariusflore pleno -nanusGrenadin fl. plperpetual fl. plpunctatus barbatus in varietiesflore pleno -flore pleno -perpetual fl. plflore pleno -flore plen		Pink, Double Imperial				10
-diadematus fl. pllaciniatusQueen of Holland deltoides plumariusflore pleno -manusGrenadin fl. plperpetual fl. plpunctatus barbatus in varietiesflore pleno -flore pleno -f		Mixed Single Japan				10
laciniatus Queen of Holland deltoides plumariusflore plenonanusGrenadin fl. plperpetual fl. plpunctatus barbatus in varietiesflore plenoflore plenobarbatus in varietiesflore plenobarbatus in varietiesflore plenoflore plenocollectioncolle		Mourning Cloak		- 1		10
—Queen of HollandPure White Japan1½hAdeltoidesLondon Pride, or Maidenpink3½hPplumarius.Pheasant's-eyediv.1hPcaryophyllus in varieties.Carnation Pink, Mixeddiv.2hhP—flore plenoMargueritediv.1hhP—nanus.Double Dwarf Viennadiv.1hhP—perpetual fl. pl.Scarlet Compactscarlet1½hhP—punctatusMixed Picoteediv.2hhP—flore plenoSweet-William, Mixeddiv.1hPCollectionSee page 53.			[. 1		10
deltoides plumarius. Caryophyllus in varieties. —flore pleno —nanus. —Grenadin fl. pl. —perpetual fl. pl. —punctatus. barbatus in varieties. —flore pleno Double Mixed Double Mixed Double Mixed Double Mixed Double Mixed Double Mixed See page 53.			div.			10
plumarius. caryophyllus in varieties. —flore pleno —nanus. —Grenadin fl. pl. —perpetual fl. pl. —punctatus. barbatus in varieties. —flore pleno Double Dwarf Vienna Scarlet Compact. Mixed Picotee. Double Mixed. Sweet-William, Mixed Double Mixed. See page 53.						IO
Carryophyllus in varieties. —flore pleno —nanus. —Grenadin fl. pl. —perpetual fl. pl. —punctatus. barbatus in varieties. —flore pleno —flore pleno —flore pleno —barbatus in varieties. —flore pleno —Collection Carnation Pink, Mixed. Marguerite. Double Dwarf Vienna Scarlet Compact. Tree, or Monthly. Mixed Picotee. Sweet-William, Mixed Double Mixed. Double Mixed. See page 53.			***			5
flore pleno						5
-nanus. Double Dwarf Vienna div. 1 hhP Scarlet Compact. Scarlet Compact. 1½ hhP hhP hhP hhP hhP hhP hhP hhP hhP hh						10
-Grenadin fl. pl. Scarlet Compact scarlet 1½ hhP div. 2 hhP hhP hhP barbatus in varieties. Sweet-William, Mixed div. 1 hP hP Double Mixed. div. 1 hP hP hP COLLECTION See page 53.	-					IO
perpetual fl. pl Tree, or Monthly div. 2 hhP hhP barbatus in varieties Sweet-William, Mixed div. 1 hP hP hP COLLECTION See page 53.						10
punctatus Mixed Picotee div. 2 hhP hP hP hP hP hP hP		Scariet Compact.				25
barbatus in varieties Sweet-William, Mixed div. I hP hP COLLECTION See page 53.						25
—flore pleno Double Mixed div. 1 hP See page 53.				- 1		25
COLLECTION See page 53.						5
COLLECTION See page 53.			div.	I	hP	10
		See page 53.			1.0	
	ictamnus rubra	Fraxinella, or Gas-plant	red	I 1/2	hP	5
idiscus cœrulea (Trachimene Hugelia) blue 2 hhA igitalis alba Foxglove, White white 3 hP						10 5

Botanical Names, etc.	Common Names, etc.	Color	Height in Feet	Duration and Hardi- ness	Price per Paper
Digitalis purpurea	Foxglove, Purple	purple	3	hP	\$0 0
punctata	Spotted .	spotted	3	hP	
gloxiniæflora	Gloxinia-flowered		$2\frac{1}{2}$	hP	
in varieties	Mixed	div.	div.	hP	
Oolichos lablab *	Hyacinth Bean, Purple.		10	t.A	
—albus*	White		10	tA	
Pracaena in varieties	(Cordyline)		div.	tP	2
Pracocephalum Canariense	Balm of Gilead		2	hhP	I
Ccheveria in varieties	Fine Mixed Echeveria	div.	div.	tP	2
Cchinocystis lobata*	Wild Cucumber	green	15	hhA	I
Epacris hybrida	Mixed Hybrid Epacris	div.	div.	tP	5
Crica in varieties	Fine Mixed Heath	div.	div.	tP	2
Cryngium Leavenworthi†	Purple Everlasting-flower	purple	2	hA h A	I
Erysimum Peroffskianum	Hedge Mustard	orange	I	hA	
Crythrina crista-galli	Coral Plant		4	tP	2
Eschscholtzia Californica	Chriseis, Californian	yellow	I	hA	
—alba	White,	white	I	hA	
—rosea	Rose	rose	I	hA hA	
Crocea	Orange	orange	I		
Mandarin	Orange and Scarlet	or.& sc.	I	hA	
varius	Fine mixed	div.	I	hA +D	
Eucalyptus globosus	Fever-and-Ague Plant		10	tP	I
Cupatorium Fraseri	White Eupatorium.	white	2	hhP	I
Suphorbia marginata	Snow-on-the-Mountain		3	hhA	
pandurata	Red-striped		3	hhA	I
Cutoca Wrangeliana	Eutoca, Wrangel's.		I	tA.	
viscida	Dark Blue	blue	I	tA hhA	_
Ferns in varieties	Three-colored Fenzlia	div.	1/2	hhP	2
		div.	div.	mmr	2
Forget-me-not	See Myosotis. Mixed Fuchsia.	div.	div.	tP	
Gaillardia picta	Gaillardia, Painted		I	hhA	2
—Lorenziana	Double Mixed	div.	I ½	hhP	I
grandiflora	Blanket Flower	div.	2	hP	I
Gentiana acaulis	Blue Gentian.		1/2	hP	I
Geum coccineum fl. pl	Double Geum		I 1/2	hP	*
Gilia tricolor	Gilia, Three-colored		I	hA	
nivalis alba	Snow White	white	I	hA	
capitata	Azure Blue	blue	I	hA	
in varieties	Mixed	div.	ī	hA	
Glaucium corniculatum.	Horned Poppy, White-leaved	vellow	I	hhP	1
loxinia, Emperor Frederick	Gloxinia, Scarlet.	scarlet	I	tP	5
in varieties	Finest Mixed	div.	I	tP	2
odetia, Duchess of Albany	Godetia, White	white	1 1/2	hA]
Lady Satin Rose	Brilliant Rose	rose	1 1/2	hA	1
Lady Albemarle	Dark Crimson	crim.	I 1/2	hA	1
iomphrena globosa alba†	Globe Amaranth, White	white	I	tA	
-kermesina†	Crimson	crim.	I	tA	
—aurea†	Orange	orange	I	tA	
-nana compactat	Rich Red	red	1/2	tA	
in varieties†	Mixed	div.	I	tA	
revillea robusta	Silk Oak	orange	5	tP	
ypsophila elegans	Gypsophila, White	white	I	hA	
muralis	Dwarf Rose	rose	1/2	hA	1
paniculata	Baby's Breath	white	2	hP	
ledysarum coronarium	French Honeysuckle	r. & w.	2	hB	
ielianthus annuus	Sunflower, Double Dwarf	yellow	4	hA	
—Oscar Wilde	Yellow, Dark Center	gol. y.	4	hA	
—giganteum	Mammoth Russian	yellow	9	hA	
—centrochlorus fl. pl	Green-centered	y. & gr.	4	hA	
—argophyllus fl. pl	Silvery foliage	striped	5	hA	
cucumerifolius	Thousand-flowered	yellow	3	hA	
Taliahmann brootcotum t	Eternal Flower, Yellow	vellow	2	hA	
lelichrysum bracteatum †	Lectrical I lower, Tellow	y C110 11	_	1111	



ESCHSCHULIZIA.

Botanical Names, etc.	Common Names, etc.	Color	Height in Feet	Duration and Hardi- ness	Price per Paper
Helichrysum macranthum†	Eternal Flower, Pink	pink	2	hA	\$0 05
monstrosum fl. pl†	Mixed Double	div.	2	hA	IO
Heliotropium Peruvianum	Heliotrope Lemoine's Giant	div.	div.	tP	10
Helipterum Sandfordit	Everlasting-flower	gol. y.	I ½	hhA	IO
Hesperis matronalis	Sweet Rocket	pur.&w.	2	hB	5
Heuchera sanguinea	Scarlet Alum	crim.	2	hP	25
—alba	White.	white	2	hP	25
Hibiscus Africanus	Bladder Ketmia	bu.&br.	1 1/2	hA	5
Crimson Eye	Marshmallow	wh.&cr.	4	hP	10
militaris	Rose Mallow	rose	4	hP	5
Hollyhock	See Althea.				_
Humea elegans	Amaranth, Feathers	red	6	hhP	10
Humulus Japonicus*	Japan Hop.	green	25	hA	IO
Iberis amara	Candytuft, White	white	I	hA	5
coronaria	Little Prince	white	I	hA	10
odorata	Fragrant	white	3/4	hA	5
Dunnettii	Dark Crimson	d. crim.	I	hA	5
lilacina	Rosy Lilac	lilac	3/4	hA	5
Empress	Large White	white	I	hA	10
nana hybrida	Dwarf Mixed	div.	1/2	hA	10
in varieties	Mixed.	div.	I	hA	5
sempervirens	White Perennial	white	I	hhP	ľo
COLLECTION	See page 53.	ļ			
Impatiens glanduligera	Touch-me-not	red	2	tA	IO
—Sultani	Perennial Balsam	scarlet	2	hhP	25
Ipomoea quamoclit*	Cypress Vine, Scarlet	scarlet	IO	tA	5
—alba*	White.	white	IO	tA	5
coccinea*	Star Ipomœa, Scarlet	scarlet	IO	hA	5
grandiflora alba*	Moon-flower	white	10	tA	10
bona-nox*.	Good night	white	6	tA	5
varius*	Mixed.	div.	div.	tA	10
Learii*	Blue and Violet	b. & v.	8	tP	25
Kaulfussia amelloides	Kaulfussia, Blue	blue	I	hA	5
kermesina.	Crimson	crim.	3/4	hA	UI
Kenilworth Ivy.	See Linaria.				
Kennedya in varieties*	Mixed Kennedya	div.	8	tP	25
Lantana in varieties	Mixed Lantana	div.	div.	tP	10
Larkspur.	See Delphinium.				
Lathryus odoratus albus*	Sweet Peas, White	white	5	hA	5
-Royal Robe*	Delicate Pink	pink	5	hA	5
—Blanche Burpee*	Superb, pure white		5	hA	5
—Butterfly*	White and lilac.	wh.&li.	5	hA	5
—pictus*	Painted Lady	ro. & w.	5	hA	5
—Apple Blossom*	Pink and blush	pk.&bl.	5	hA	5
—Gray Friar*.	Grayish lavender.		5	hA	5
—Miss Blanche Ferry*	Rich red, white striped		5	hA	5
—purpureus*	Purple.	purple	5	hA	5
—niger*.	Black	black	5	hA	5
—Salopian*,	Splendid brilliant scarlet		5	hA	5
—Firefly*	Scarlet; wings crim. scar.		5	hA	5
—Princess Beatrice*	Beautiful rose	rose	5	hA	5
—Countess of Radnor*	Delicate lavender	lav.	5	hA	5
—Primrose*	Pale primrose yellow	yel.	5	hA	5
—Emily Henderson*	Large white	white	5	hA	5 5 5
—Katharine Tracy*	Bright pink	1.14.	5	hA	5
—Cupid	Dwarf white	white	/2	hA	5
—Eckford's*	Hybrid Mixed	div.	5	hA	5
—varius*	Finest Mlxed	div.	5	hA hD	5
latifolius*	Everlasting Peas	rose	5	hP	5
—albus*	White	white	8	hP	IO
	See page 53.				
_	Lavotowa Dod	word !		1 6 4 1	_
Lavatera trimestrisLemon Verbena.	Lavatera, Red	red	2	hA	5





MESEMBRYANTHEMUM.

Botanical Names, etc.	Common Names, etc.	Color	Height in Feet	Duration and Hardi- ness	Price per Paper
Liatris pycnostachya	Kansas Gay-feather	pink	3	hP	§0 10
Linaria maroccana	Rose Linaria	rose	3/4	hhA	5
cymbalaria	Kenilworth Ivy	lilac	tra.	hP	10
Linum grandiflorum rubrum	Flax, Crimson	crim.	I	hhA	IO
perenne	Perennial	blue	2	hP	10
flavum	Yellow	yellow	3/4	hP	10
Loasa lateritia*	Orange Loasa Vine	orange	6	tA	IO
Lobelia gracilis.	Lobelia, Slender	1. blue	tra.	hhA	10
—alba	White	white	tra.	hhA	IO
Prima Donna	Maroon	maro'n	1/2	hhA	10
erinus marmorata	Paxtoniana	div.	1/2	hhA	IO
—Emperor William	Azure-blue	blue	1/2	hhA	10
-Crystal Palace	Blue		I	hhP	10
—Royal Purple	Deep Blue, White Eye		I	hhP	IO
speciosa compacta	Crystal Palace Dwarf	blue	1/2	hhA	25
Queen Victoria	Scarlet Cardinal Flower	scarlet	2	hP	25
Lophospermum in varieties*	Mixed Lophospermum	div.	. 8	tP	10
Lunaria biennis in varieties	Honesty, or Satin-flower	br. & w.	2	hB	5
Lupinus pilosus	Sun Dial, Large Rose	rose	2	hA	5
luteus.	Yellow	yellow	2	hA	5
hirsutus	Large Blue	blue	2	hA	5
albus	White.	white	2	hA -	5
hybridus insignis	Dark Red	d. red	2	hA [IO
Cruikshankii	Dark Blue		3	hA	5
varius.	Mixed	div.	div.	hA	5
polyphyllus	Mixed Perennial	div.	div.	hP	5
Lychnis chalcedonica	Lychnis, Scarlet	scarlet	3	hP	5
—alba	White.	white	3	hP	5
Malcolmia maritima	Virginian Stock	red	1/2	hA	5
Malope grandiflora	Large-flowered Malope	red	2	hA	5 5 5 5
Malva zebrina	Striped Mallow	w.&pur	2	hA	5
Marigold.	See Tagetes.				
Mathiola annua in varieties	Stocks, Ten-Weeks, English	div.	I	hA	5
—fl. pl. Mixed	German, Large-flowering.	div.	I	hA	10
—Snowflake	Double White	white	I	hA	25
—Cut-and-Come-Again	White Forcing	white	I	hA	15
glabrum albus	Wallflowered-leaved	white	I	hA	10
—coccineus	Scarlet	scarlet	I	hA	IO
-varius	Mixed	div.	I	hA	IO
biennis	Buck's Stock Gilli, Intermediate		11/4	hhB	IO
—simplicicaulis	White Brompton	white	2	hhB	IO
—incarna purpurea	Purple Queen	purple	2	hhB	IO
—Empress Elizabeth	Carmine-rose Brompton		$I \frac{1}{2}$	hhB	25
Choice Collections	See page 53.				
Matricaria eximea	Matricaria, Quilled	white	I	hhB	5
—grandiflora	Double White	white	I 1/2	hhB	5
Maurandya Barclayana*	Maurandya, Blue	blue	8	tA	IO
—rosea*	Rose	rose	8	tA	IO
albiflora*.	White	white	8	tA	IO
varius*	Mixed	div.	8	tA	IO
Mesembryanthemum cordifo-	I. Diant Ammont	1	-/		
lium	Ice Plant, Annual	white	1/2	tA	_5
—variegatum	Variegated foliage	ro. & p.	1/2	hhP	10
glabrum	Dew Plant See Reseda.	red	1/2	hhA	5
Mignonette	See Reseda. Sensitive Plant	mint-	_	4.4	_
Mimosa pudica	36 1 701 .	pink	I	tA	5
Roezl's	Musk Plant	yellow	1/2	tA bP	10
	Monkey Flower, Yellow	yellow	1/2	hP	25
cupreus in varieties	Hybrid	div.	I	hP +P	IO
hybridus tigrinus Mina lobata*	Mixed Spotted.	spot.	3/4	tP	IO
Mirabilis jalapa in varieties.	Mexican Climbing Vine	wh.&r.	15	tA	IO
—longiflora in varieties	Marvel of Peru, Mixed	div.	2	hA hA	5
—foliis variegatis	ScentedVariegated-leaved	div.	2	hA	5
Toms variogatis	variogated-icaved	div.	2	117.7	5





MYOSOTIS.



PANSIES.



FRINGED PETUNIA.




ŒNOIHERA.




DOUBLE POPPIES.

Botanical Names, etc.	Common Names, etc.	Color	Height In Feet	Duration and Hardi- ness	Price per Paper
Momordica balsamina*	Balsam Apple	yellow	IO	hhA	\$0 05
charantia*	Balsam Pear	yellow	IO	hhA	#° 5
Morning-glory	See Convolvulus.				
Musa Ensete.	Abyssinian Banana	y. & br.	IO	tP	25
Myosotis alpestris	Forget-me-not, Alpine	blue	1/2	hhP	10
-Victoria	Double Blue	blue	1/2 1/2 1/2 1/2 3/4	hhP	25
azorica	Dark Blue	blue	1/2	hhP	10
palustris	Blue and White	b. & w.	3/4	hhP	10
dissitiflora	Large Blue	blue	I	hhP	IO
Myrsiphyllum asparagoides*	Smilax Vine.	green	6	tP	IO
Myrtus communis	Broad-leaved Myrtle	white	2	tP	IO
Nasturtium.	See Tropæolum.				
Nemophila discoidalis.	Love-grove, Bordered	blk.&w.	3/4 1/2 3/4	hhA	5
insignis	Bright Blue	blue	1/2	hhA	5 5
—alba	White.	white	3/4	hhA	5
maculata	Spotted	div.	3/4	hhA	5
in varieties	Mixed	div.	div.	hhA	5
Nicotiana affinis	Flowering Tobacco	white	3	hhA	10
Nierembergia gracilis	Graceful Nierembergia	w. & li.	I	hhP	10
Nigella Damascena.	Love-in-a-mist	blue	I	hA	5
Nolana prostrata	Trailing Nolana	b. & bk.	tra.	hA	5
Obeliscaria pulcherrima	Showy Obeliscaria	cr. & y.	3	hhP	5 5
Oenothera biennis	Evening Primrose, Fragrant	yellow	2	hB	
bistorta Veitchii	Spotted.	y. & cr.	I	hA	5
Lamarckiana	Light Yellow	yellow	3	hB	5
Oxalis rosea	Oxalis, Rose	rose	1/2	hhP	10
delicata. Valdiviensis. Valdiviensis.	Rosy Salmon	ro.&sal. yellow	1/2	hhP hhP	IO
Tropæoloides.	New Sweet Yellow-brown foliage	yenow	3/4 1/2	hhA	IO
Pansy, or Heart's-ease	See Viola tricolor.		/2	ши	10
Papaver glaucum.	Poppy, Tulip	scarlet	I ½	hA	IO
album.	Double White	white	2	hA	5
coccineum	Double Scarlet	scarlet	2	hA	5
umbrosum	Rich Vermilion, Black Spot	ver.	I ½	hA	5
Fairy-blush	Double White, Rose-tipped		2	hA	10
The Shirley	Mixed Single	div.	2	hA	10
Mikado.	Mixed	div.	2	hA	IO
ranunculiflorum	Mixed French Double	div.	2	hA	5
Somniferum fl. pl	Mixed Carnation	div.	2	hA	5
The Bride.	Pure White, Single	white	I ½	hA	IO
nudicaule	Iceland Poppy	div.	2	hP	IO
orientale	Brilliant Scarlet		2	hP	IO
bracteatum	Large Orange-scarlet		I ½	hP	10
Collection	See page 53.	١.			
Passiflora in varieties*	Mixed Passion Flower	div.	IO	tP	10
Pelargonium zonale	Geranium, Mixed	div.	div.	tP	10
odoratissimum	Apple-scented	pink	1/2	tP	25
hybridum in varieties	Finest Mixed	div.	div.	tP	25
Pentstemon gentianoides	Pentstemon, Bicolor	pur.&w.	2	hhP	10
—cœruleus	Hartweg's	blue	2	hhP	IO
—in varieties Perilla Nankinensis	Mixed Ornamental-leaved Perilla	div.	2	hhP hhA	10
Petunia Phœnicea	Petunia, Purple	purple	tra.	hhA	5
nyctaginiflora.		purple white	tra.	hhA	5
striata	White Striped	striped	tra.	hhA	5 10
Countess of Ellesmere.	Rose	ro & w.	tra.	hhA	10
varius	Mixed.	div.	tra.	hhA	5
hybrida grandiflora	Finest Mixed	div.	tra.	hhA	25
5, 11	Mixed Blotched	div.	tra.	hhA	25
——inimitable					_
— — inimitable — — — — — nana compacta — —		striped	1/2	nnA	10
— —inimitable — — —nana compacta — — —aurea.	Dwarf StripedYellow-throated	striped yellow	tra.	hhA hhA	
— — nana compacta — — aurea.	Dwarf StripedYellow-throated	yellow div.		hhA hhA	25
— — nana compacta	Dwarf Striped	yellow	tra.	hhA	



DWARF NASTURTIUM.



DOUBLE FRENCH MARIGOLD



PHLOX DRUMMONDII.



VINICA



MIGNONETTE.



SALVI A.

Botanical Names, etc.	Common Names, etc.	Color	Height in Feet	Duration and Hardi- ness	Price per Paper
Phaseolus multiflorus*	Scarlet-flowering Bean	scarlet	10	tA	\$ 0 0;
Phlox Drummondii alba	Phlox Drummondii, White.	white	I	hA	φ0 0, I0
—alba fl. pl.	Double White.	white	I	hA	10
—oculata.	White, Purple-Eyed	white	I	hA	I
—Leopoldiana	Pink, White-eyed	pink	I	hA	10
—coccinea	Deep Scarlet.	scarlet	I	hA	
—Isabellina	Pale Yellow.	yellow	I	hA	I
—Chamois Rose	Light Rose	-		hA	10
—Black Warrior	Dark Red.	rose	I	hA	. 10
—Princess Royal	Lilac, White-edged		I	hA	I
	Dwarf Blood-red	red	I	hA	10
-compacta	Star of Quedlinburg	div.	_	1	I
cuspidata			I	hA	10
—Heynholdi	Brilliant Scarlet	scarlet	I	hA	I
—varius.	Fine Mixed	div.	I	hA	
—grandiflora	Large Mixed.	div.	I	hA	I
decussata	Mixed Perennial	div.	div.	hP	I
Collection	See page 53.	1			
hysalis Francheti	Chinese Lantern Plant	scarlet	2	hP	I,
inks	See Dianthus.				
latystemon Californicum	California Poppy	yellow	I	hA	
olemonium cœruleum	Jacob's Ladder, Blue	blue	12	hP	
album	White.	white	1,2	hP	
olycalymma Stuarti†	Bicolor Everlasting	V. & W.	112	hhA	I
olygala, in varieties	Fine Mixed Polygala	div.	div.	tP	2
oppies	See Papaver.				`
ortulaca splendens aurea	Sun Plant, Yellow	yellow	1/2	hA	
—purpureus	Purple	purple	1/2	hA [
—albiflora.	White	white	1/2	hA	
—Thellusoni	Scarlet	scarlet	1/2	hA	
—aurantiaca,	Orange	orange	1/2 1/2 1/2 1/2 1/2 1/2 1/2 1/2	hA	
-rosea · · · · · · · · · · · · · · · · · ·	Rose	rose	1/2	hA	
—varius.	Mixed Single	div.	1/2	hA	
—flore pleno	Mixed Double	div.	12	hhA	IC
Collections	See page 53.	arv.	/2	11112.	10
otentilla, in varieties	Mixed Potentilla	div.	I	hP	10
rimula elatior	Mixed Polyanthus	div.	1/2	hhP	
auricula	Fine Mixed Auricula	div.	1,2 1,2	hhP	10
Japonica	Primrose, Purple	purple	I I	hhP	25
obconica	Everblooming	white		tP	I
vulgaris.	English Yellow	vellow	1 2	hP	25
fimbriata alba	Chinaga Primraga Erinaval	-	I		I
	Chinese Primrose, Fringed	white	34	tP 4B	2
—rosea	Fringed Rose	rose	3,4	tP	2.
—flore pleno	Fringed Double	div.	div.	tP	.51
-varius	Fringed Single	div.	div.	tP	2
COLLECTION	See page 53.	1 -,		110	
yrethrum parthenium	Feverfew, Double	white	1 1/2	hhP	10
auratum	Golden-leaved	zellow	2	hhP	10
roseum	Rose-flowered Pyrethrum,	rose	2	hP	10
eseda odorata	Mignonette, Sweet	buff	I	hA	4
—grandiflora	Large Sweet	buff	I	hA	
—ameliorata	Pyramidal	rose	1 1/2	hA	
—grandiflora aurea	Golden Queen	gol. y.	I	hA	10
—Ďefiance	Allen's	r. & w.	I	hA	10
—Machet	Dwarf Pot	red	I	hA	10
—Gabrielle	Robust, large spike	red	34	hA	I
—gigantea	Crimson Giant.	crim.	2	hA	
—Miles' Hybrid	Spiral	buff	1 1/2	hA	
eximea	Parsons' White	white	I	hA	
Rhodanthe Manglesit	Everlasting-flower, Rose	rose	I	tA	10
maculata†	Three-colored	y.r.&bk	2	tA	10
alba†	White	white	1 1/2	tA	IC
varius†	Mixed.	div.	div.	tA	JO
Ricinus sanguineus.	Castor Bean, Red		TO I	tA	
THE PERSON OF TH	Carrie 1 Color			W 1 X	7,

Botanical Names, etc.	Common Names, etc.	Color	Height in, Feet	Duration and Hardi- ness	Price per Paper
icinus Cambodgensis	Castor Bean, Ebony Black		6	tA	
giganteus	Giant		10	tA	" 10
Gibsoni	Dark Red	d. red	4	tA	10
varius	Mixed	div.	div.	tΑ	5
osa multiflora nana	Rose, Dwarf Perpetual	div.	div.	hP	25
alpiglossis hybrida	(Salpiglossis grandiflora)	div. blue	1 1/2	hhA tP	10
alvia patens splendens	Salvia, Light Blue Brilliant Scarlet	scarlet	I	tP	25
—compacta erecta	Bonfire	d. scar.	3	tP	10
argentea	Silver-leaved	white	3	hP	15
horminum.	Purple Clary	purple	I	hΑ	5
anvitalia procumbens	Sanvitalia, Yellow and Brown	1 1	tra.	hA	5
—flore pleno	Double	yellow	tra	hA	5
aponaria calabrica	Bouncing Bet	pink	1	hA	5
axifraga in varieties	Mixed Saxifraga	div.	tra.	hhP	10
cabiosa candidissima	Mourning Bride, White	white	1 1/2	hA	5
coccinea nana	Carmine	car.	1 1/2	hA	5
Caucasica	Lilac	lilac	2	hP	10
varius	Dwarf Mixed	div.	I	hA	5
Collection	See page 53,	** 0 10		1, 4	
chizanthus Grahami Priesti	Schizanthus, Red and Orange. Pure White	r. & o. white	2 2	hA hA	
in varieties	Fine Mixed	div.	2	hA	
edum azureum	Stonecrop	yellow	1/2	hP	10
Maximowiczii	Golden	yellow	1/2	hP	IC
enecio elegans alba	Jacobæa, White	white	I	tA	5
—purpurea	Purple	purple	I	tA	5
ensitive Plant	See Mimosa pudica.	1 1			
ilene armeria	Catchfly, Lobel's	pink	1 1/2	hA	5
—compacta	Rose-Purple	l. pur.	1/2	hA	5
olanum melongena	Egg-Plant, White	white	1	tA	5
—coccineum	Scarlet	11	3	tA	5
tatice Bonduelli	Statice, Golden	yellow	1	hhP	10
Suworowi	Rose	rose div.	I 7 I/	hhP hP	IC
incana hybridatevia serrata	Hybrid Mixed Vanilla-scented Stevia	white	1 1/2	tP	10
tocks	See Mathiola.	WIIIC	3	LI.	10
weet Peas	See Lathyrus.				
weet Sultan	See Centaurea.				
acsonia ignea*	Passion Flower-like	div.	10	tp	25
agetes patula aurea fl. pl	Marigold, Double Golden		1	hA	5
—striata fl. pl	Double Striped	y. & br.	1 1/2	hA	5
striata	Cloth of Gold	striped	I 1/2	hA	
Pumila	Golden Ring	orange	I	hA	
Little Brownie	Single-flowering Yellow	y. & cr.	1/2	hΑ	
varius fl. pl	French Double Mixed	div.	I	hA	
erecta citrina fl. pl.	Lemon African	yellow	2	hA hA	
—aurantiaca fl. pl	Orange African	orange	2	hΛ	7.0
—Nugget of Gold	Golden Yellow African	yellow div.	I 1/2 2	hΛ	10
—El Dorado signati pumila	Yellow Striped (for edg'g)	y. & br.	I	hA	
Collection	See page 53.	y. & DI.	_ ^	1111	
hunbergia Bakeri*	Thunbergia, Pure White	white	4	hhA	5
aurantiaca*	Orange, Dark-eyed	orange	4	hhA	5
alata*	Buff, Dark-eyed	buff	4	hhA	5
in varieties*	Superb Mixed	div.	4	hhA	5
orenia edentata	Fournier's New Torenia	w.&pur	1/2	tP	25
White Wings		white	1	tP	25
rifolium odoratum	Sweet-scented Clover	white	3	hA	
ropaeolum, Tom Thumb King	Nasturtium, Dwarf Carmine	car.	1	hA	
	Dwarf Yellow	yellow	1	hA	5
——sulphureum		Í	_	1. A	
— —sulphureum — —Bronze color — —Pearl	Dwarf Bronze Dwarf Blush	bronze cream	I	hA hA	5

Botanical Names, etc.	Common Names, etc.	Color	Height in Foot	Duration and Hardi- ness	Price per Paper
Tropaeolum, Tom Thumb-					
——Ruby King	Nasturtium, Dwarf Ruby	red	I	hA	\$0 O5
——Golden King	Dwarf Golden	golden	I	hA	5
——King Theodore	Dwarf Purple	d. pur.	I	hA	5
——Empress of India	Dwarf Crimson	1.	I	hA	5
— —Lilliput	Dwarf Lilliput	div.	1/2	hA	10
— —varius	Mixed Tom Thumb (finest	div.	I	hA	5
majus Schillingi*	Light Yellow	li. yel.	6	hA	5
—The Pearl*	Cream-White Brilliant Rose		6	hA hA	5
—Rose*		0400000	6	hA hA	5
	Bright-Orange	orange	6	hA	5
—King Theodore* —atrosanguineum*		d. cr. crim.	6	hA	5
-atrosangumeum"	Crimson		6	hA	. 5
—Mad. Gunter Hybrids*.	Mixed Perennial	div.	6	tP	10
—Lobbianum*		div.	6		10
—varius* —peregrinum*	Mixed Tall (finest)	div.	6 8	hA hA	. 5
		yellow	3	11.71	10
CHOICE COLLECTIONS	See page 53.	a:		1. D	_
Valeriana in varieties	Mixed Garden, Valerian	div.	2	hP	5
Greek	Sweet-scented	white	2	hP	. 5
Venidium calendulaceum	Orange, Brown Center	mbit o	I	hhA	10
Verbena hybrida alba	Verbena, Pure White	white	tra.	hhP hhP	IO
-striata	Italian, Striped	striped	tra.	- 1	10
-coccinea	Bright Scarlet	scarlet	tra.	hhP	10
—Defiance	Dark Scarlet,	d. s.	tra,	hhP	10
—cœrulea	Bright Blue	blue div.	tra.	hhP	10
—Mammoth	Mammoth Mixed		tra.	hhP	. 10
—in varieties		div.	tra.	hhP	10
-variustencroides	Fine Mixed	div. white	tra.	hA	. 5
Choice Collection	White, Sweet	winte	tra.	11.71	10
	See page 53. Dwarf Blue Veronica	blue	1/	hhA	10
Veronica SyricaVinca alba rosea	Periwinkle, Madagascar	- 1	1/2	tA	10
—nova	Pure White	w. & ro. white	I	tA	IO
rosea	Rose, Dark-eyed	rose	I	tA	10
varius.	Mixed	div.	I	tA	10
Viola tricolor cœrulea	Pansy, or Heartsease, Blue	l. b.	I 1/2	hhP	10
-Bugnot's	Superb strains	div.	$\frac{1}{2}$	hhP	25
—Faust.	King of the Blacks	black	1/2	hhP	10
—alba	White	white	1/2	hhP	10
—Prince	Yellow	yellow	1/2	hhP	10
—striata	Belgian or Fancy	div.	1 ₂	hhP	
—Emperor William	Dark Purple	b.&pur.	1/2	hhP	25 10
-Odier	Five-blotched, extra	div.	1/2	hhP	25
—Lord Beaconsfield	Violet and Lavender	div.	1/2	hhP	10
—Mahogany-colored	Reddish Brown		1 2	hhP	10
—Trimardeau	Extra Large Mixed	div.	1 × 2 × 2 × 1× 2	hhP	25
—maxima, in varieties	Finest Mixed English	div.	1/2	hhP	25
—varius	Fine Mixed	div.	1/2 1/2	hhP	10
CHOICE COLLECTION	See page 53.	CIIV.	/=		
Violets, in varieties.	Mixed Sweet Violet	div.	1/2	hhP	10
Viscaria, oculata	Rose of Heaven, Pink	pk. & s.	I	hA	5
elegans picta	Painted	cr. & w.	I	h.A	5
varius	Mixed	div.	div.	h.A	5
Wahlenbergia grandiflora	Blue Bellflower	blue	1	hhP	10
Waitzia grandiflora†	Large-flowered Waitzia	yellow	2	tA	25
Whitlavia grandiflora	Whitlavia, Violet-blue	blue	1	hA	5
		w. & b.	I	hA	10
	Gloxinia-like			r	
—gloxinioides	Ornamental-leaved		4	tP	15
—gloxinioides	Ornamental-leaved	purple	4 2	hA	15 5
—gloxinioides				s I	5
—gloxinioides	Ornamental-leaved Everlasting Flower	purple	2	hA	
—gloxinioides	Ornamental-leaved Everlasting Flower White Dark Mixed.	purple white pur.&v.	2 2	hA hA	5 5

Botanical Names, etc.	Common Names, etc.	Color	Height in Feet	Duration and Hardi- ness	Price per Paper
Zea Japonica	Striped-leaved Japanese Maize	w. & gr.	5 .	hhA	\$0 OS
Zinnia elegans alba	Zinnia, Double White	white	2.	hA	" IC
—coccinea	Double Scarlet		2	hA	10
—aurea	Double Yellow	yellow	2	hA	10
—purpurea	Double Purple	purple	2	hA	IC
violacea	Double Violet	violet	2	hA	10
—grandiflora robusta	Double Large-flowering	div.	2	hA	10
—zebra	Double Carnation, Striped	striped	2	hA	10
—in varieties	Double Mixed	div.	2	hA	10
—Tom Thumb	Dwarf Double Mixed	div.	1	hA	10
—New Pompon	Double Cone-shaped		I	hA	10
Haageana fl. pl	Mexican Double	golden	1 1/4	hA	10
Collections	See page 53.				

ORNAMENTAL GRASSES

Per pkt.	Per pkt.
Agrostis pulchella (hA)\$0 10	Coix lachrymæ (Job's-Tears) (hA) \$0 05
Agrostis nebulosa (fine) (hA) 10	Eragrostis elegans (Love-Grass) (hA). 5
Anthoxanthum gracilis (hhP) 10	Erianthus Ravennæ (hP) 10
Arundo Donax (hhP) 10	Eulalia Japonica (hP)
Avena sensitiva (Animated Oats) (hA). 5	Festuca rigida (hP) 10
Bromus brizæformis (hA) 5	Gynerium sp. (Pampas Grass) (hhP) . 10
Briza maxima (Quaking Grass) (hA). 5	Hordeum jubatum (hA) 5
Briza gracilis (hA) 5	Lagurus ovatus (Hare's-Tail) (hA) 5
Brizopyrum siculum (hA) 5	Setaria macrochæta (hA) 10
Chrysurus aureus (Lamarckia) (hA) 5	Stipa pennata (Feather-Grass) (hP) 10

Collections of Flower Seeds

German and French Flower Seeds

Raised and put up by celebrated cultivators in Europe, and sold in the original packets as received.

ASTERS

4101	2119					
Truffaut's French Pæony-flowered Perfection, 12 distinct varieties. \$0.75 Truffaut's Imbricated Pompon French, 12 varieties	Rose-flowered German, extra fine, 8 varieties					
BALSAMS						

Miniature, or Dwarf German, 10 varie-	Carnation-striped, double, 8 fine varie-	
ties	ties #0 7. Double Dwarf Camellia-flowered, 6 va-	
Camellia-flowered, extra double, spot-		
ted, 12 varieties	rieties.,	1

STOCKS

Dwarf German Ten-Weeks, 12 varieties. \$0 75	Wallflower-leaved Ten Weeks, 10 su-	
New Large-flowering Dwarf Ten-	perb varieties	75
Weeks, 12 varieties 75	Winter Large-flowering German, 8 va-	
Perpetual Emperor, 12 varieties 75	rieties	75

MISCELLANEOUS COLLECTIONS

Alpine, or Rock Plants, 8 varieties	\$ 0	75	Ornamental Grasses, 12 varieties \$0	75
Amarantus (Ornamental Sorts), 8 va-			Pansy, or Heartsease, 12 distinct varie-	
rieties		50		00
Antirrhinum (Snapdragon), 12 varieties.		75	Papaver (Double Poppy), 12 varieties.	75
Aquilegia (Columbine), 12 varieties .		50		50
Begonia, Tuberous-rooted, 6 varieties	I	00	" Double, 6 distinct varieties	75
Canna (Dwarf French), 6 varieties		50	" Single, 6 distinct varieties	75
Calliopsis (Coreopsis), 8 varieties		35	Phlox Drummondii, 12 named varieties .	75
Campanula (Canterbury-bell), 6 varieties		50	Pinks, Carnation, 12 fine varieties 1	00
Celosia cristata (Cockscomb), 6 varieties		50	" Perpetual, or Tree, 6 fine varieties 1	50
Chrysanthemums, Annual, 12 varieties		50	Portulaca, Double, 8 varieties	75
Climbing, or Running Plants, 12 varieties		75	" Single, 10 varieties	50
Coleus, Superb Mixed, 12 varieties	I	50	Primrose, Fringed Chinese, 6 varieties	75
Delphinium (Larkspur), 10 varieties .		75	Salpiglossis hybrida, 12 varieties .	75
" Candelabra-formed, 6 va-		İ	Scabiosa (Sweet Scabious), 10 varieties	75
rieties		60	Tagetes (French and African Mari-	
Dianthus Chinensis (Annual Pinks), 12]	gold), 8 varieties	40
varieties.	r	00	Tropaeolum (Nasturtium), Tom Thumb,	
Everlasting, or Eternal Flower, 12 varie-			12 varieties	75
ties	1	00	" (Nasturtium), Tall, or Climb-	
Ferns, Fine Mixed, 12 varieties	1	50	ing, 12 varieties	75
Fuchsia, 12 varieties		1	" Lobbianum, 8 varieties	50
Herbaceous Hardy Plants	1	00	Verbena hybrida, 6 varieties	75
Hollyhocks, German Double, 12 varieties			Wallflower, German Double, 6 varieties :	50
Iberis (Candytuft), 8 varieties		40	Zinnia elegans, Tall Double, 8 varieties.	75
Lathyrus (Sweet Peas), 16 varieties		75	" Dwarf Double, 8 varie-	, ,
Lupinus (Lupins), 8 varieties		40	ties	50
•				-

OUR OWN SELECTION

The packets are beautifully illustrated with a chromo-lithographed portrait of the flower, as true to nature as it can be made. Cultural directions in English, German and French accompany each packet.

100	Pa	ckets	of Annuals,	Biennials and	Perennials,	be	est a	isso	rted							٠.	\$8	CO
100		6.6		6.6		g	ood	ass	orte	d.							4	00
50		"		6.6		be	est a	asso	rted				r	,			4	00
50			6.6	"	6.6	g	boc	ass	orte	ď.							2	00
25			6.6	best assorted							٠						2	CO
20		6.6	6.6	good assorted	1												I	00
12	•	6.6	6.6	best assorted													I	00
IO		6.6	6.6	good assorted	1													50
12		6.6		new and favo														

FLOWER SEEDS BY WEIGHT

For other varieties, see pages 33 to 54.

F	Per oz.		r oz
Ageratum Mexicanum, blue	\$0 50	Ipomoea (Cypress Vine), Scarlet #c	40
Althaea (Hollyhock), Double Mixed .	75	White	30
" Double White	I 00	Star	25
Alyssum, Sweet, white	40	Scarlet "Scarlet"	15 15
" compacta	50	" Painted Lady	15
Amarantus tricolor	30	" Mixed Finest per lb., \$1.	15
Aquilegia (Columbine) Mixed	50	Lobelia gracilis, Blue	75
Aster Chinensis, Fine Mixed	50 50	" speciosa, Crystal Palace	50
"Truffaut's White	2 (0	Lupinus (Lupins), Mixed Annual	. 50
" Blood-Red	2 00	Malcolmia (Virginia Stocks), Lilac	25
" cœruleus	I 75	Mathiola (Stocks, Ten-Weeks), English	30
Terrection, mixed	1 75	Mixed.	75
Balsamina (Balsam) Paris, Mixed	50	" Finest Mixed 3	, oc
"Camellia-flowered, Mixed Double White	I 00	" Cut-and-Come-Again, White . 2	50
Cacalia (Scarlet Tassel Flower)		Mimosa (Sensitive Plant)	75
Calendula officinalis, Meteor	30	Mirabilis (Marvel of Peru)	25
" Prince of Orange	25 25	Myosotis (Alpine Forget-me-not), Blue.	75
Calliopsis (Coreopsis), Golden Wave .	30	Myrsiphyllum (Smilax Vine)	75
Canna (Indian Shot), Crozy's Mixed	50	Nemophila insignis, Blue	30
Cardiospermum (Balloon Vine)	25	Fine Mixed	25
Centaurea gymnocarpa	75	" (The Shirley)	30 75
	1 75	Perilla Nankinensis, Purple-leaved	25
" (Sweet Sultan), Yellow	50	Petunia, Purple	50
Cheiranthus (Wall-flower), Double	3 00	" White	50
Coboea scandens, Purple	75	((Minod	75
Coix lachryma (Job's Tears)	25	Extra 4	. OC
Cosmos in varieties	50	Phlox Drummondii, White	00
Convolvulus major (Morning-glory)	20	" Scarlet I " Fine Mixed	50
" minor, Fine Mixed	25	Portulaca (Sun Plant), White	50
Dahlia, Single Dwarf	50	"Scarlet	50
Delphinium (Larkspur), Tall Branch-		" Mixed	50
ing " Dwarf Rocket	30 30	Double, extra 5	00
Dianthus Chinensis (Indian Pink),	30	Pyrethrum aureum (Golden Fçather) Reseda (Mignonette, Sw't), per lb., 75c.	75
Mixed	50	"Large per lb. \$t.	15 20
" barbatus (Sweet William),		" Large per lb., \$1 . " Giant Pyramidal . per lb., \$1 .	20
Mixed	50	" Machet	60
Camation Fink, Common	7-	Ricinus (Castor Bean), Fine Mixed	15
Digitalis (Foxglove), Mixed	75	" sanguineus, Red	25
Dolichos (Hyacinth Bean).	40		50
Eschscholtzia Californica, Orange	25	Scabiosa (Mourning Bride), Mixed	50
Euphorbia, Variegated-leaved	40	Tagetes (Marigold), French Mixed	50
Gaillardia picta	40 25	Thunbergia Vine, Fine Mixed	50 50
Gilia, Fine Mixed	30	Trifolium (Sweet-scented Clover)	20
Gomphrena (Globe Amaranth), White .	40	Tropaeolum (Canary-Bird Vine)	50
"Crimson	40	" Nasturtium, Tall, Mixed	20
Helianthus (Sunflower), Double Dwarf	25	"Tom Thumb, Mixed	20
Hibiscus Africanus (Bladder Ketmia) .	25	Verbena, Fine Mixed	75
Iberis (Candytuft), White	25	" Extra Fine Mixed 1	
" Crimson.	30	Viola (Pansy) Fine Mixed 2	00
"Empress, Large White	60	·	00
" Mixed	25	Zinnia elegans, Double Mixed	40

TO GREENHOUSE CULTURE SEEDS ADAPTED

The annexed are adapted to culture in the dwelling-house or greenhouse, though many varieties will answer for the border during the summer months. The kinds mentioned will be found under their scientific names in the descriptions of Flower Seeds.

Abutilon, in varieties. Acacia, in varieties. Alstroemeria hybrida. Angelonia grandiflora. Asparagus plumosus nanus. Sprengeri. Azalea Indica. Begonia hybrida. Calceolaria, in varieties. Campanula pyramidalis. Centaurea Clementei. " gymnocarpa. Chorizema, in varieties. Cineraria hybrida. Convolvulus mauritanicus. Coronilla. in varieties. Cuphea platycentra. Cyclamen persicum giganteum. Dianthus caryophyllus (Carnation). Dracaena, in varieties. Dracocephalum (Balm of Gilead). Epacris hybrida. Eupatorium in varieties. Euphorbia pandurata. Ferns, in varieties. Fuchsia, in varieties. Glaucium corniculatum.

Heliotropium (Heliotrope). Humea elegans. Impatiens Sultani. Ipomoea Learii. Kaulfussia, in varieties. Kennedya, in varieties. Lantana, in varieties. Lophospermum, in varieties. Mathiola (Stock Gilli). Maurandya, in varieties. Mimulus (Monkey Flower). Myrsiphyllum (Smilax). Myrtus (Myrtle). Nierembergia gracilis. Oxalis, in varieties. Passiflora (Passion-flower). Pelargonium (Geranium). Petunia, in varieties. Polygala, in varieties. Primula Sinensis (Chinese Primrose). Reseda (Mignonette). Salvia splendens. Senecio, in varieties (Jacobæa). Stevia serrata. Tacsonia ignea. Torenia edentata. Tropaeolum Lobbianum, in varieties. Vinca (Madagascar Periwinkle).

USEFUL ORNAMENTAL FOLIAGE PLANTS

(Sultable for Borders and Subtropical Cardening)

Amaranthus salicifolius.

Gloxinia, in varieties.

urevillea robusta.

bicolor ruber. g (

tricolor.

Henderi.

Aquilegia (Columbine).

Bocconia Japonica. Canna (Indian Shot).

Cannabis gigantea (Giant Hemp).

Carduus benedictus.

Celosia cristata (Cockscomb).

Centaurea candidissima.

Cineraria maritima.

Datura meteloides.

Erythrina (Coral Plant).

Eryngium Leavenworthi.

Euphorbia marginata.

pandurata.
Glaucium (Horned Poppy).

Pyrethrum aureum. Musa ensete.

Ricinus (Castor Oil Plant).

Nicotiana affinis (Tobacco).

Helianthus (Russian Sunflower).

argophyllus.

centrochlorus fl. pl.

Salvia argentea.

Humea elegans.

Martynia fragrans.

Ornamental Grasses.

Perilla Nankinensis.

Liatris (Gay Feather).

Solanum coccineum.

Statice incana.

Trifolium odoratum.

Wigandia Vigieri.

Zea Japonica.

Annuals, Etc., for Vases and Hanging Baskets

Ageratum, in varieties. Alonsoa, in varieties. Alyssum maritimum. Asparagus Sprengeri. Aubrietia deltoidea. Brachycome (Swan River Daisy). Calandrinia umbellata. Callirhoe pedata. Centaurea candidissima.

Cineraria maritima. Clintonia elegans. Convolvulus minor. mauritanicus.

Eschscholtzia mandarin. Fenzlia dianthiflora. Gilia tricolor, in varieties.

Iberis odorata, in varieties. Leptosiphon, in varieties.

Linum (Flax) Loasa lateritia. Lobelia gracilis, in varieties. Lophospermum, in varieties. Malcolmia (Virginian Stock). Maurandya, in varieties. Mimulus (Musk Plant). (Monkey-flower). Nemophila (Love-grove). Nierembergia gracilis.

Nolana prostrata.

Pelargonium, Zonale (Geranium).

Petunia, in varieties.

Portulaca, in varieties. Reseda odorata (Mignonette). Sanvitalia procumbens. Saponaria (Soapwort). Saxifraga, in varieties. **Sedum** (Stonecrop). Thunbergia, in varieties. Tropaeolum (Nasturtium). Verbena, in varieties. Vinca (Madagascar Periwinkle). Viola tricolor (Pansy). Viscaria (Rose of Heaven). Zinnia Haageana.

ANNUALS, ETC., FOR BOUQUETS AND NOSEGAYS

Gaillardia.

Abronia umbellata. Ageratum, in varieties. Alyssum (Sweet Alyssum). Antirrhinum (Snapdragon). Aquilegia (Columbine). Asperula azurea. Aster Chinensis, and varieties. Balsamina camelliaeflora. Cacalia (Tassel-flower). Celosia kermesina. Centaurea (Sweet Sultan). cyanus (Bluebottle). Centranthus, in varieties. Chrysanthemum, in varieties. Clintonia pulchella. Collinsia, in varieties. Cosmos. Cuphea. Cynoglossum (Venus' Navelwort). Dianthus Chinensis (Pinks) barbatus (Sweet William). caryophyllus (Carnation). Delphinium (Larkspur).

Didiscus coerulea.

Erysimum (Hedge Mustard).

Gilia, in varieties. Gomphrena (Globe Amaranth). Gypsophila, in varieties. Heliotropium (Heliotrope). Hesperis (Sweet Rocket). Iberis odorata, in varieties. Lathyrus (Sweet Peas). Leptosiphon, in varieties. Lychnis chalcedonica. Mathiola (Ten-Weeks Stock). Myosotis (Forget-me-not). Nigella (Love-in-a-mist.) Phlox Drummondii, in varieties. Reseda (Mignonette). Salpiglossis hybrida. Scabiosa (Mourning Bride). Senecio (Jacobæa). Silene Armeria (Catch-fly). Smilax asparagoides. Tropaeolum (Nasturtium). Verbena, in varieties. Viola tricolor (Pansy). Viscaria, in varieties. Zinnia elegans, fl. pl.

INDEX TO COMMON NAMES

Common Name	Botanical Name	Common Name Botanical Name
African Marigold	Tagetes.	Bell-flower Campanula.
	Athanasia.	Bouncing Bet Saponaria.
Allegheny Vine.	Adlumia.	Blue Hibiscus Anoda.
Amethyst	Browallia.	Californian Poppy Platystemon.
Animated Oats .		Calomaria Humea.
Arabian Primrose	Arnebia.	Candytuft Iberis.
Armeria	Statice.	Canary-bird Flower Tropæolum.
Aster		Canterbury Bells Campanula.
Auricula		Cape Marigold Calendula.
	Gypsophila.	Carnation Pink Dianthus.
	Balsamina.	Cardinal-flower Lobelia.
	Momordica.	Castor Bean Ricinus.
	Momordica.	Catch-fly Silene.
	Dracocephalum.	China Pink Dianthus.
	Cardiospermum.	Chinese Bell-flower Abutilon.
Banana		Chinese Primrose Primula.
	Globe Amaranth.	Chinese Larkspur Delphinium.
	Phaseolus.	Chinese Lantern Plant Physalis.
Bearded Pentstemo		Cigar Plant Cuphea.
Bee Larkspur	Delphinium.	Clary Salvia horminum.
Bladder Ketmia .		Climbing Cucumber . Cyclanthera.
Bluebottle	Centaurea.	Clove Pink Dienthus.
Boston Ivy	Ampelopsis	Cockscomb Celosia.

Common Name.	Botanical Name.	Common Name.	Botanical Name.
Columbine	. Aquilegia.	Marvel of Peru	Mirabilis
Coral Plant	Erythrina.	Mexican Poppy	Argemone.
Cordyline	Dracæna.	Mignonette	
Coreopsis	Calliopsis.	Mock Orange	
Cosmos	Cosmos.	Monkey-flower	Mimulus.
Cowslip	Primula veris.	Monk's-hood	
Cucumber Vine	Cucumis.	Morning-glory	
Cypress Vine	Ipomœa.	Mountain Fringe	Adlumia.
Dahlia	Dahlia.	Mourning Bride	. Scabiosa.
Daisy	. Bellis.	Musk Plant	
Dame's Violet	. Hesperis. [mum.	Myrtle	. Myrtus.
Dew Plant	. Mesembryanthe-	Nasturtium	I ropæolum.
Dusty Miller	Cineraria.	Old Maid	Vinca.
Dutchman's Pipe	Colombolia	Pansy.	Viola.
Eccremocarpus Eggplant	Solonum	Passion Flower	A nomeno
Eggpiant	Helichrycum	Petunia	Peturia
Eternal-flower Evening Primrose	Enothers	Phoseant's ave	Adonis
Everlasting Peas	Lathyrus	Pheasant's-eye Pink	Dianthus
Fever-and-Ague Plant	Eucalyptus	Phlox	Phlox
Feveriew	. Pyrethrum	Pinks	Dianthus
Feather Grass	. Stipa.	Polyanthus	. Primula.
Flax	Linum.	Poppy	. Papaver.
Forget=me=not	Myosotis.	Pot Marigold	Calendula.
Foxglove	Digitalis.	Primrose	
Four-O'clock	. Mirabilis.	Prince's Feather	Amarantus.
French Marigold	Tagetes.	Quaking Grass	. Briza.
Gas Plant 🚗	Dictamnus.	Rock Plant	Aubrietia.
Gay-feather	Liatris.	Rose, African	Papaver Rhœas.
Geranium	Pelargonium.	Rose-of-Heaven	
Gilliflower		Rose Campion	Agrostemma.
Globe Amaranth	Gomphrena.	Sage	. Salvia.
Glory Vine	. Clianthus.	Satin Flower	
Gourds	Cucurbita.	Scotch Broom	. Cytisus.
Heartsease	Viola.	Sensitive Plant	Mimosa,
Heath	Effea.	Silk Oak	Grevinea.
Hedge Mustard Hedgehog	Elysillull.	Slipperwort	Myrciphyllum
Heliotrope	Heliotropium	Smilax	Cucumis
Hollyhock	Althæa	Snapdragon	Antirrhinum
Honesty	Lunaria	Spider Flower	Cleome *
Honeysuckle	. Lonicera.	Stock Gilli	Mathiola.
Horn of Plenty	Datura.	Stonecrop	Sedum.
Horned Poppy	Glaucium.	Sun Dial	
Hyacinth Bean	Dolichos. [mum.	Sunflower	. Helianthus.
Ice Plant	Mesembryanthe- Xeranthemum.	Sun Plant	Portulaca.
Immortal-flower	Xeranthemum.	Snow-on-the-mountain	. Euphorbia.
Imperial Pink	Dianthus.	Swallowwort	Asclepias.
Indian Shot.	Canna.	Swan River Daisy	. Brachycome.
Jacob's Ladder	Polemonium.	Sweet Clover	. Tritolium.
Japan Hop		Sweet Peas	
Japanese Maize		Sweet Rocket	
Japan Pink	. Diantinus.	Sweet Sultan	
Job's Tears	Amarantus	Sweet William	
Lady's Slipper	Roleamina	Tobacco	Nicotiona
Larkspur	Delphinium	Touch-me-not.	. Impatiens
Lemon Verbena	. Alovsia.	Variegated Spurge	
Lobelia		Venus' Looking-glass	
London Pride		Venus' Navelwort	Cynoglossum.
Love-grove		Verbena	Verbena.
Love-grass	Eragrostis.	Virginian Stock	. Malcolmia.
Love-in-a-mist	Nigella.	Virgin's Bower	Clematis.
Love-in-a-puff	Cardiospermum.	Wallflower	Cheiranthus.
Love-lies-bleeding	Amarantus.	Wild Cucumber	Echinocystis.
Maiden Pink	Dianthus.	Windflower	Anemone.
Marigold	Tagetes.	Youth-and-old-age	Zinnia.







COREOPSIS.



DULOV

Hardy Perennial Plants

FOR PERMANENT PLANTING IN OPEN BORDERS


Prices for any of the following, 25 cts. each, \$2.25 per doz.

Varieties	Height	Color	Time of Bloom
Aconitum napellus (Monkshood)	3 ft.	Blue	June
Achillea, "The Pearl"	T 1/2 "	White	All Summer
" tomentosa (Downy Yarrow)	I "	Yellow	Summer
Adonis vernalis (Spring Adonis)	1 "	Yellow	May
Ajuga reptans rubra (Dark Foliage)	6 in.	Blue	Summer
Alstromeria aurantiaca (Peruvian Lily)	2 to 3 ft.	Orange	All Season
Alyssum saxatile (Golden Tuft)	I ft.	Yellow	Early Spring
Anemone Japonica alba.	2 "	White	Fall
" rubra	2 "	Red	Fall
" Pennsylvanica	I "	White	Spring
Anthemis tinctoria (Yellow Chamomile)	I "	Yellow	July to Nov.
Anthericum (St. Bruno's Lily)	3 "	White	Summer
Annilegia (Columbine)	1 1/2 "	Assorted	Early Summer
Aquilegia (Columbine)	6 in.	White	May
Armeria maritima (Sea Pink).	ī ft.	Rose	Spring
Artemisia abrotanum (Southernwood)	4.4	Fragrant	Foliage
Asclepias tuberosa (Butterfly Flower)	2 "	Orange	Tune
Asperula odorata (Woodruff)	I "	White	Summer
Asphodelus luteus (Asphodel)		Yellow	May to July
Aster Novae-Anglae (New England Aster)	3 "	Purple	Fall
Astilbe Japonica (Japan Astilbe)	3 "	White	Early Summer
Baptisia Australis (Blue False Indigo)	1/2	Blue	Early Summer
Bocconia cordata (Tree Celandine	3 to 5 ft.	Cream	Summer
Boltonia asteroides (False Chamomile)	4 ''	White	All Summer
Callichoe involucrata (Creeping Mallow)		Crimson	All Summer
Campanula (Canterbury Bells)	4 in.	Assorted	Early Summer
Cassia Marilandica (American Senna).	4.4	Yellow	July
Centranthus ruber (Red Valerian).	4	Red	All Summer
Clemat's Davidiana (Hyacinth Clematis),	2 "	Blue	Summer
Coreopsis lanceolata	11/2 "	Yellow	All Season
rosea (Rosy Coreopsis)	1 /2 I "	Rose	All Season
W. 1 1 0 0 11 (YYY) 1. Y 1	1 1	White	June to Nov.
" formosum (Blue Larkspur) " to the composum of the composum	3 "	Blue	All Summer
Desmodium penduliflorum (Pea Shrub)	3 "	Carmine	All Season
Dianthus barbatus (Sweet William)		Assorted	Summer
Dicentra	I 1/2 "	Rose	Summer
" spectabilis (Bleeding Heart)	2 "	Pink	May, June
D! - A	2 "	Red	Summer
11 11 11 11	2 "	White	Summer
Digitalis (Foxglove)	3 to 5 ft.	Assorted	July and Aug.
7 0 1 1 0 0 1 0 0	1 ft.	Rose	May and June
Doronicum Caucasicum (Leopard's Bane)	I 11.	Yellow	Early Spring
	I "	Yellow	May to Sept.
" plantagineum excelsum		Blue	July, Aug.
Funatorium adoratoidas (Spoles Post)	3 "	White	Summer
Eupatorium ageratoides (Snake Root)	3	vv mite	Summer

Varieties	Height	Color	Time of Bloom
Euphorbia corollata (Flowering Spurge)	ı ft.	White	Summer
Funkia Sieboldii, var. (Variegated Lily)	2 "	Variegated	Foliage
" subcordata (White Plantain Lily)	2 ''	White	Summer
Gaillardia grandıflora (Aurora Flower)	11/2 "	Orange	June to Nov.
Glechoma (Variegated Ground Ivy)	6 in.	Blue	Summer
Gypsophila paniculata (Baby's Breath)	r ft.	White	Summer
Halanium Autumnale	5 "	Yellow	Fall
Holianthus Maximiliana (Sunflower)	6 "	Yellow '	November
" multiflorus "	4 "	Yellow	All Season
Heliopsis Pitcherianus "	3 ''	Yellow	All Season
Helleborus niger (Christmas Rose)	I "	White	Spring
Hemerocallis Dumorieri (Day Lily)	2 ''	Orange	Summer
" flava (Yellow Day Lily)	2 " I "	Yellow	Summer
Heuchera sanguinea (Alum Root)		Red Wh. & crim.	All Summer
Hibiscus (Crimson Eye), (Mallow)	4 to 6 ft.	White	Aug. to Oct.
Iberis Gibraltarica (Candytuft)	1 11.	VVIIILE	Spring
Iris, Japanese. See page 61. Liatris pycnostachya (Gay Feather)	4 "	Carmine	Aug. to Sept.
Lobelia Cardinalis (Cardinal Flower)	3 "	Red	Aug. to Oct.
" syphilitica (Great Blue Lobelia)	3 "	Blue	September
Lupinus polyphyllus (Lupin)	3 "	Blue	June
Lychnis (Double Rose, Ragged Robin)	I "	Rose	All Season
" chalcedonica (Maltese Cross)	2 to 3 ft.	Scarlet	June and July
Lysimachia (Moneywort).	2 in.	Yellow	Summer
Lysimachia (Moneywort)	5 ft.	White	Summer
Mertensia Virginica (Lungwort)	2 ''	Blue	May and June
Monarda didyma (Oswego Tea)	1 1/2 "	Red	Summer
Myosotis palustris (Forget-me-not)	I "	Blue	Summer
OEnothera Frazerii (Dwarf Day Primrose)	I "	Yellow	All Season
" Missouriensis (Evening Primrose)	4 ''	Yellow	Summer
Paeonias, Herbaceous. See page 61.	2 "	D1 1 1	
Papaver bracteatum (Oriental Poppy)	3	Blood-red	Summer
" Orientale (Oriental Poppy)	1 3	Scarlet	Summer
Pardanthus (Blackberry Lily)	3 "	Orange Scarlet	Aug., Sept. All Summer
Phlox Amoena (Lovely Phlox)	4 "	Light rose	Spring
" subulata (Moss Pink)	6 in.	Pink	Spring
" alba	6 "	White	Spring
Phloxes, assorted.			- Fr8
Platycodon grandiflorum (Bell Flower)	2 to 3 ft.	Assorted	June to Aug.
Plumbago larpentae (Blue Leadwort)	I ft.	Purple	All Summer
Polemonium ceruleum (Jacob's Ladder)	I "	Blue	Spring
Polygonum (Mountain Fleece)	4 to 5 ft.	White	Summer
Primula elatior (Cowslip)	I it.	Assorted	Spring
Pyrethrum hybridum (Persian Daisy)	1½ "	Assorted	Summer
Rhexia Virginica (Meadow Beauty)	I "	Rosy purple	Late Summer
Rudbeckia (Golden Glow)	3	Yellow Blue	September
Salvia pratensis (Meadow Sage) Scabiosa Caucasica (Blue Scabiosa)	I "	Lilac	All Summer All Summer
Silene Pennsylvanica (Catchfly)	1/2 "	Pink	May and June
Spirea filipendula (Dropwort)	2 "	White	Summer
" palmata (Palmate Spirea)	3 "	Rose	Summer
" ulmaria (Meadow Sweet)	3 "	White	Summer
Stachys lanata (White Foliage)	ī ''	Purple	Summer
Thalictrum aquilegifolium (Columbine Meadow Rue)	2 ''	Purplish	Summer
Tradescantia Virginica (Spic'erwort)	2 ''	Purple	Summer
Tricyrtas hirta nigra (Tood I ily)	1 "	Spotted	Fall
Tritoma (Red Hot Poker Flant)	3 to 4 ft.	Scarlet	Fall
Valeriana officinalis (Garden J'eliotrope).	3 ft.	Lavender	Summer
Verbascum nigrum (Dark Mullein)	3 "	Yellow	July to Fall
Veronica subsessilis (Speedwell)	! ~	Blue	August
" spicata	131	Blue	All Summer
	3 "	White Blue	All Summer
Vinca (Creeping Myrtle)	1/2 "	White	Spring
Yucca filamentosa (Adam's Needle)	5 to 8 ft.	White	Spring July, Aug.
A BOOK IMMINERIOSA (AUGUII S INCCUIC)	2 10 0 11.	VV IIILC .	July, Aug.

Bulbs and Tuberous Roots

The following are kept in stock, or supplied to order



TUBEROUS-ROOTED BEGONIAS.

Tuberous=Rooted Begonias

The Tuberous-rooted Begonias are among the handsomest of our summer-flowering bulbs.

Single Finest Mixed. 10 cts. each, \$1 per doz., \$5 per 100.

Double Finest Mixed. 20 cts. each, \$2 per doz., \$10 per 100.

Gladiolus, French Hybrid

Superb fall-flowering bulbs of easy growth; flowers are of much beauty and brilliancy.

Groff's New Hyprids. Doz. 75 cts., 100 \$4. Extra Choice Mixed. 5 cts. each, 50 cts. per doz., \$3.50 per \$100.

Double Tuberoses

One of the most fragrant and beautiful of summer flowering bulbs.

Italian Double. 5 cts. each, 50 cts. per doz. Pearl. The value of this over the preceding consists in its flowers being double the size, imbricated like a rose, and especially in its dwarf habit. 5 cts. each, 50 cts. per doz., \$3.50 per 100.

Astilbe Japonica (Spiraea Japonica)

One of the most beautiful of hardy border plants; grows about 2 feet high, with branching spikes of pure white, feather-like flowers; excellent for forcing. 15 cts. each, \$1.50 per doz.

Amorphophallus Rivieri

A very remarkable plant, of striking growth. Extra large bulbs, \$1 each; second size, 60 cts. each.

Amaryllis

Splendid greenhouse bulbs, and also well suited for house culture.

Belladonna. Violet and white. 20 cts. each, \$2 per doz.

Formosissima. 30 cts. each, \$3 per doz. Johnsonii. 75 cts. each.
Vittata rubra. 50 cts. each.

Calla Aethiopica (Lily=of=the Nile)

A well-known house plant of easy management. 25 cts. each, \$2.50 per doz.

Convallaria Majalis (Lily-of-the-Valley)

The most charming of spring-flowering plants. Large clumps, 50 cts. each.

Caladiums, Fancy

Leaves spotted with various colors in the richest manner; superb for summer decorations.

Distinct Sorts. For pot-culture. 50 cts. each, \$5 per doz.

Caladium Esculentum

One of the most attractive ornamental foliage plants in cultivation. 25 cts. each, \$2.25 per doz.

Dwarf French Cannas

Tropical in effect, with rich foliage and large, bright flowers. 15 cts. each, \$1.50 per doz.

Dahlias

Well-known summer and fall-blooming plants, affording grand flowers of the brightest colors.

Single, Pompon, Large-flowering and Cactus varieties. 20 cts. each, \$2 per doz.

Dielytra Spectabilis (Bleeding Heart)

A good companion to Astilbe Japonica; has lovely pink and white flowers in June, gracefully borne. 30 cts. each, \$3 per doz.

Erianthus Ravennae

A fine ornamental grass, similar in habit of growth to Pampas Grass; attains a height of 4 to 5 feet, producing feathery plumes in profusion, which are very attractive. 25 cts. to 50 cts. each.

Funkia (Hemerocallis) (Day Lily)

Handsome perennial plants. They are quite hardy, and require a moist soil and shady situation. 30 cts. each, \$3 per doz.

Eulalia

Japonica zebrina. A remarkably ornamental grass, the long foliage being distinctly striped with white *across* the leaf. The flowering spikes, which are borne in the fall, have the form of ostrich plumes. Very valuable for massing. 75 cts. each.

Japonica var. Ornamental grass, of easy culture; perfectly hardy. Flowers fine for parlor ornaments, remaining fresh a long time. 50 cts, each.

Gloxinias

A charming class of summer-flowering bulbs; plants of dwarf habit, with very handsome flowers, which are borne in great abundance. 15 cts. each, \$1.50 per doz.

Helianthus Multiflorus Plenus (Double Golden Sunflower)

Perfectly hardy, and flowering from July until frost. The flowers are of a rich golden yellow, and last a long time after being cut. 20 cts. each, \$2 per doz.

Hyacinthus Candicans

A magnificent hardy plant, producing in July and August a flower stem about 4 feet high, surmounted by a spike of numerous pendent bell-shaped, snow-white flowers. 10 cts. each, \$1 per doz.

Japanese and German Iris

Iris are among the most beautiful of our summer-flowering plants, and are destined to become more popular every season. Extra choice varieties. 25 cts. each, \$2.50 per doz., \$15 per 100.

Lilium

(Lily)

These magnificent bulbs are favorites everywhere. The beauty and delicacy of the flowers cannot be excelled.

Auratum. 15 cts. each, \$1.50 per doz.

Candidum. 15 cts. each, \$1.50 per doz.

Lancifolium rubrum. 20c. each, \$2 per doz.

roseum. 20c. each, \$2 per doz.

Tigrinum fl. pl. 20 cts. each, \$2 per doz.

splendens. 15 cts. each, \$1.50 per doz.

Madeira, or Mignonette Vine

A beautiful climbing vine, of rapid growth. 5 cts. each, 50 cts. per doz., \$3.50 per 100.

Manettia Vine (Manettia bicolor)

A rapid-growing plant, with scarlet and yellow flowers. An excellent pot plant. 15 cts. each, \$1.50 per doz.

Montbretias

The Montbretias are one of the brightest and best of summer-flowering bulbs. The bulbs should be planted from April to June in groups of three to a dozen or more. They are perfectly hardy, and once planted can be left to care for themselves. 30 cts. per doz., \$2.50 per 100.

Myrsiphyllum Asparagoides (Smilax)

A very graceful climbing plant; can be used either to climb or droop; one of the most valuable plants for vases or hanging baskets. 25 cts. each, \$2.25 per doz.

Peony, Hardy Herbaceous

Large flowers, ranging from the purest white to the richest crimson. Large roots, 50 cts. each, \$5 per doz.

Pampas Grass (Gynerium argenteum)

A species of grass from South America, growing about 6 feet high, with plumes of yellowish white about 2 feet in length. 30c. each, \$3 per doz.

Richardia Alba Maculata (Summer Calla)

Has white-spotted leaves and purplish flowers; very ornamental. 15 cts. each, \$1.50 per doz.

Tigridia (Tiger=flower)

Extremely handsome, producing many magnificent flowers in the open ground.

Conchillora. Yellow. 5 cts. each, 50 cts. per doz., \$3.50 per 100.

Pavonia. Red. 5 cts. each, 50 cts. per doz., \$3.50 per 100.

Grandiflora alba. 10c. each, 75c. per doz.

Tritoma Uvaria Grandiflora (Red-Hot Poker Plant)

Very showy; produces long spikes of bright scarlet flowers—hence its common name. Large roots, 30 cts. each, \$3 per doz.

Vallotta Purpurea

(Scarborough Lily)

Related to the Amaryllis family; produces very handsome flowers, but is rather tender. 30 cts. each, \$3 per doz.

Gladiolus Hybridus Princeps

Hybrid between the rare African *Gladiolus* cruentus and a selected Childsii seedling.

A_{1.5}

TRITOMA UVARIA GRANDIFLORA.

Grows 4 feet high, with broad, healthy foliage. Spike erect and often 18 inches long, bearing 16 to 22 immense broad-petaled circular flowers, opening flat and perfect, 5 to 7 inches across. Color true Salvia scarlet, with cream-white feathering on lower petals. Endures the sun and wind well, and opens perfectly to the last bud in water. Blooms normally in August, but may be had late in October by delaying planting. Forces splendidly. 25 cts. each, \$3 per doz.

Small Fruits

FOREIGN GRAPE VINES FOR VINERIES

I-year-old Vines, \$1; 2-year-old Vines, \$2.

Alicante, or Black Tokay. H. C. A large, showy black Grape; fine late variety.

Black Barbarossa. H. C. Berries round, very large; a late variety.

Buckland Sweetwater. H. C. Berries round, large; when ripe, of a pale amber: habit vigorous and vine a good bearer.

Canon Hall Muscat. H. White seedling of Muscat of Alexandria, but liable to crack.

Chasselas de Fontainebleau. H. C. Berries round and large, juicy and sweet.

Charlesworth White Tokay. H. C. Berries oval and large; bunch very large, juicy and rich.

Frontignae, White. H. Berries round, medium size very rich; a good bearer.

Gros Colman. H. Handsome; berries and bunches enormous; hangs very late.

Hamburg, Black. H. C. Large, sweet and juicy; a well-known and leading variety.

Lady Downs' Seedling. H. C. Berries large, oval, firm, sweet and richly-flavored. One of the best late black Grapes.

Madrasfield Court. H. Black. Bunches and berries large, very handsome; flavor vinous and true Muscat; a superb Grape of the greatest merit.

Muscat of Alexandria. H. C. Berries large, oval, sometimes varying in size; pale amber when ripe; firm and rich.

Muscat Hamburg. H. Black. An excellent Grape, with the berry and flesh of Black Hamburg, and a fine Muscat flavor; requires heat.

Trentham Black. H. C. Berries oval; large, juicy and rich. A great bearer.

West's St. Peter's. H. C. A late black Grape; keeps well.

P. S.—Those marked H. are suitable for Hot Graperies. Those marked H. C. will grow well in either Hot or Cold Graperies.

HARDY AMERICAN GRAPE VINES

Agawam. One of the most reliable hybrid Grapes; bunches and berries large, dark red; ripens with or soon after Concord; is of peculiar aromatic flavor. 5) cents each.

Brighton. Very early, large, red; equal to Delaware in flavor and richness. 75c. each. Catawba. Late, red; somewhat pulpy, very sweet and rich, of an aromatic, musky vor. Best in sandy soils. 30 cents each.

flavor. Best in sandy soils. 30 cents each.

Concord. Early, large, black; tender, pulpy, with a sweet, foxy flavor. Does well everywhere, and is always reliable. 50 cts. each.

Delaware. Early, small, light red; juicy with very soft pulp; very productive, and requires a rich soil. 50 cents each.

Diana. Late; reddish lilac, juicy and sweet; very vigorous and very good. 35c. each. **Duchess.** Whitish green; berries and bunch medium size; fine flavor. 50 cents each.

Eldorado. A very beautiful Grape, clear golden yellow and of best flavor; ripens 10 days before Concord. 50 cents each.

Elvira. Medium early; pale green, juicy and sweet. 40 cents each.

Hartford Prolific. Extra-early, large and very productive. 50 cts. each.

Iona. Deep, reddish bronze; one of the best where it succeeds. 50 cents each.

Niagara. Large, white, tender and sweet; bunches very compact; a popular early white sort. 50 cents each.

Isabella. Medium early; large purplish black; with little pulp. 30 cents each.


Lady Washington. White; bunches and berries quite large and of good flavor. 75c. Lindley (Rogers' No. 9). Light bronze, berries medium size; of rich aromatic flavor. 50 cents each.

Martha. Very early, large, pale yellow; pulpy and very sweet. 35 cents each.

Merrimae (Rogers' No. 19). Early, large, black; one of the most vigorous and productive. 40 cents each.

Moore's Early. Berries large, black; bunches large and very compact. 50 cts. each. Prentiss. Bunch large; berries of medium size, yellowish green, sometimes tinted rose color. 75 cents each.






GREENVILLE.

STRAWBERRIES

Strawberries may be grown in any soil that will produce good garden vegetables. A light clay loam, well enriched with rotten barnyard manure, is the most favorable soil for most varieties. (Prices are for pot-grown plants. Layer-plants at one-half the prices affixed.)

		,
Brandywine (new). Perfect flower. Fruit of large size, quite firm and shapely. Foliage large and thrifty, entirely free from scale or blemish. Season	1	100
Bubach. Pistillate. A leading variety; berries large and handsome		\$4 00
plant of strong growth and exceedingly productive	. 50	3 50
Charles Downing. Perfect flower. A well-known and popular family berry of fine flavor; the plants do well in most soils and locations	. 50	3 50
Cumberland Triumph. Perfect flower. An excellent early variety	;	
berries of fine color, large, and of delicious flavor		3 50
bright crimson color; one of the best and finest late sorts introduced; flavor o	f	
Glen Mary. Perfect flower. Plants robust, strong growers, with clear	· 75	4 00
foliage. Fruit nearly round, of a light red color, and of excellent flavor	- 75	4 00
Greenville (new). Pistillate. Plants good, strong, healthy growers with a compact, dark, rich foliage. Fruit large and firm, of a dark crimsor color; quite regular in shape, and ripens evenly. Very productive. Midseasor	1	
Lovett's Early. A vigorous, healthy grower; fruit large, firm, enormously	75	3 50
productive; blossoms perfect McKinley (new). Perfect flower. Berries large, round, inclining to	- 75	3 50
conical; flesh firm, and quality excellent; a great yielder Michigan. Perfect flower Berries handsome and firm, equaling in size the Gandy; of high flavor, and ripening 10 days later; color bright crimson,	. I 00	5 00
with distinct yellow seeds; plants strong and very prolific Parker Earle. A robust grower, with perfect flowers and good-sized fruit	. I 00	4 00
of fine quality; rather late	. 75	3 50
Sharpless. Perfect flower. Berries very large, solid and of fine flavor; plants hardy; very large and vigorous.	. 50	3 00
Marshall. Bi-sexual. Fruit large and perfect, of a dark, rich crimsor color, with large green hull	1 00	4 00
Timbrell. Pistillate. The plants are large and strong; foliage of a dark, rich, healthy color; the fruit stalks are usually strong, and hold the fruit quite)	,
free from the ground. Medium to late	- 75	4 00
Van Deman. Perfect flower. The fruit is large, of a dark, glossy crimson, and fine quality; ripens extra early, and is valuable as a pollenizer for early	7	
wm. Belt. Perfect flower. Fruit conical in shape, of a brilliant glossy	. 50	3 00
red, and as near perfection as was ever seen in a berry; ripens very evenly,	,	5 00
without the green tips. Season medium	1 00	3 00



RASPBERRIES	
Golden Queen. Large; fruit of a beautiful buff or amber color. One of	100
the richest flavored berries	\$6 co
Brandywine. Fruit bright red, very firm and fine-flavored; hardy and very productive	6 00
Cuthbert. Fruit red, large and sweet; very hardy	6 00
Gregg. A new black-cap of the largest size; very productive, and of excellent quality.	6 00
Loudon. Fruit very large and firm, of fine rich color and flavor; quite hardy	6 00
Miller Red. Berry as large as Cuthbert; color bright red, and ripening very early; very productive	6 00
BLACKBERRIES	
Erie. Fruit large, firm, sweet and high-flavored; a vigorous grower; perfectly hardy	100 \$6 co
Kittatinny. A stout, erect, and vigorous-growing kind; fruit large and delicious	6 00
New Rochelle, or Lawton. Fruit very sweet and delicious when well ripened	6 00
Wilson's Early. Very good; large, firm and sweet; hardy and productive, and one of the earliest in fruit	6 oo
CURRANTS	
Cherry. A strong-growing variety; fruit of the largest size, deep red \$1 00 Fay's Prolific. Very large, and exceedingly productive; bunches of im-	\$6 00
mense size; a popular red Currant	6 00
Red Dutch. The most prolific and best flavored of the old red varieties. I oo	6 00
Versailles. Foreign; vigorous grower; fruit of the largest size, dark red. 1 00	6 00
White Grape. Best white variety; berry large, beautiful; best quality. I oo	6 00
Victoria. Late red; of good quality	6 00
GOOSEBERRIES	
Downing. Pale green; large, prolific and good. Best for both home and	100
market use	\$6 00
Houghton's Seedling. Small to medium; fruit oval, pale red; very productive, and free from rust	6 (0
Red Jacket. The most prolific and most valuable Gooseberry in America; as large as the largest; berry smooth. Very hardy. Quality best, and foliage best of any Gooseberry known	12 00

ORNAMENTAL SHRUBS AND VINES

HARDY VINES AND CREEPERS

Ampelopsis quinquefolia (Virginia or Strawberry Creeper). Leaves crimson in autumn; very strong grower. 30 cents each.

Veitchii (Japanese Ivy). Leaves smaller than the preceding, and of regular size; a superb vine, and perfectly hardy; foliage is richly colored in autumn. 50 cents each.

Akebia quinata. Small sub-evergreen leaves; brownish flowers. 50 cents each.

Aristolochia sipho (Dutchman's Pipe). Large heart-shaped leaves; very ornamental flowers. \$1 each.

Bignonia radicans (Trumpet Creeper). Scarlet flowers in August; handsome. 40 cents each.

' grandiflora. Very large flowers, of a splendid orange color. 50 cents each.

Clematis coccinea. Flowers scarlet; very choice. 50 cents each.

' flammula (Virgin's Bower). White; very fragrant. 50 cents each.

" Jackmanni. Large purple flowers; a great favorite. 75 cents each.

paniculata (Japanese Virgin's Bower.) This handsome hardy climber is one of the choicest and most satisfactory climbing flowering plant we know. The plant is of strong, rapid growth, with small, dense, cheerful green foliage, giving it a grace and elegance possessed by no other hardy climber. The flowers appear in the greatest profusion during August, and continue until late in the fall, are of a white color and most deliciously fragrant. Strong roots. 50 cents each.

roots. 50 cents each.

Doliehos Japonicus. A strong-growing large-leaved vine, which for rapidity of growth has no equal; strong plants will run 50 feet in a season. 75 cents each.

Hedera helix (Evergreen Ivy). Leaves large and luxuriant; a standard vine. 25 to 75 cents each.

helix tricolor (Tricolor-leaved Ivy.) Leaves green, white and rose; very pretty. 50 cents each.

Humulus lupulus (Hop Vine). A rapid grower; very ornamental. 30 cents each.

Lonicera Belgica (Honeysuckle). Flowers all summer; very fragrant. 50 cts. each.

Sinensis (Chinese Honeysuckle). Dark green foliage; one of the best. 50 cts.

reticulata aurea (Golden-leaved Japan Honeysuckle). Remarkably ornamental, with leaves of a distinct yellow effect. 50 cents each.

Menispermum Canadense (Moon Seed.) A slender-growing vine, producing berries; ornamental in fall. 50 cents each.

Periploca Graeca (Virginia Silk Vine). Foliage long, narrow and shining. 50 cts. each.
 Wistaria Sinensis (Chinese Blue Wistaria). Flowers pale blue, in June; a superb climber for any place. 75 cents each.

Sinensis alba. The best white variety. \$1 each.

DECIDUOUS HARDY SHRUBS, ETC.

Amygdalus fl. pl. alba (Double White-flowering Almond). A beautiful early-flowering shrub. 75 cents each.

fl. pl. rubro. A variety of the preceding with rose-colored flowers. 60 cts. Andromeda Mariana. A native shrub, blooming about the last of May, bearing beautiful white flowers tinged with red. 50 cents each.

Berberis vulgaris (European Barberry). A handsome shrub; yellow flowers, followed in fall with scarlet fruit. 50 cts. each.

atropurpurea. A purple-leaved variety of the above. 50 cents each.

"Thunbergii (Japan Barberry.) Of close, compact growth; the flowers come in May, and the fruit becomes ornamental in July, continuing up to winter time. 50 cents each.

DECIDUOUS HARDY SHRUBS, etc., continued.

Clethra alnifolia. Leaves light green; flowers white and very fragrant. 40 cents each. Calycanthus floridus (Sweet-scented Shrub). Flowers chocolate color; fragrant, like strawberries. 50 cents each.

Chionanthus Virginica (White Fringe). Leaves large, pointed and shining; flowers pure white, feathery or fringe-like. A useful lawn tree. 75 cents each.

Colutea Haleppica. A rapid-growing and attractive shrub, producing reddish bladderlike pods. Very ornamental. 50 cents each.

Cornus florida flore-rubro (Red-flowering Dogwood). A variety of white Dogwood, but having a deep rosy pink-colored flower; the leaves also are of a darker green than the old variety; it makes a good, upright, bushy growth. \$1 to \$2 each.

66 var. pendula (Weeping Dogwood). Its pendulous habit, large white flowers, scarlet fruit and foliage in the fall, place it in the foremost rank. \$1 to \$2 each.

Remarkable in winter for the red color of its branches. alba sanguinea. 50 cents each.

sanguinea variegata. Having very ornamental green foliage, striped with 66 white during the whole season. 5) cents each.

Corylus (Hazel.) A distinct, very ornamental shrub; the leaves are of a deep, dark red color, almost black. 75 cents each.

Crataegus alba plena (White-flowering Hawthorn). Foliage and flowers very ornamental. 75 cents each. **eoecinea fl. pl.** Flowers double red, very large. 75 cents each.

Cotoneaster rotundifolia. Low-spreading shrub, bearing white flowers. 60 cents each. Cydonia Japonica carnea fl. pl. (Japan Quince). Flesh-colored double flowers, produced early in spring. 75 cents each.

6 6 rubra grandiflora (Red Japan Quince). Large red flowers; very showy. 50 cents each.

Cytisus laburnum (Golden Chain). Drooping yellow flowers; a handsome small tree. **≴**ι each.

Daphne eneorum. A choice low-growing bush, bearing its sweet-scented rosy white flowers for several weeks of midsummer. 75 cents each.

Deutzia erenata fl. pl. alba. Flowers double white, tinged with pink. One of the best shrubs in cultivation. 50 cents each.

6 6 **grazilis.** Dwarf, compact; pure white. 35 cents each.

seabra (Rough-leaved Deutzia). Bearing beautiful white spiral flowers. 50 cents-6 6 each.

Euonymus Americanus. Shining green foliage, scarlet berries; fine in fall. 50 cts. each. latifolius (Burning Bush). Vigorous growing; scarlet berries, larger than the preceding. 50 cents each.

Fagus cuprea (Copper Beech). Leaves purple, early in the season. \$1.50 to \$5 each. laciniata (Cut-leaved Beech). Cone-shaped and compact; leaves showy. \$1.50 to \$3 each.

Forsythia viridissima (Golden Bell). The best early-flowering shrub. 75 cents each. Genista scoparius (Scotch Broom). Yellow; flowers in May. 40 cents each.

Hibiseus Syriaeus atrorubens (Althæa, or Rose of Sharon). Showy purple flowers. 35 cents each.

foliis variegatis. Variegated foliage; highly ornamental. 60 cents each. Hydrangea paniculata grandiflora. Immense white flowers; one of the finest shrubs in cultivation. 75 cents to \$2 each.

hortensis. Changeable rose-colored flowers; very popular. 50 cents each. Itea Virginiea. A very pretty shrub, bearing large erect spikes of white flowers, making a fine appearance for a long time. 50 cents each.

Ligustrum tricolor (Privet). Stands the sun well, and forms a good bush; the leaves are golden yellow, changing to white and green as it develops. 50 cents each.

Lonicera Tatarica (Upright Honeysuckle). Pink flowers in May; handsome. 40c. each. alba. A pretty upright shrub; white flowers in spring. 50c. each. **Magnolia conspicua.** A Chinese tree, producing large white flowers in spring. \$2 to

Soulangeara. Like above, but flowers are purple and white. \$1.50 to \$5 each.





MOCK ORANGE, OF SYRINGA.

WEIGELA.

DECIDUOUS HARDY SHRUBS, etc., continued.

Paeonia Moutan (Tree Pæony). Very large flowers, of gorgeous colors. \$2 to \$3 each. Philadelphus coronarius (Mock Orange, or Syringa). Strong-growing; pure white fragrant flowers in June. 50 cents each.

Prunus Sinensis (Double White-flowering Plum). Very pretty. 75 cents each.

" myrobolana (Pissardii). A purple-leaved Plum; there is always a rich purple foliage till autumn. 50 cents each.

Ribes aureum (Missouri Currant). Shining glabrous leaves; early yellow flowers 35 cents each.

Rubus cotinus (Purple Fringe, or Smoke Tree). A beautiful low-growing tree, covered with dark seed-vessels like a purple mist; very showy. 75 cents each.

" glabra laciniata (Cut-leaved Sumac). Leaves of large size, deeply cut and drooping gracefully. Foliage scarlet in autumn. 50 cents each.

Salisburia adiantifolia (Maiden-hair Tree). A Chinese tree of slow growth and distinct leaves. One of the most beautiful trees in cultivation. \$1 each.

Spiraea Billardii. Pink-flowered; a late blooming species. 50 cents each.

f prunifolia fl. pl (Plum-leaved Spiræa). Double white flowers. 40 cts. each.

Reevesiana fl. pl. Clusters of double white flowers, early in spring. 50c. each.

Symphoricarpus racemosus (Snowberry). White waxy berries in autumn; very ornamental. 50 cents each.

Syringa vulgaris (Common Lilac). Purple, sweet-scented flowers. 50 cents each.

" alba. White, sweet-scented; very delicate. 50 cents each.

" Persica (Persian Lilac). Small-leaved; purple flowers of a different shade. 50 cents each.

Tamarix Africana. Beautiful feathery foliage; makes a fine small tree. 50 cents each.

Viburnum plicatum (Double Japan Snowball). Distinct and good; of upright growth, with plaited leaves, and many heads of pure white flowers. 50 to 75 cents each.

Weigela amabilis. Pink flowers; free bloomer. 50 cents each.

" alba. White; very showy. 50 cents each.

" variegata. Beautiful variegated foliage. 50 cents each.


floribunda. The flowers are crimson, with projecting white stamens; quite distinct and valuable. 50 cents each.

Vitex Agnus-eastus. A handsome-leaved shrub, bearing panicles of lilac-blue flowers, and the foliage is nicely scented. 50 cents each.

Also supplied to order, all the leading varieties of standard and dwarf Roses, Hardy Perennials, Bedding and Flowering Plants, Fruit, Shade and Ornamental Trees.


Horticultural Implements

	Each
Aspessorus Vnife	English\$1 50
	et Switching 2 00
YOLK	shire Strapped 2 00
Duns	e Switching 1 25
•	I 00
" Liquid.	2 00
Dibble, Garden.	(See cut.) 50
Flower Gatherers	, English. In 4 sizes.
	75 cts. to 1 75
Flower Pot Brack	ets40 cts. to I oo
Fruit Pickers	60
Forks, Spading, S	Short-handled I 25
	Long-handled I 25
	Short-handled 75
	75
•	eeding, English
	50 cts. to 1 00
Fumigators-	
	house 10 x 12 1 50
" No. 2,	" I2 X 40 2 00
" No. 3,	" 15 x 100 2 50
A CONTRACTOR	
	ATTITUDE V
The state of the s	
C	dan D
Ga	rden Barrow.
Garden Barrows.	No. 1 (boys') 3 00
66 66	No. 24 00
66	No. 3 4 25
66 66	No. 4 5 00



Garden and Lawn Roller.

Garden Reels, English. 10-in	1	00
Garden Lines. Best braided, 100 ft		75
Gooseberry Pruner, English	I	25
Blackberry Pruner, ''	Ļ	25
Garden Pencils, "		15
Gardeners' Gloves pair, \$1.50		
Grafting Waxlb., 40 cts		
Glaziers' Pointsbox of 1,000, 75 cts		
Grubber, Daisy, English	I	25
Hoes, Draw50 cts. to		75
" Dutch (English). 4- to 10-in		
40 cts. to		90
" Warren		75
Witness Contract of the Contra		



Various Styles of Pruning Knives.

Budding Knives. Hedge Shears.



HORTICULTURAL	IMP	LEMENTS,	. continued.
E	ich I		

Each	Per 100										
Hoes, Potato or Prong\$0 75	Plant Labels, Wooden, Pot and Garden:										
Hatchets\$1 to 1 50	4-in., painted										
Hose Menders (Hudson's)	5-in., ''										
Box of 6 Tubes, 20 Bands, 1 pair Pliers. 75	6-in., "										
Knives, Budding, English. (See cuts.)	8-in., ''										
	12-in., "										
" Pruning, English. (See cuts.)	Plant Stakes, Round Green Tapering: Per 100 Per 100 Per 100										
\$1 to 2 co	1½ feet \$1 00 3½ feet \$4 00										
" Grass Edging, English. 10-in. 2 00	2 2 00 4 5 00										
Lawn Mowers, Imperial High Wheel:	2½ " 2 50 5 " 6 00										
14-in. cut net, 8 oo	3 " 3 50										
16-in. " 9 00	Plant Stakes, Heavy or Dahlia:										
18-in. " " 10 00	Per 100 Per 100										
20-in. " " II 00	3 feet \$5 00 5 feet \$8 50										
	4 " 6 50 6 " 10 00										
TT T %											
Horse Lawn Mowers, Coldwell's Improved:	Bamboo Canes										
proved: 30-in. cut, completenet, 60 00	Rakes, Cast Steel										
proved: 30-in. cut, completenet, 60 00	Rakes, Cast Steel										
proved:	Rakes, Cast Steel										
proved: 30-in. cut, complete	Rakes, Cast Steel										
proved: 30-in. cut, complete	Rakes, Cast Steel										
proved: 30-in. cut, complete	Rakes, Cast Steel										
proved: 30-in. cut, complete	Rakes, Cast Steel										
proved: 30-in. cut, complete	Rakes, Cast Steel										
proved: 30-in. cut, complete	Rakes, Cast Steel										
proved: 30-in. cut, complete	Rakes, Cast Steel										
proved: 30-in. cut, complete	Rakes, Cast Steel										
proved: 30-in. cut, complete	Each Rakes, Cast Steel 50 cts. to \$1 00 " Wooden Lawn 50 Raffia, For Tying Plantslb., 25 cts Scissors, Bow Pruning, English75 c. to 1 25 " Grape or Thinning. (See cut.) \$1 to 1 50 Shears, Hedge, Pruning Notch, fly nut: 7½-in., English 2 50 9-in 2 75 " Grass Border, English. 9-in 2 75 " Io-in 3 66										
proved: 30-in. cut, complete	Rakes, Cast Steel										

HOKI ICOLI OKAL 1 MI	Each
Shears, Slide Pruning, Wood Handle	Sprinklers, Lawn 75 cts. to \$3 75
Shears, Since Francisco, Wood Francisco.	Trowels, English Garden 50 cts. to 1 25
" Hand Pruning 2.25 to 3 50	
" Ladies' Garden 1 75	" Transplanting 1 00
	Cieves migie 20 cts, to 33
Sneep 1 00	Tree Scrapers 50
Syringes, English. 12½-in. barrel 4 00	Turfing Iron, or Sod Cutter 4 50
" " 16¼-in. " 6 oo	Tree Pruners. 6-ft 1 00
" " 18½-in. " 7 50	" " 8-ft I 25
" " 18-in. " 7 00	" io-ft 1 50
" Reid's Patent 8 oo	Thermometers, Tin Case 40
" Knuckle Joint 10 00	" Self-registering 2 50
" Amer. No. 0, 12½-in. barrel. 2 50	" Hotbed, Brass-tipped . 1 50
" " No.00, 14-in. " 3 00	Trellis, Fan-shaped10 cts. to 1 oo
" No. 2, 14½-in. " 3 75	
" No. 3, 18-in. " 6 00	Tubs, No. o. Outside diameter 27 in 5 30
" No. 5, 18-in. " 6 50	" No. 1. " 25 in . 4 80
Saws, English, Pruning75 cts. to 2 00	" No. 2. " 23 in 4 25
" Socket or Pole 1 00	" No. 3. " " 21 in 3 50
	" No. 4. " 18 in . 2 75
Double Eage	" No. 5. " 16 in. 2 50
Spud, Garden50	Vases, For Displaying Cut-flowers (see
" With Weeding Hook 50	cut):
" Thistle 60	13-in. deep 60
Sickles, English 50 cts. to 75	•
Scythes, Best English\$1.50 to 2 oo	•
Scythe Snaths	9-111. 45
" Stones, English	0-111. 35
" Rifles 15	4½-in. " 25
Spades, Ames' Short-handled 1 25	Watering Pots, Long-spouted. 4-qt 1 50
" " Long-handled 1 25	" " 8-qt 2 00
Shovels, "Short-handled I 25	" Ordinary Green, 10-qt, 85
	" " " 12-qt. 1 00
Long-nandled pointed. 1 25	" " " 16-qt. 1 50
Sets, Ladies' Garden, English. 27-in 2 25	" " " 20-qt, 2 00
30-111 3 00	D 1: II 1 (G
" " 45-in 4 00 Sprinklers, Rubber 1 00	
-	1409C3 25
" Angle-neck 1 oo	" Cleveland's Lawn 50
Length of Barrel, 18	Sin.; diameter, 1½.
WATERS	
TREE PRUNER.	uning Shears.
CLEVES' ANGLE TROWEL.	POSE VOC


"Planet Jr." Farm and Garden Tools

Space will not permit our showing and describing all the "Planet Jr." tools, but we will send a fully illustrated catalogue, free for the asking, to any who desire it; and we can supply promptly anything ordered. "Planet Jr." goods are standard machines, the best on the market. In sending your orders to us you can rely on getting bottom prices.

No. 4 Combined Hill and Drill Seeder, Single Wheel Hoe, Cultivator PRICE, COMPLETE, \$10; AS A DRILL ONLY, \$8

This admirable tool combines in a single convenient implement a capital hill-dropping seeder, a perfect drill seeder, a single wheel hoe, a cultivator, a rake and a plow. It holds three pints, sowing in continuous rows or dropping in hills at 4, 6, 8, 12 or 24 inches

> in his small crops.



index is accurate, simple and easily set. drill is detached and the tool frame substituted by removing but one bolt. It then becomes a single wheel hoe, garden plow or cultivator. It is useful almost every day of the season, at every stage of garden work. With this one implement the small farmer can do practically all the work

No. 12 Double Wheel Hoe. Cultivator and Plow PRICE, \$6.50

This tool will do the work of six to ten men with ordinary hand-hoes, and is the best machine made for all who

raise onions or garden vegetables on an extensive scale. The wheels can be set at four different distances apart; the frame at three different heights; handle adjustable; arch of steel and extra high, and all the tools are of tempered and polished steel. The leaf guards allow cultivating large plants such as beets, carrots, parsnips, beans or peas. We can heartily recommend it.



No. 16 Single Wheel Hoe, Cultivator, Rake and Plow PRICE, \$5.50

This latest and best single wheel hoe combines lightness, great strength, variety and adjustability of tools. The rakes and cultivator teeth, in combination with the hoe and plow, enable the operator to perform almost every variety of work either

in field or garden. The wheel is 11 inches high, with broad face; frame changes in height, and the wheel may be attached to the other side of the frame, when both sides of the row may be hoed at one passage. It is the best single wheel hoe we know of.


Farmers' No. 19 Single Wheel Hoe, Cultivator and Plow PRICE, \$3.50

This new and attractive implement is especially designed for the farmer's garden work, though it offers to every one with either field or garden a cheap and effective tool for all hand-wheel hoe operations. The wheel is extra

high, the wheel arms are steel, and the frame attached so that the height of the handles may be readily changed to suit man or boy. All the attachments are tempered and polished steel. Strength, variety of tools and cheapness are its great virtues.

The "Fire=Fly" Garden Plow PRICE, \$2.25

This tool is most useful in small gardens, opening furrows for manure or seeds, and covering them quickly. Chicken-raisers will find it very useful in plowing up the scratching yards. The moldboard is of tempered and polished steel; the depth is quickly changed.



FINEST MIXED LAWN GRASS

PER QT., 25 CTS.; PER PECK, \$1.25; PER BUSHEL, \$4.50

Contains a mixture of the finest dwarf-growing kinds for Croquet Grounds, Lawns, Cemeteries, etc. These Grasses will produce a constant verdure throughout the growing season, and have given the most perfect satisfaction.

One quart will seed about three hundred square feet; four bushels are required for an acre.

Grass seed may be sown in April or May, and again in September. The ground should be very carefully prepared, and made fine to receive the seed. After the seed is well up, and again at frequent intervals, the lawn should be rolled, which will greatly improve the turf. For other Grass Seeds, see page 26.

BRIDGEMAN'S SEED WAREHOUSE

37 E. Nineteenth St., New York

Neponset Flower-Pots


Made from the well-known Neponset Waterproof Fabric, and for lightness, cleanliness and cheapness have no equal.

Size	:]	Per	Per 100		000								
21/4																			•	-						\$0	30	\$2	50)
2 1/2					٠	•							,														40	3	50	j
3			a												٠			,									50	4	50)
3 1/2													-			-				-							60	5	50)
4			*	٠.									,														80	7	50)
5		3												3												1	20	10	35	5
6													2	٥		,										1	65	14	55	;

"Acme" Lawn-Mower Sharpener

The Only Practical Article ever Invented for the Purpose

Not necessary to take Mower to pieces.



Directions with each one tells you how to do it.

EACH, - 50 CENTS

Carnation Supports, Model Extension

The best Wire Carnation Support yet offered. It affords the greatest light and best circulation of air. Can be raised easily as the plant grows. Per doz., 50 cts.; per 100, \$3.50; per 1,000, \$32.50. With extra ring, per doz., 60 cts.; per 100, \$4.



COSMOS, DWARF EARLY-FLOWERING "DAWN"

BRIDGEMAN'S HIGH-GRADE SEEDS

37 EAST 19TH STREET NEW YORK CITY